A-A-54337
14 February 1991

COMMERCIAL ITEM DESCRIPTION

SHEET, BED

(Cotton-Polyester, White, Fitted)

The General Services Administration has authorized the use of this Commercial Item Description as a replacement for MIL-S-36868 which is cancelled

This Commercial Item Description covers a fitted, white cotton-polyester bed sheet.

Salient Characteristics:

The bed sheet shall be a bleached, white, shrunk, polyester/cotton sheet of fitted or preshaped configuration, made of commercial permanent-press or non-resinous material designation No. 128 (muslin), suitable for use as a bottom sheet on hospital beds The sheet shall be supplied in the following sizes

Size	Width	Length (cut or torn)
1	46 inches ±1 inch	91 inches ±1 inch
2	52 inches ±1 inch	94 inches ±1 inch

The yarn shall be an intimate blend of polyester and cotton fiber, consisting of 50 plus or minus 5 percent polyester and the remaining percentage cotton The sheeting shall have the following characteristics

AMSC N/A FSC 7210

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

Characteristic	Requirement
Weight	3 5 ounces/square yard minimum
Total yarns per square inch	128 minimum
Ends per inch	68 nominal
Picks per inch	60 nominal
Breaking strength	
Warp	55 pounds minimum
Filling	55 pounds minimum
Weave	Plain
Dimensional stability	
Warp	2 percent shrinkage maximum
Filling	2 percent shrinkage maximum

The thread for all the sewing operations shall be cotton-covered polyester thread ticket number 70, 2 ply, or spun polyester threac ticket number 70, 2 or 3 ply The color of the thread shall be orange TL C A 66076

The sheet shall have a 35 gauge heat resistant rubber elastic, 1/4 to 3/8 inch wide, secured across each end, including the corners, with a suitable bias binding tape to provide a snug fit over the following size mattresses.

Size 1 - 30 by 75 by 7 inches

Size 2 - 36 by 78 by 6-1/2 inches

All hems shall be straight and of uniform width. Hems shall be sewn so that no raw edges, run-offs, twists, pleats, puckers, or open seams result Ends of all seams and stitchings, when not caught in other seams or stitchings, shall be backtacked or backstitched not less than 1/2 inch Thread breaks shall be secured by stitching back of the breaks not less than 1/2 inch at each break All thread ends shall be trimmed to a length of not more than 1/2 inch.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

A permanent launderable identification label shall be attached to the sheet. The label shall be approximately centered and sewn into the top or bottom hem of each sheet. The top or bottom edge of the label may be caught in the hem stitching. If desired, the remaining three sides may be sewn to the sheet. As an alternate, the label may be attached by positioning in approximately the same position as described above and stitching all four sides.

The label shall show at least "good" colorfastness to laundering transference and to accelerated laundering. The label shall contain the following information for the size 1 sheet:

* Nomenclature - Sheet, Bed, Cotton-Polyester, White, Fitted
* Material content - 50 percent polyester/50 percent cotton
* To fit mattress - 75 inches x 30 inches x 7 inches

For the size 2 sheet, the label shall read:

* Nomenclature - Sheet, Bed, Cotton-Polyester, White, Fitted
* Material content - 50 percent Polyester/50 percent Cotton
* To fit mattress - 78 inches x 36 inches x 6-1/2 inches

As an alternate to the above, the identification label may be a standard commercial-type mill label. The label shall state as a minimum:

* Fiber percentage
* Manufacturer's name
* The phrase "Made in U.S.A."

If labeling is done on an automatic machine, the label may be sewn in one of the corners

The finished sheet, the unit of issue, shall be folded and packaged in a suitable polyethylene bag.

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:32Z
Check the source to verify that this is the current version before use.

Workmanship. The bed sheet shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA) One sheet of the size specified, constitutes one unit.

Quality Assurance Provisions

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements

Records Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item

Sampling for examination. Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 4.0 (percent defective) and an inspection level of I The unit of product for examination purposes shall be one bed sheet

Sampling for tests Sampling for tests, including dimensional test shall be conducted in accordance with MIL-STD-105, with an AQL of 2 5 (percent defective) and an inspection level of S-3 The unit of product for test purposes shall be one bed sheet

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:32Z
Check the source to verify that this is the current version before use.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Contractor certification The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

Regulatory requirements.

Federal Food, Drug and Cosmetic Act If the product covered by this document has been determined by the U S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers with the requirements of all other applicable Federal, State, and local statutes, ordinances and regulations

Recovered materials The offeror/contractor is encouraged to use recovered material in accordance with Federal Acquisition Regulation Subpart 23 4 to the maximum extent practical

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc , involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Ordering data Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

NOTE: The following National Stock Numbers are covered by this document

7210-00-119-7361 (Size 1)
7210-00-119-7369 (Size 2)

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
USPHS
FDA-MPQAS

Project Number: 7210-0289

Location SHEETCID 13A

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:32Z
Check the source to verify that this is the currentversion before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER: A-A-54337	2. DOCUMENT DATE (YYMMDD): 14 February 1991

3. DOCUMENT TITLE: SHEET, BED (Cotton-Polyester, White, Fitted)

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)
	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME DEFENSE PERSONNEL SUPPORT CENTER ATTN: DPSC-MSTE	b. TELEPHONE (Include Area Code) (1) Commercial: AC 215-737-2870 (2) AUTOVON: AV 444-2870
c. ADDRESS (Include Zip Code) 2800 SO. 20TH STREET PHILADELPHIA, PA 19101-8419	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340

DD Form 1426, OCT 89 — Previous editions are obsolete — 9879C

Source: https://assist.dla.mil -- Downloaded: 202640-26T09:32Z
Check the source to verify that this is the current version before use.