INCH-POUND

MIL-P-514/1
22 May 1989

MILITARY SPECIFICATION SHEET
PLATE-IDENTIFICATION DATA FOR TACTICAL VEHICLE AIR TRANSPORTABILITY WEIGHTS, M44 2-1/2 TON TRUCK SERIES

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The air transportability requirements for the Tactical Vehicle Identification Plate information described herein shall consist of this document and the latest issue of MIL-P-514.

REQUIREMENTS:

1. Aircraft transportability weight information

Aircraft transportability weight information shall be provided for each vehicle model of the M44 series trucks which is air transportable as specified in contract.
Aircraft loading data information shall be in accordance with Military Part 12375405-12375429.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: US Army Tank-Automotive Command, ATTN: AMSTA-GDS, Warren, MI 48397-5000, by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:39Z
Check the source to verify that this is the current version before use.

2. Definitions

a. Maximum Vehicle Shipping Weight (MVSW) is a maximum anticipated vehicle weight comprised of basic vehicle weight, any ancillary equipment including kits, components, accessories, and maximum allowable cross country payload for the vehicle. An estimated weight tolerance is also included.

b. Maximum Axle Shipping Weight (MASW) is defined as a maximum axle weight of the vehicle described in 2(a) with the additional stipulation that the payload is positioned on the vehicle in such a location that it will contribute a maximum weight component to that axle. This is accomplished as follows:

(1) Front axle weight resulting with cargo center of gravity positioned approximately halfway forward of rear axle center and front of cargo bed, if the vehicle is so equipped, or a similar load approximation if the vehicle load is movable.

(2) Rear axle weight resulting with cargo center of gravity positioned approximately halfway between the rear bogie axle center and the tail end of the cargo bed and comments of (1). By this definition it is possible that the sum of the front and rear axle MASW's can exceed MVSW.

c. These definitions establish "not to exceed" weights which serve to ensure that axle or other type of vehicle disintegration would not occur while the vehicle is subjected to shock loads during airlift. These weights, upon submission of test data indicating compliance to the Air Force, are certified after the vehicle is shock load tested as specified by MIL-STD-1791 (USAF). The Air Force will grant the certification.

3. Applicable provisions

a. The MVSW for air transport of the M44 series trucks is 21,300 pounds.

b. The front MASW for air transport is 7,640 pounds.

c. The rear bogie MASW for air transport is 15,700 pounds.

d. The vehicle and its cargo must be restrained in accordance with the requirements in MIL-STD-1791, paragraph 4.2.3.2; i.e., 3.0 G forward, 2.0 G vertically up, 4.5 G vertically down, and 1.5 G aft and lateral.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:39Z
Check the source to verify that this is the current version before use.

e. During the course of cargo plane loading, each vehicle is weighed. These weights are then compared against the air transportability data plate rating described above and, if the rating is not exceeded, the vehicle is approved for loading. It should be noted that the Air transportability data plate weight is not used to determine the total weight of the cargo that can be carried by an aircraft.

Custodians:
Army - AT
Navy - AS
AF - 99

Review activities:
Army - ME, AV, MI, EA, AC
AF - 84, 16
Navy - OS, YD
DLA - GS

Preparing activity:
Army - AT

(Project 9905-0296)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:39Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T07:39Z
Check the source to verify that this is the current version before use.