MILITARY SPECIFICATION

FUNNEL AND BOTTLE, ENTOMOLOGICAL, BERLESE

This limited coordination Military specification has been prepared by the Defense Personnel Support Center based upon currently available technical information, but it has not been approved for promulgation as a coordinated specification. It is subject to modification. However, pending its promulgation as a coordinated Military specification, it may be used in procurement.

1. SCOPE

1.1 This specification covers one type of Berlese entomological funnel and bottle for use in the field for the collection of ectoparasites in epidemiological studies.

2. APPLICABLE DOCUMENTS

2.1 Specifications, standards and drawing. The following documents of the issue in effect on date of invitation for bids or request for proposals, form a part of this specification to the extent specified herein:

SPECIFICATIONS

Federal

PPP-B-636	Box, Fiberboard.
PPP-B-676	Box, Setup.

STANDARDS

Military

MIL-STD-105	Sampling Procedures and Tables for Inspection by Attributes.
MIL-STD-129	Marking for Shipment and Storage.

DRAWING

Defense Personnel Support Center (DPSC)

24191 Funnel and Bottle, Entomological, Berlese.

FSC 6640

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

(Copies of specifications, standards and drawing required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Material. Material shall be of the highest quality and as specified herein.

3.2 Construction. Unit shall consist of a rigid polystyrene plastic funnel, a glass bottle and a fine mesh copper screen and shall be constructed in strict accordance with Defense Personnel Support Center Drawing No. 24191. Where tolerances on dimensions are not shown, they shall be ± 1/8 inch for dimensions of one inch and less and ± 1/2 inch for dimensions over one inch except for overall dimensions of the assembly which shall be : length 9-5/8 ± 1/8 inch, and top diameter of funnel 6-5/8 ± 1/8 inch. Design and dimensions shall be such that the neck of the bottle supports the funnel and the funnel supports the screen as shown in assembly view of the drawing. Capacity of bottle shall be at least 16 ounces.

3.3 Workmanship. Workmanship shall be first class throughout. Unit shall be free of defects listed in table III and other defects which detract from its appearance or may impair its serviceability.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the supplier may use his own or any other facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.1.1 Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government, upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of 3 years after delivery of the supplies to which such records relate.

4.1.2 Inspection. Inspection, as used in this specification, is defined as both examination (such as visual, or auditory, investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

4.2 Sampling.

4.2.1 For examination. Sampling for examination shall be conducted in accordance with MIL-STD-105 and table I. Unit of product shall be one unit (funnel, bottle and screen).

Table I. For examination

	Inspection level	AQL (percent defective)
For visual examination Major defects	II	1.0
For dimensional examination	S-1	2.5

4.3 Examination. Unit shall be examined to determine compliance with all the requirements in this specification. Examination shall be in accordance with, but shall not be limited to, the defects listed in table II.

Table II - Classification of defects.

Category	Defect
Major	
101	Component not free of deformation.
102	Bottle and funnel not free of cracks.
103	Bottle not free of chips and sharp edges.
104	Neck of bottle does not support funnel.
105	Funnel does not support screen.
106	Screen not free of bends.
107	Wires not continuous and perpendicular in unsupported area of screen.

4.3.1 Dimensional and capacity examination. The unit shall be examined for defects in dimensions. Any dimensions not within the tolerance specified herein shall be classified as a defect. As an alternate to determining capacity of the bottle by measuring the amount of liquid it holds, capacity may be calculated from the internal height and radius.

5. PREPARATION FOR DELIVERY

5.1 Packaging.

5.1.1 Unit of issue. One bottle, funnel and screen, as specified, constitute one unit of issue.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

5.1.2 Packaging quantities. The number of units of issue indicated in table III shall be packaged in each unit, intermediate, and exterior container, as applicable, for the required level of protection specified in the procurement document.

Table III. Packaging quantities

Unit package	Intermediate package	Exterior container
1 unit	Not required	12 units

5.1.2.1 Packing variation permitted. If the required number of units in the entire shipment is less than the number of units specified to be overpacked in an exterior container, such units may be packed in an exterior container of suitable size and design, acceptable to a common carrier, which shall insure safe delivery to destination.

5.1.3 Level A.

5.1.3.1 Unit package. Each unit shall be packaged in a box of appropriate size and design constructed in accordance with PPP-B-676 except that commercial colors are acceptable or PPP-B-636, type CF, class domestic. The box shall be designed with suitable interior fittings or shall contain sufficient cushioning material as to insure against shifting of or damage to the contents. Closure shall be adequate to prevent spilling of contents under normal handling.

5.1.4 Level C. Units shall be packaged in standard commercial containers of the size and kind commonly used, which will afford the degree of protection required for shipment and use of the product for its intended purpose.

5.2 Packing.

5.2.1 Level A.

5.2.1.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-636, type CF, class weather-resistant. The exterior container shall conform to the special requirements as specified in PPP-B-636. Closure, strapping, and waterproofing shall be as specified in the appendix of the applicable box specification.

5.2.2 Level B.

5.2.2.1 Exterior container. Exterior container shall be designed for a type 2 load and constructed in accordance with PPP-B-636, type CF, class domestic. The exterior container shall conform to the special requirements specified in PPP-B-636. Closure of boxes shall conform to PPP-B-636, method II.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

5.2.3 Level C. The subject commodity shall be packed in substantial commercial containers of the type, size, and kind commonly used for the purpose, so constructed as to insure acceptance and safe delivery by common or other carriers, at the lowest rate, to point of delivery called for in the contract or purchase order.

5.3 Marking.

5.3.1 Unit package. Each unit package shall be marked in accordance with MIL-STD-129. When labels are utilized, waterproofing shall be required only when applicable carton is fabricated of water-resistant material. Contract or purchase order number and name of contractor shall be shown.

5.3.2 Exterior container. Exterior container shall be marked in accordance with MIL-STD-129.

NOTE: The item identification shall be shown on the unit package and exterior container as follows:

"FUNNEL AND BOTTLE, Entomological, Berlese".

6. NOTES

6.1 Ordering data. Procurement documents should specify the following:

(a) Title, number and date of this specification.
(b) Federal stock number (FSN).
(c) Selection of applicable levels of packaging and packing (see 5.1 and 5.2).

6.2 This specification does not cover all types, classes, grades or sizes of the commodity indicated by the title of this specification, or those which are commercially available, but is intended to cover the types which are normally procured to meet Military requirements.

6.3 This specification covers the following item shown in the Federal Supply Catalog:

Federal Stock No.	Item Identification
6640-442-6887	FUNNEL AND BOTTLE, ENTOMOLOGICAL, Berlese

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

Custodians:
Army - MD
Navy - MS
Air Force - 03

Review activities:
Army - MD
Navy - MS
Air Force - 03

Preparing activity:
Defense Supply Agency - DM

Project No. 6630-0711

Review information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current DODISS.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No. 22-R255

INSTRUCTIONS: The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document. DoD contractors, government activities, or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity. *Comments submitted on this form do not constitute or imply authorization to waive any* portion of the referenced document(s) or to amend contractual requirements. Attach any pertinent data which may be of use in improving this document. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE

MIL-F-36899(DSA-DM)

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3. IS THE DOCUMENT RESTRICTIVE?

☐ YES ☐ NO *(If "Yes", in what way?)*

4. REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO.
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 66 WHICH MAY BE USED

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.

FOLD

DEFENSE PERSONNEL SUPPORT CENTER
2800 South 20th Street
Philadelphia, Pa. 19101

Defense Supply Agency

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEFENSE SUPPLY AGENCY
DoD - 304

U.S.MAIL

HEADQUARTERS, DEFENSE PERSONNEL SUPPORT CENTER
ATTN: DIRECTORATE OF MEDICAL MATERIEL, CODE ATT
2800 SOUTH 20TH STREET
PHILADELPHIA, PA. 19101

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T09:32Z
Check the source to verify that this is the current version before use.