NOT MEASUREMENT SENSITIVE

MIL-DTL-3628/18L
15 November 1996
SUPERSEDING
MIL-B-3628/18K
30 July 1993

DETAIL SPECIFICATION SHEET

BADGE, QUALIFICATION, CLASPS, EXPERT RIFLE AND PISTOL, MARINE CORPS

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and the issue of MIL-DTL-3628 listed in that issue of the Department of Defense Index of Specifications and Standards (DoDISS) specified in the solicitation.



MATERIAL: Red Brass, Nickel Silver or Zinc Aluminum

FINISH:
RED BRASS AND NICKEL SILVER: Nickel Plated, Mirror-like Polished and shall match TIOH Metal Finish Chip Number 16 except textured background areas which shall be lightly polished.
ZINC ALUMINUM: Copper Plated, Nickel Plated, Mirror-like Polished and shall match TIOH Metal Finish Chip Number 16 except textured background areas which shall be lightly polished.

AMSC N/A FSC 8455
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:52Z
Check the source to verify that this is the current version before use.

DASH NO.

-1:	2nd Award, Rifle	-5:	2nd Award, Pistol
-2:	3rd Award, Rifle	-6:	3rd Award, Pistol
-3:	4th Award, Rifle	-7:	4th Award, Pistol
-4:	5th Award, Rifle	-8:	5th Award, Pistol
-9:	6th Award, Rifle	-14:	6th Award, Pistol
-10:	7th Award, Rifle	-15:	7th Award, Pistol
-11:	8th Award, Rifle	-16:	8th Award, Pistol
-12:	9th Award, Rifle	-17:	9th Award, Pistol
-13:	10th Award, Rifle	-18:	10th Award, Pistol
-19:	11th Award, Rifle	-39:	11th Award, Pistol
-20:	12th Award, Rifle	-40:	12th Award, Pistol
-21:	13th Award, Rifle	-41:	13th Award, Pistol
-22:	14th Award, Rifle	-42:	14th Award, Pistol
-23:	15th Award, Rifle	-43:	15th Award, Pistol
-24:	16th Award, Rifle	-44:	16th Award, Pistol
-25:	17th Award, Rifle	-45:	17th Award, Pistol
-26:	18th Award, Rifle	-46:	18th Award, Pistol
-27:	19th Award, Rifle	-47:	19th Award, Pistol
-28:	20th Award, Rifle	-48:	20th Award, Pistol
-29:	21st Award, Rifle	-49:	21st Award, Pistol
-30:	22nd Award, Rifle	-50:	22nd Award, Pistol
-31:	23rd Award, Rifle	-51:	23rd Award, Pistol
-32:	24th Award, Rifle	-52:	24th Award, Pistol
-33:	25th Award, Rifle	-53:	25th Award, Pistol
-34:	26th Award, Rifle	-54:	26th Award, Pistol
-35:	27th Award, Rifle	-55:	27th Award, Pistol
-36:	28th Award, Rifle	-56:	28th Award, Pistol
-37:	29th Award, Rifle	-57:	29th Award, Pistol
-38:	30th Award, Rifle	-58:	30th Award, Pistol

DIMENSIONS:

HEIGHT (Including Lugs):

-1 thru -4, -9 thru -13, -19 thru -38:	1/2 inch (1.27 cm) (REF)
-5 thru -8, -14 thru -18, -30 thru -58:	7/16 inch (1.11 cm) (REF)

WIDTH (Overall):

-1 thru -4, -9 thru -13, -19 thru -38:	1-33/64 inches (3.85 cm) (REF)
-5 thru -8, -14 thru -18, -30 thru -58:	1-5/32 inches (2.94 cm) (REF)

THICKNESS (At Edge): 0.065 inch $\pm$ .005 inch (0.165 cm $\pm$ 0.012 cm)

NOTES:

1. The term (REF) refers to the measurements taken from the Government furnished hub or die.

2. Lugs shall be located equidistant from each end. The distance, center to center of the lugs, shall be as follows:

-1 thru -4,-9 thru -13,-19 thru -38:	13/16 inch $\pm$ 1/64 cm (2.06 cm $\pm$ 0.04 cm)
-5 thru -8,-14 thru -18,-39 thru -58:	5/8 inch $\pm$ 1/64 cm (1.59 cm $\pm$ 0.04 cm)

3. Two links shall be positioned on top lugs and shall use the same material and finish as the badge clasp. Links shall be 13/64 inch $\pm$ 1/64

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:52Z
Check the source to verify that this is the current version before use.

inch (0.52 cm ± 0.04 cm) in width and 1/4 inch ± 1/64 inch (0.64 cm ± 0.04 cm) in length and shall be fabricated from 0.044 inch ± 0.005 inch (0.114 cm ± 0.012 cm) diameter wire.

4. All badge clasps are of identical design except for lettering.

5. Requalification clasps covered by this specification sheet shall be used in conjunction with the basic badges on specification sheets MIL-DTL-3628/16 and MIL-DTL-3628/17 as applicable.

6. Badge may be rhodium plated with a mirror-like polished finish which shall match the TIOH Metal Finish Chip Number 16 at the option of the manufacturer.

CHANGES FROM PREVIOUS ISSUE: Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extent of the changes.

Custodian:
Army - IH
Navy - NU

Preparing activity:
Army - IH

Review activities:
Navy - MC
DLA - CT

(Project No. 8455-0864)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T18:52Z
Check the source to verify that this is the current version before use.