MIL-S-6330H
22 APRIL 1965
SUPERSEDING
MIL-S-6330G
4 APRIL 1963

MILITARY SPECIFICATION

SURVIVAL KITS, LIFE RAFT

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers survival kits to be used with life rafts.

1.2 Classification. Survival kits covered by this specification shall be of the following types, as specified (see 6.2):

Type I—One-man raft
Type II—Four- or six-man raft
Type III—Twenty-man raft
Type IV—Twenty-man shelter raft

2. APPLICABLE DOCUMENTS

2.1 The following documents, of the issue in effect on date of invitation for bids or request for proposal, form a part of this specification to the extent specified herein:

SPECIFICATIONS

FEDERAL

L-S-626—Sponges; Cellulose-Type
UU-T-81—Tags, Shipping and Stock

MILITARY

MIL-P-116—Preservation, Methods of
MIL-L-655—Lipstick, Anti-chap and Sunburn Protective
MIL-C-5040—Cord, Nylon
MIL-D-5531—Desalter Kit, Sea Water, Mark 2
MIL-D-5850—Distillation Kits, Sea Water, Solar
MIL-F-6218—Fishing Kit, Survival
MIL-P-7249—Paulin, Lightweight
MIL-P-7936—Parts and Equipment, Aeronautical, Preparation for Delivery
MIL-P-8258—Pumps, Hand, Air
MIL-B-8571—Bag, Water, Plastic
MIL-C-10436—Compass, Magnetic, Unmounted: Lensatic, Induction-Damped, 5-Degree and 20-MIL Graduations; Scale, with Carrying Case
MIL-S-10736—Stove, Gasoline Burner, M-1950, With or Without Case
MIL-S-11262—Sunburn-Preventive Preparation (Cream Paste)
MIL-C-11796—Corrosion Preventive Compound, Petrolatum, Hot Application
MIL-S-17980—Sea Marker, Fluorescein, Dye, Sodium Salt Type, Life Preserver Packet
MIL-M-18371—Mirror, Signaling, Search and Rescue (MK-3)
MIL-F-43231—Food Packet, Survival, General Purpose

STANDARDS

MILITARY

MIL-STD-130—Identification Marking of U.S. Military Property
MIL-STD-143—Specifications and Standards, Order of Precedence for the Selection of
MIL-STD-831—Test Reports, Preparation of
MS26529—Oar, Metal, Sectional

DRAWINGS

NAVY—BUREAU OF SHIPS

S8225-1170434—Inflatable Boat Equipment, Rescue Line, Details and Arrangement
63A80H4—Accessory Container Assembly, 20 Man Life Raft

AIR FORCE

44D9376—Bucket Assembly—Life Raft Bailing

FSC 4220

775-854—65

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:51Z
Check the source to verify that this is the current version before use.

45B18979—Kit—Life Raft Repair Plug
49A3742—Container Assembly Rust Preventive
59C3778—Cup, Bailing—One Man Life Raft
63F4281—Liner—20 Man Life Raft

(Copies of specifications, standards, drawings, and publications required by suppliers in connection with specific procurement functions should be obtained from the procuring activity or as directed by the contracting officer.)

3. REQUIREMENTS

3.1 Preproduction. This specification provides for preproduction inspection.

3.2 Data. Unless otherwise specified in the contract or order, no data are required by this specification or any of the documents listed in section 2 (see 6.2).

3.3 Components. All complete assembled kits shall contain the components listed in table I for types I, II, III, and IV kits. In addition to table I, the following information, outlining in detail more specific requirements of some of the components, is furnished.

3.3.1 *Age limitations.* Unless otherwise specifically approved by the procuring activity, all materials and component parts used in the survival kits shall have been manufactured not more than 12 months prior to the date of delivery of the kits.

TABLE I. *Components of assembled kits* [1]

Item No.	Component	Identification (specification, drawing, paragraph, or other source)	Quantity			
			Type			
			I	II	III	IV
1	Accessory container assembly	BuShips Dwg. 63A80H4	----	1	1	1
2	Bucket, bailing	AF Dwg. 44D9376	----	1	1	1
3	Compass	MIL-C-10436	----	1	1	1
4	Inflatable boat equipment rescue line	BuShips Dwg. S8225-1170434	----	1	----	----
5	Cord, 30 foot length	Type I of MIL-C-5040	----	2	1	1
6	Cup, bailing	AF Dwg. 59C3778	1	----	----	----
7	Desalter kit	Type I of MIL-D-5531	1	2	5	5
8	Distillation kit	Class B of MIL-D-5850	----	2	4	4
9	First aid kit, survival, individual	Federal Stock No. 6545-299-8313	1	3	6	3
10	Fishing kit	MIL-F-6218	----	1	1	1
11	Lipstick	Type II, class 1 of MIL-L-665	1	4	4	4
12	Manual, survival (religious information included).	AF Manual 64-5	1	1	1	1
13	Mirror	MIL-M-18371	1	1	1	1
14	Oars	MS26529-2	----	2	----	----
15	Sunburn-preventive, cream paste	MIL-S-11262	----	4	20	5
16	Paulin	Size 77 of MIL-P-7249	----	1	----	----
17	Pump	Type III of MIL-P-8258	----	1	1	1
18	Food packet, survival [2]	MIL-F-43231	----	3	5	5
19	Repair kit	AF Dwg. 45B18979-1	1	----	----	----
20	Repair kit	AF Dwg. 45B18979-2	----	1	1	1
21	Rust preventive compound	See 3.3.3	1	----	----	----
22	Sponge	Type II, size 4, of L-S-626	1	----	----	----
23	Sponge	Type II, size 8, of L-S-626	----	1	2	2
24	Water bag	Size A of MIL-B-8571	----	3	5	5
25	Packet, fluorescein dye, sea marker	MIL-S-17980	1	4	4	4
26	Liner shelter raft	AF Dwg. 63F4281	----	----	----	1
27	Stove, gasoline, with case [2]	MIL-S-10736	----	----	----	1

[1] For information pertaining to Government-furnished components, see 6.3.
[2] The manufacturer shall not include this item in assembly of survival kits.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:51Z
Check the source to verify that this is the current version before use.

3.3.2 *Preparation for assembly.* When an applicable component specification specifies the unit packaging of a component, that component shall be unit-packaged as required by its specification and then assembled in the specified kit container. Components shall be assembled within the container to utilize a minimum of space and to preclude the possibility of breakage. The components of the various kits shall be assembled in a container conforming to Drawing 63A80H4.

3.3.3 *Rust preventive compound.*—One transparent plastic container conforming to Drawing 49A3742 filled with rust preventive compound conforming to class 3 of MIL-C-11796 shall be placed in one of the vinylite containers.

3.4 Selection of specifications and standards. Specifications and standards for necessary commodities and services not specified herein shall be selected in accordance with MIL-STD-143.

3.5 Identification of product. Equipment, assemblies, and parts shall be marked for identification in accordance with MIL-STD-130.

3.5.1 *Additional marking.* Type I kit containers shall be legibly marked with the following information. Types II, III, and IV kit containers shall be tagged with the following information. The tag shall conform to type B of UU-T-81 and shall not be smaller than size 4. The tag shall be strung with twine.

WARNING: This kit is not complete. Food packets shall be requisitioned separately from applicable prime depot. Repackage for service use in accordance with applicable technical orders.

3.6 Workmanship. Kits shall be constructed in a thoroughly workmanlike manner. The finished kits shall include all components listed in table I for each type of kit. The components shall be free of defects that might affect functionability and service life.

4. QUALITY ASSURANCE PROVISIONS

4.1 Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the supplier is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified, the supplier may utilize his own facilities or any other commercial laboratory acceptable to the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

4.2 Classification of inspections. The examining and testing of life raft survival kits shall be classified as:

(a) Preproduction inspections..... (4.3)
(b) Quality conformance inspections..... (4.4)

4.3 Preproduction inspections.

4.3.1 *Sampling instructions.* The contractor shall submit to the procuring activity one sample survival kit, together with copies of the test reports specified in 4.3.3.

4.3.2 *Contractor's preproduction inspections.* The contractor shall subject survival kits of each type to the preproduction inspections specified in 4.3.4.

4.3.3 *Preproduction test report.* When specified (see 6.2), after the contractor completes the preproduction tests, he shall prepare a preproduction test report conforming to MIL-STD-831 and shall furnish three copies of the report to the procuring activity.

4.3.4 *Inspections.* Preproduction inspections shall consist of the examinations and tests specified under 4.5.

4.4 Quality conformance inspections. Quality conformance inspections shall consist of individual tests.

4.4.1 *Individual tests.* Each life raft survival kit shall be subjected to the examination of product (4.5.1).

4.5 Inspection methods.

4.5.1 *Examination of product.* Each survival kit shall be visually inspected to determine compliance with this specification and drawings with respect to material, over-all dimensions, workmanship, marking, packaging, and age limitations (see 3.3.1).

4.5.1.1 *Components.* Prior to assembly, it shall be ascertained that all components (see table I) of the kits procured under separate specifications or drawings have been inspected, tested, and accepted in accordance with their respective specifications or drawings.

4.6 Preservation, packaging, packing, and marking. Preparation for delivery shall be examined for conformance with section 5.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:51Z
Check the source to verify that this is the current version before use.

5. PREPARATION FOR DELIVERY

5.1 Preservation, packaging, packing, and marking. Unless otherwise specified by the contracting officer, preparation for delivery, including marking of interior and exterior containers, shall be in accordance with MIL-P-7936. Preservation for level A shall be in accordance with Method III of MIL-P-116.

6. NOTES

6.1 Intended use. The items listed in this specification are intended for use as components of life raft survival kits.

6.2 Ordering data. Procurement documents should specify:

(a) Title, number, and date of this specification.
(b) Type of kit (see 1.2).
(c) Data requirements (see 3.2 and 4.3.3).
(d) Levels of preparation for delivery required (see 5.1).
(e) Where the preproduction test sample should be sent, the activity responsible for testing, and instructions concerning the submittal of the test reports (see 4.3.1 and 4.3.3).
(f) Identification of Government-furnished items (see 6.3).

6.3 Government-furnished property. Certain items listed in table I will be furnished to the contractor by the Government. The specific items to be furnished will be specified in the invitation for bids and in the contract. The list of Government-furnished property will be determined separately for each procurement.

Custodians:
Army—MO
Air Force—(11)

Reviewer activities:
Army—MO
Air Force—(11), (84)

Preparing activity:
Air Force—(11)

Project No. 4220-0068

Reviewer/user information is current as of the date of this document. For future coordination of changes to this document, draft circulation should be based on the information in the current Federal Supply Classification Listing of DoD Standardization Documents.

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:51Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

FORM APPROVED BUDGET BUREAU NO. 119-R004

INSTRUCTIONS

This sheet is to be filled out by personnel either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity.

SPECIFICATION

MIL-S-6330H Survival Kits, Life Raft

ORGANIZATION	CITY AND STATE

CONTRACT NO.	QUANTITY OF ITEMS PROCURED	DOLLAR AMOUNT
		$

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *IF "YES" IN WHAT WAY?*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity)*	DATE

DD FORM 1426

Source: https://assist.dla.mil -- Downloaded: 202610-17T06:51Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS

Commander, Systems Engineering Group

Attn: SEPS

Wright-Patterson Air Force Base, Ohio 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-17T06:51Z
Check the source to verify that this is the current version before use.