COMMERCIAL ITEM DESCRIPTION

MODEL, ANATOMICAL, Human Skull

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers a model of the human skull which is suitable for use in demonstrating the anatomical details of the skull and common dental pathologies.

Salient characteristics.

The model shall be a life size model of the adult human skull with two interchangeable mandible and maxilla sets. The model shall be anatomically correct in every detail. Frontal and sphenoidal sinuses shall be open. Maxillary sinuses shall be accessible through a cut and hinged maxilla. Suture lines of the contiguous skull bones shall be conspicuous and easily identifiable.

The top portion of the skull shall be removable to allow observation of the inner details. The top of the skull shall be aligned by the use of at least two corrosion resistant metal pins. Two corrosion resistant skull hooks shall secure the top in place.

The two interchangeable mandible and maxilla sets shall attach to the skull by three, 1/8 inch corrosion resistant coil extension springs with loops on each end. Two of the springs shall attach the maxilla to the skull. The third spring shall hold the mandible in place on the model and allow the lower jaw to be opened and closed. Corrosion resistant screws shall be used as attachments and anchor points for the springs and hooks.

AMSC N/A FSC 6910
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:21Z
Check the source to verify that this is the current version before use.

One mandible and maxilla set shall have a normal complement of teeth. The second set shall have cut away sections showing the following:

-tooth roots
-nerves
-blood supply
-impacted third molar
-abscessed root tip
-root tip in atrium
-palatine and lingula tore
-impacted supernumery tooth in palate
-extractions with and without alveolectomy

The model shall be made of polyester plastic simulating a natural human skull. The basic liquid resin, from which the model is made, shall be colored with suitable oil pigments and filled by adding 50% by weight powdered calcium carbonate to give an opague bone color with radiographic qualities.

The teeth shall be chip resistant and permanently anchored. The exposed tooth roots, nerves, blood supply and abscessed root tip shall painted with arhst's laquer (white, blue, red, and yellow respectively). Turbinates shall be strengthened to enable handling in the obits without the possibility of their shelling out.

The model shall be capable of being marked with pencil, pen, and crayon. These types of markings shall be easily removed using a mild detergent and water.

Workmanship. The model shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One model, as specified, constitutes one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specification, standard, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:21Z
Check the source to verify that this is the current version before use.

Metric Products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard No. 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting of rejecting the product.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:21Z
Check the source to verify that this is the current version before use.

NOTE: The following National Stock Number is covered by this document:

NSN	ITEM IDENTIFICATION
6910-00-926-1367	MODEL, ANATOMICAL, Human Skull

Ordering data. Intermediate/exterior package quantities and labeling and marking must be specified in the contract and/or order.

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

Preparing Activity:

DoD-MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6910-0439

☆U.S. GOVERNMENT PRINTING OFFICE: 1988 - 505-033/92139

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:21Z
Check the source to verify that this is the current version before use.