[METRIC]
A-A-1813A
December 2, 1997
SUPERCEDES
SEE 7.5

COMMERCIAL ITEM DESCRIPTION

GOGGLES AND LENSES, SAFETY, CHIPPER'S AND WELDER'S

The General Services Administration has authorized the use of this commercial item description by all Federal agencies.

1. SCOPE

1.1 Scope. This commercial item description (CID) covers goggles and lenses to protect wearers eyes.

2. CLASSIFICATION

2.1 Classification. The goggles and lenses shall be the following type, class, and shade:

Type I - Goggles with lenses
  Class 1 - Chipper's
  Class 2 - Welder's
    Shade 4
    Shade 6
Type II - Lenses only.
    Clear
    Shade 4
    Shade 6

3. SALIENT CHARACTERISTICS

3.1 General. The goggles and lenses shall comply with the applicable requirements of ANSI Z87.1 for indirect ventilation eyecup goggles and lenses. The goggles shall be configured similar to figure 1.




Figure 1

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to: General Services Administration, Engineering Branch (7FXEE), 819 Taylor Street, Fort Worth, TX 76102

FSC 4240

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:17Z
Check the source to verify that this is the current version before use.

3.2 Goggles. The goggles shall consist of two separate eyecups connected over the nose with a nose bridge, connected around the back of the head with an adjustable elastic strap, and a cover to protect the nose. The goggles eyecups shall be indirectly ventilated. The goggles shall be composed of a plastic that will not be affected by the liquids and gasses normally encountered in chipping, grinding and welding operations. The goggles shall be shaped to provide front and side protection to the eyes and a universal fit on the wearer's face. The goggles shall have sufficient adjustment in the headband and the nose bridge to fit any size face. The goggles shall be designed to securely hold round lenses 50.0 mm in diameter. Lenses supplied with the goggles shall be supplied installed.

3.2.1 Chipper's goggles, class 1. Class 1 goggles shall be supplied with a pair of clear impact lenses and a pair of clear cover lenses, or two pairs of clear impact lenses.

3.2.2 Welder's goggles, class 2. Class 2 goggles shall be supplied with a pair of filter lenses, either shade 4 or shade 6 as specified, and a pair of clear cover lenses or clear impact lenses.

3.3 Lenses. The lenses shall be round, 50.0 ±0.2 mm in diameter.

3.3.1 Clear impact lens. Clear impact lenses shall be clear and meet the requirements of ANSI Z87.1.

3.3.2 Shade 4. Shade 4 lenses shall meet the requirements of ANSI Z87.1 and be permanently tinted to shade Number 4.

3.3.3 Shade 6. Shade 6 lenses shall meet the requirements of ANSI Z87.1 and be permanently tinted to shade Number 6.

3.3.4 Cover lens. Cover lenses shall be clear and meet the requirements of ANSI Z87.1 for cover lenses.

3.3.5 Marking. Each lens shall be marked as required by ANSI Z87.1

3.4 Workmanship. The goggles shall be smooth with no projections that may injure a user or catch on clothing. The lenses shall be smooth, flawless and optically clean. There shall be no defects that may affect appearance or serviceability.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

5. QUALITY ASSURANCE PROVISIONS

5.1 Product conformance. The products provided shall meet the salient characteristics of this CID, shall conform to the producer's own drawings, specifications, standards, and quality assurance practices, and shall be the same product offered for sale in the commercial market. The government reserves the right to require proof of such conformance.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:17Z
Check the source to verify that this is the current version before use.

6. PACKAGING, PACKING AND MARKING

6.1 Packaging, packing and marking. The packaging, packing, and marking shall be as specified in the contract or order.

7. NOTES

7.1 Ordering data. Purchasers should select the preferred options permitted herein and include the following information in procurement documents:

a. Title, number, and date of this CID.
b. Type, class, and shade.
c. The packaging, packing and marking desired

7.2 Referenced documents.

ANSI Z97.1 Practice for occupational and Educational Eye and Face Protection

Copies of American National Standard Institute (ANSI) documents are available from ANSI, 11 West 42nd. Street, New York, NY 10036 (212-642-4900).

7.3 Part Identification Number (PIN). This part numbering system is intended for identification and cross-indexing of the item by the government only and does not constitute a requirement for the contractor.

Example: AA1813 / A 1 4
- AA1813 — CID A-A-1813
- A = Type 1, B = Type 2
- 1 — (Type I only) Class 1 or 2
- 4 — Filter Shade (Clear, 4 or 6)

7.4 National Stock Numbers. The following NSNs (with the appropriate part number) are known to use this document:

NSN	Part Number
4240-00-269-7912	AA1813/A1
4240-00-998-4418	AA1813/A2 4
4240-00-203-3804	AA1813/A2 6
4240-00-262-7092	AA1813/B clear
4240-00-262-7099	AA1813/B 6

7.5 Supercession information. This document combines and replaces CID A-A-1813 dated April 15, 1981, and CID A-A-1814 dated April 15, 1981.

Preparing Activity:
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:17Z
Check the source to verify that this is the current version before use.