A-A-2300
August 29, 1984

COMMERCIAL ITEM DESCRIPTION

WALL COVERING, ACOUSTICAL (NRC/60)

The General Services Administration has authorized the use of this commercial item description.

This description covers acoustical wall coverings for use in sound attenuation and wall surface enhancement.

Salient characteristics

Dimensions - Panels shall be furnished in lengths of 9 feet or 10 feet and widths of 24 inches or 30 inches with a minimum thickness of 11/16 inch. Width and length dimensions are nominal.

Material - A low density mineral fiberboard (or glass fiberboard), either plain or perforated, acoustical panel faced with needle-punched polyester fabric to provide acoustical and decorative treatment. Material shall be asbestos free.

Conformance

Sound Absorption: ASTM C423, Type A (#4) Mounting.
NRC - Greater or equal to 0.06.

Surface Burning Characteristics: ASTM E84
Flame Spread: 25 or less
Smoke density: 450 or less

Color Fastness to Light: AATCC-16E
No color change after 60 AATCC Fading Units

Limitations. Panels shall be acceptable when tested for use in areas of relative humidity not exceeding 90 percent and temperatures not exceeding 130 degrees F.

Installation. Shall be in accordance with manufacturer's instructions.

Maintenance. Shall be in accordance with manufacturer's instructions.

Color. A minimum of 9 colors shall be available. The contractor shall have available for distribution to prospective buyers a catalog or brochure containing actual samples showing the colors available

Workmanship. The panels shall be free of any defects which may affect the durability, appearance or serviceability.

Regulatory requirements. The offeror/contractor is encouraged to use recovered materials in accordance with Public Law 94-580 to the maximum extent practical.

FSC 5640

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:21Z
Check the source to verify that this is the current version before use.

Preservation, packaging, packing, labeling, and marking. The preservation, packaging, packing, labeling, and marking shall be as specified in the contract or order.

Notes. When this commercial item description is used for procurement, the commercial item certification clause must appear in the solicitation.

AATCC standards may be obtained from the American Association of Textile Chemists and Colorists, Box 12215, Research Triangle Park, NC 27709.

ASTM standards may be obtained from the American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103.

Military Coordinating Activity
None. DoD has waived coordination on this commercial item description until further notice.

PREPARING ACTIVITY:

GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:21Z
Check the source to verify that this is the current version before use.