INCH-POUND

MIL-C-60945B (AR)
AMENDMENT 1
1 September 2000

MILITARY SPECIFICATION

CARTRIDGE, 40MM, PRACTICE, M385A1
DUMMY CARTRIDGE, 40MM HIGH VELOCITY, M922
PROJECTILE PARTS FOR

MIL-C-60945B was inactivated on 12 February 1996 for new design.

This amendment forms a part of MIL-C-60945B, dated 12 May 1993, and is approved for use by the U.S. Army Armament, Research, Development and Engineering Center, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

2.1.1, Standards, Military, Delete MIL-STD-1169 in its entirety.

PAGE 3

2.1.3, Non-Government documents, Add:

"ASTM D3951 - Standard Practice for Commercial Packaging"

PAGE 5

4.3.1, Projectile Assembly, Change quantity from "25" to "50"

PAGE 6

Table I, Projectile Assembly:

Examination for defects, Change sample units from "25" to "50"

Push test of rotating band, Change sample units from "10" to "50"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.

PAGE 8

4.4.2.1:

Major 108, Change “node” to “nose”

Add the following new major characteristics:

“111.	Location of bourrelet shoulder	0.40%	3.2	Gage
112.	Diameter of bourrelet	0.40%	3.2	Gage
113.	Diameter below bourrelet	0.40%	3.2	Gage”

PAGE 10

4.4.2.2:

Add Major 111 as follows:

“111. Push test of rotating band 32 ACC-0,REJ-1 3.2 4.5.2”

Under Title, Change “Body” to “Projectile Assembly”

Delete Majors 101, 102, and 107 in their entirety.

PAGE 11

4.4.3, 4.4.3.1, and 4.4.3.2, Delete in their entirety.

PAGE 12

4.5.2, Add the following to the NOTE:

“Movement as specified on Dwg. 8866714 is defined as movement of the back face of the rotating band relative to the body.”

Change 5.1, 5.1.1, 5.2, 5.2.1, and 5.3 to the following:

“5.1 Preservation and packing.

5.1.1 Level B. Preservation and packing shall be in accordance with ASTM D3951.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.

5.2 Packing.

5.2.1 Level B. The projectile assembly preserved and packaged as specified in 5.1.1, shall be packed in accordance with ASTM D3951.

5.3 Marking. Marking shall comply with ASTM D3951."

Custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1310-0607)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T01:07Z
Check the source to verify that this is the current version before use.