INCH-POUND

A-A-58052
5 APRIL 1996

SUPERSEDING
MIL-S-17346
April 11,1988

COMMERCIAL ITEM DESCRIPTION

STONE, COMMUTATOR BURNISHING (FLEXIBLE ABRASIVE)

The General Service Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-S-17346 for all federal agencies.

1. **SCOPE.** This commercial item description covers flexible abrasive commutator burnishing stones of the aluminum oxide type having a resilient bond.

2. **SALIENT CHARACTERISTICS:**

2.1 **Design.** The commutator burnishing stones shall be designed to be flexible, nondusting, nonloading and nonconductive and shall be suitable for producing a burnished surface on polished metal.

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be sent to: WR-ALC/LKJE 460 Second Street, Suite 221, Robbins AFB, GA 31098-1640

AMSC N/A FSC 5345

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:59Z
Check the source to verify that this is the current version before use.

2.2 **Sizes and dimensions:** The stones shall be of the following sizes and dimensiions (tolerance of plus or minus 10%)

Size	Thickness	Width	Length
1	1/8	1"	5"
2	3/8	1/2"	5"
3	3/8	3/4"	5"
4	5/8	1"	5"
5	1"	2"	5"
6	1"	4"	5"

2.3 Construction: The abrasive grains used in construction of the stones shall be screened through a 100 mesh minimum screen. The grains shall be bonded with a flexible bond of synthetic rubber.

2.4 Material: The stones shall be made of crystalline aluminum oxide abrasive materials of a quality necessary to comply with the requirements specified herein. The stones shall have a durometer hardness of not more than 95 Shore A.

2.5 Flexibility. The stones shall be capable of being bent around a mandrel diameter ten times the smallest dimension of the stone without breaking or cracking.

2.6 Instructions and nameplate: Each stone shall be legibly and permanently marked with the manufacturer's identification.

3. **REGULATORY REQUIREMENTS.**

3.1 The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with papagraph 23.403 of the Federal Acquisition Regulation (FAR).

4. **QUALITY ASSURANCE REQUIREMENTS.**

4.1 Contractor Certification: The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices, and is the same product offered for sale in the commercial marketplace. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provision of the contract.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:59Z
Check the source to verify that this is the current version before use.

5. **PACKAGING.**

5.1 Preservation, packaging, packing, and marking. Preservation, packing, and marking shall be as specified in the contract or order.

Custodians:
Air Force - 99
Army - MR
Navy - SH

Review activities:
DLA - IS

Preparing activity:
Air Force - 84

Agent:
Air Force - 99

(Project 5345-0060)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:59Z
Check the source to verify that this is the current version before use.