[INCH-POUND]
A-A-1433C
October 16, 1995
SUPERSEDING
A-A-1433B
August 27, 1992

COMMERCIAL ITEM DESCRIPTION

SHEET, BED (COTTON AND POLYESTER/COTTON BLEND)

The General Services Administration has authorized the use of this commercial item description, for all federal agencies in lieu of DDD-S-281K and Interim Amendment 1.

1. SCOPE

1.1 Scope. This commercial item description covers cotton and polyester/cotton blend muslin and percale flat bed sheets.

2 CLASSIFICATION

2.1 Classification The bed sheets shall conform to the following types and sizes, as specified (see 7.3).

Type I - Cotton muslin.
Type II - Cotton percale.
Type III - Polyester/cotton blend muslin (30% cotton, minimum).
Type IV - 50% polyester/50% cotton blend percale

Size - Finished size shall be as follows:

Size	Width	Length
1	66 in (168 cm)	96 in (245 cm)
2	66 in (168 cm)	102 in (259 cm)
3	81 in (206 cm)	102 in (259 cm)
4	72 in (183 cm)	106 in (269 cm)
5 - Deleted		
6 - Deleted		
7	72 in (183 cm)	103 in (262 cm)
8	72 in (183 cm)	104 in (264 cm)
9	72 in (183 cm)	105 in (267 cm)

A tolerance of minus 1 inch (2.5 cm) and any plus amount shall be allowed in each dimension.

3 SALIENT CHARACTERISTICS

3.1. Standard commercial product. The sheet shall, as a minimum, be in accordance with the requirements of this commercial item description and shall be the manufacturer's standard commercial

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to. General Products Commodity Center, Engineering Group (7FXEE), 819 Taylor Street, Fort Worth, Texas 76102-6114

DISTRIBUTION STATEMENT A: Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:14Z
Check the source to verify that this is the current version before use.

product except for any changes necessary to conform to this commercial item description

3 2 Fabric The fabric shall meet the performance requirements for durable press muslin or percale, all-cotton or polyester/cotton blend, non-flannel, woven sheeting as defined in ASTM D 5431. The fabric shall meet the durable press dimensional change requirements defined in ASTM D 5431 when tested in accordance with AATCC 96 wash method Vc and drying method D. The fabric shall be bleached white or dyed as specified (see 7.3)

For medical use or when otherwise specified, the sheet shall be a 50% polyester/50% cotton blend, 128 muslin count (68 ends, 60 picks) or 180 percale count (74 minimum count in one direction) (see 7 3). For medical use the sheet shall be dyed gray-green, FED-STD-595B shade 34148.

3 3 Fabrication. The design and construction of the sheet shall include all materials and processes necessary to produce a functional, durable, attractive finished bed sheet meeting, as a minimum, the requirements stated in this commercial item description. Each sheet shall be made from one piece of fabric and shall have four square cut corners The edges of the sheet shall be hemmed using normal commercial practices. The side edges of the sheet may be finished with a fast selvage instead of hemming. All hems shall be straight and uniform in width Hems shall be sewn so that no raw edges, run-offs, twists, pleats, puckers, or open seams result Stitches and stitch tension shall be uniform Ends of stitching shall be secured to prevent hems opening and unraveling during laundering

3 4 Thread Thread color shall match the color of the cloth. When specified, to identify polyester/cotton blend fiber content, the color of the thread used to sew the top and bottom hems shall be orange, FED-STD-595B shade 22510 (see 7 3).

3.5 Fiber identification Each sheet shall be labeled for fiber content in accordance with the Rules and Regulations cited under the Textile Fiber Products Identification Act

3 6 Care label A permanent care label, in accordance with ASTM D 3938, shall be attached to each sheet. The label shall be sewn into a hem near a corner. The marking on the label shall be permanent to laundering. All information required on the label shall be completely visible on the sewn in label.

3 7 Marking. Each sheet shall be marked on one hem with the dimensions and fiber content of the sheet using characters approximately 1/8 inch (0 3 cm) high. The marking shall be printed on the sheet or provided on a sewn in label. All marking shall meet the same colorfastness requirements specified in ASTM D 5431.

3 7 1 Special Marking When specified (see 7.3), sheets shall be marked with the following information·

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:14Z
Check the source to verify that this is the current version before use.

1 National Stock Number
2. Size (length and width)
3 Contract Number.
4 "U.S." designation.
5. Medical marking, if required.

Marking shall be approximately 1/8 inch (0.3 cm) in height (except for the "U.S " and caduceus which shall be 3/16 to 1/2 inch (5 to 13 mm) in height) and shall be positioned on the top hem, in one corner of the sheet. When required for medical procurement, each sheet shall be marked on the hem, near the other marking, with a caduceus of appropriate size centered between the letters "U" and "S". Marking, except for medical procurement, may be printed on the sheet or provided on a sewn in label. Marking for medical procurement shall be printed on the sheet. All marking shall meet the same colorfastness requirements specified in ASTM D 5431.

3 8 Workmanship The bed sheet shall function for the purpose intended No defects affecting appearance or serviceability shall be permitted. The fabric shall be free from any defects such as holes, tears, misweaves, spots, stains, streaks, broken or missing yarn, yarn count not as specified, fiber content not as specified, selvage not as specified, color not as specified, or objectionable odor. The finished sheet shall be free of any defects such as dimensions not as specified, sheet made of multiple pieces of fabric, thread not as specified, loose stitches, tight stitches, skipped stitches, hem not as specified, raw edges, unstitched area on hem, end of stitching not secured, needle chew, or mend.

3 9 Measurement system The values stated in inch-pound units are to be regarded as the standard The metric values stated in parentheses are for information purposes only

3 10 Metric products Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, provided they fall within the tolerances specified and all other requirements of this commercial item description are met. If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch-pound units, a request should be made to the contracting officer to determine if the product is acceptable.

3.11 Commercial item. The use of the term "commercial item description" in this document does not imply that any item or items offered are not required to conform with all requirements specified herein.

4. REGULATORY REQUIREMENTS

4.1 Regulatory requirements. The offeror/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23 403 of the Federal Acquisition Regulation (FAR)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:14Z
Check the source to verify that this is the current version before use.

5 QUALITY ASSURANCE PROVISIONS

5.1 Contractor certification The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this commercial item description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

6 PACKAGING

6.1 Packaging Preservation, packing, and marking shall be as specified in the contract or order.

7 NOTES

7.1 Part Identification Number (PIN) Sheets conforming to this commercial item description shall be identified by a part number configuration consisting of identification of a portion of the CID number, type, and size. The following part identification numbering procedure is for government purposes and does not constitute a requirement for the contractor

AA1433I1 EXAMPLE. AA1433I1 = Type I, Size 1

- Size (1 through 9)
- Type I = cotton muslin
  II = cotton percale
  III = polyester/cotton blend muslin
  IV = polyester/cotton blend percale
- Commercial item description number.

7.2 Referenced documents The documents referenced in this commercial item description shall be the issues in effect on the date of issuance of the invitation for bids or request for proposals unless otherwise specified These documents form a part of this commercial item description to the extent specified In the event of a conflict between this commercial item description and a document referenced herein, this commercial item description shall take precedence.

Copies of AATCC standards and test methods are available from American Association of Textile Colorists and Chemists, P.O. Box 12215, Research Triangle Park, NC 27709-2215.

Copies of ASTM standards are available from the American Society for Testing and Materials, 100 Barr Harbor Drive, West Conshohocken, PA 19428-2959

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:14Z
Check the source to verify that this is the current version before use.

Copies of Federal standards are available from the General Services Administration Specifications Section (3FBP-W), 470 E. L'Enfant Plaza, SW, Suite 8100, Washington, DC 20407.

Copies of Rules and Regulations Under the Textile Fiber Products Identification Act are available from the Federal Trade Commission, Washington, DC 20580.

7.3 Ordering data. Purchaser should select the preferred options permitted herein and include the following information in procurement documents (if applicable)

a) Title, number and date of this commercial item description.
b) Type and size (see 2.1).
c) Color (see 3.2)
d) Special thread, if desired (see 3.4).
e) Special marking, if desired (see 3 7.1).
f) The preservation, packing, and marking desired.

7 4 National Stock Numbers (NSNs). The following NSNs correspond to this commercial item description. This list may not be indicative of all possible NSNs associated with this commercial item description

NSN	Type	Size	Part Identification Number
7210-00-717-2000	I	8	AA1433-I8
7210-00-844-9113	I	9	AA1433-I9
7210-00-299-9611	II	8	AA1433-II8
7210-01-119-6415	III	1	AA1433-III1
7210-01-119-6416	III	2	AA1433-III2
7210-01-119-6417	III	3	AA1433-III3
7210-01-168-4473	III	4	AA1433-III4
7210-00-482-7071	IV	7	AA1433-IV7

7.5 Size cross-reference to A-A-1433 from DDD-S-281.

A-A-1433	DDD-S-281
Size 1	Size 4
Size 2	Size 5
Size 3	
Size 4	
Size 5 - Deleted	
Size 6 - Deleted	
Size 7	Size 6
Size 8	Size 7
Size 9	

PREPARING ACTIVITY:
GSA - FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:14Z
Check the source to verify that this is the current version before use.