A-A-30054C
December 12, 1984
SUPERSEDING
A-A-30054B
June 10, 1983

COMMERCIAL ITEM DESCRIPTION

JAR, SCREW CAP, OINTMENT

The General Services Administration has authorized the use of this commercial item description as a replacement for VA Specification X-1536e which is cancelled and in preference to Interim Federal Specification DD-B-00585b, Type III Style I.

This commercial item description describes a jar with a screw cap closure for use in dispensing ointments.

Salient characteristics Jar, Screw Cap Ointment, round with plastic screw cap.

Type I Plastic, opaque white, provides label space of 1-1/2 inches by 2-1/2 inches (3.75 cm x 6.25 cm).

Size 1 - 2 oz. to 2-1/2 oz. (56g to 70g)

Size 2 - 4 oz. to 4-1/2 oz. (112g to 126g)

Size 3 - 8 oz. capacity (224g)

Size 4 - 16 oz. capacity (448g)

Type II - Glass or Plastic which has been found acceptable by the Food and Drug Administration (FDA) for use in dispensing pharmaceuticals, and conforms to United States Pharmacopeia (USP) requirements for light transmission.

The minimum overflow capacity of an ointment jar shall be of the required fluid ounce capacity. The overflow capacity shall also be less than twice that capacity.

The ointment jar shall be cylindrical in shape with a continuous type threaded finish for a screw cap closure A bead may be present at a level below the finish The sidewalls shall be essentially perpendicular to the bottom. The available label space shall be such that, with the screw cap fully in place the minimum outside height from bottom edge of closure (to bottom of jar) shall be:

FSC 6530

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:36Z
Check the source to verify that this is the current version before use.

1. 1-1/8 inch for a 1 ounce size, (2.86 cm for 28g)
2. 1-1/4 inch for a 2 ounce size, (3.18 cm for 56g)
3. 2 inches for a 4 ounce size, (5.08 cm for 112g)
4. 2-3/4 inches for an 8 ounce size. (6.99 cm for 224g)
5. 3 inches for a 16 ounce size, (7.62 cm for 448g)

The screw cap shall be of either molded plastic or sheet metal, and shall have a continuous type thread for closure on the jar. A sheet metal screw cap shall be coated on all sides with a lacquer or opaque baked on enamel finish that protects from corrosion.

The inside of a screw cap shall be secured with a liner that is impervious to water, and in such a manner that:

1. The liner does not fall out.
2. Its closure makes full contact with upper edge of a jar.

As an alternate, a liner shall be optional for a plastic screw cap which is used on a jar assembly that conforms to USP moisture permeation requirements for "tight" containers

Workmanship The screw cap and ointment jar shall be free from defects which detract from their appearance or impair their serviceability

UNIT TYPE II Package PQ... the package containing twelve jars, as specified, constitute one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description, and conforms to the producer's own drawings, specifications, standards and quality assurance practices, and is the same as the product sold in the commercial marketplace. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

Regulatory requirements

Federal Food, Drug and Cosmetic Act - If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances and regulations

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:36Z
Check the source to verify that this is the current version before use.

Recovered materials - The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical

Preservation, packaging, packing, labeling, and marking - Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

MILITARY INTERESTS.

Military Coordinating Activity:

DoD - MB

Agent:

DLA - DM

Custodians:

Army - MD
Navy - MS
Air Force 03

Preparing Activity:

VA-OSS VAMKC (904A)
Agent VA-OSS (92B)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:36Z
Check the source to verify that this is the current version before use.