MILITARY SPECIFICATION

MODULES, STANDARD ELECTRONIC

TRANSFORMER, ANALOG, KEY CODE CTR

This amendment forms a part of Military Specification MIL-M-28787/128B(EC), dated 4 May 1979, and is approved for use by the Naval Electronic Systems Command, Department of the Navy, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 5

4.3, delete and substitute the following:

"4.3 Test equipment. Test equipment specified on figures and in tables with a type designator shall be as specified in MIL-STD-1665. Other equipment and components shall be as specified on the figures. All resistors shall be metal film and all capacitors shall be ceramic unless otherwise specified."

PAGE 6

6.3, delete and substitute the following:

"6.3 Cross reference of classification. Military specification MIL-M-28787/128 supersedes Department of the Navy, Naval Ordnance Systems Command Drawing No. 10001-2658647. Part number M28787/128-1 supersedes part numbers 2658647 and M28787/128."

PAGE 25

FIGURE 8: Delete and substitute new figure 8 as printed on page 2 of this amendment.

PAGE 35

FIGURE 13: Delete and substitute new figure 13 as printed on page 3 of this amendment.

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5963-N589)

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T16:12Z
Check the source to verify that this is the current version before use.





FIGURE 8. DC resistance (primary and secondary) test circuit for table VIII.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T16:12Z
Check the source to verify that this is the current version before use.



NOTE: Penetrate the anodized finish on the module frame with a sharply pointed probe.

FIGURE 13. Continuity test circuit for table XIII.

Source: https://assist.dla.mil -- Downloaded: 2026-10-20T16:12Z
Check the source to verify that this is the current version before use.