MILITARY SPECIFICATION

EXPANSION JOINT, PIPE, NONMETALLIC, FIRE-RETARDANT

This amendment forms a part of Military Specification MIL-E-15330D(SH), dated 14 October 1977 and is approved for use by all Departments and Agencies of the Department of Defense.

PAGE 1

1.2, line 2, delete "figures 1 through 6," and substitute: "figures 1 through 5".

PAGE 2

2.2, add: "FLUID SEALING ASSOCIATION (FSA)
Technical Handbook - Rubber Expansion Joints and Flexible Rubber Pipe Connections.

(Application for copies should be addressed to the Fluid Sealing Association, Rubber Expansion Joint Division, 2017 Walnut St., Philadelphia, PA 19103.)"

3.2.1, lines 3 and 4, delete "copolymer of butadiene and acrylonitrile." and substitute "synthetic rubber or blend of synthetic rubber compounded to meet the requirements of this specification."

PAGE 3

3.2.1.2, line 5, delete "MIL-F-20042 or ANSI B16.5 as specified" and substitute "MIL-F-20042, ANSI B16.5 or as specified".

PAGE 4

Tables II and III, column headings entitled "Face-to-face" delete "± 1/8" and substitute "1/."

Add after tables II and III.


"1/ Face-to-face tolerances shall be in accordance with FSA Technical Handbook."

Add the attached figures 1 through 5.

Preparing activity:
Navy - SH
(Project 4730-N851)

FSC 4730

Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.




NOTE: The "H" dimension may vary from manufacturer to manufacturer. It is required marking data (see 3.4).

FIGURE 1. Class A, type I, synthetic rubber expansion joint.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.




FIGURE 2. Class A, type II, synthetic rubber expansion joint, rectangular type (internal-flange).



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.




FIGURE 3. Class A, type III, synthetic rubber expansion joint, V-type.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.





FIGURE 4(a). Class B non-flanged expansion joint.






FIGURE 4(b). Retaining clamp for class B expansion joints.



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.




SH 11197

FIGURE 5. Class C molded TFE expansion joint.

☆U.S. GOVERNMENT PRINTING OFFICE: 1978 — 703-122/618



Source: https://assist.dla.mil -- Downloaded: 2026-10-18T06:05Z
Check the source to verify that this is the current version before use.