INCH-POUND


MIL-DTL-22520/43
16 June 2008

DETAIL SPECIFICATION SHEET

CRIMPING TOOLS, TERMINAL, HAND, WIRE TERMINATION; IN-SERVICE INSPECTION GAGE

This specification is approved for use by all Departments and Agencies of the Department of Defense.


The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-22520.



Tool part number	Manufacturer's part number	Wire range	B	
			Go	No-Go
M22520/43-01	1-318679-0	22-16	0.1090-0.1093	0.1149-0.1150
M22520/43-02	1-318679-1	16-14	0.1190-0.1193	0.1249-0.1250

FIGURE 1. Wire barrel gage.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:50Z
Check the source to verify that this is the current version before use.



Tool part number	Manufacturer's part number	Wire range	D		W max
			Go	No-Go	
M22520/43-03	318678-3	22-16	0.0300-0.0303	0.1099-0.1100	0.125
M22520/43-04	318678-5	16-14	0.0400-0.0403	0.1199-0.1200	0.125

FIGURE 2. Insulation barrel gage.

APPLICATION: MIL-DTL-22520/40 - 01 tool gaging

TABLE I. Metric equivalents.

Inches	MM
0.020	0.508
0.0300	0.762
0.0303	0.770
0.0400	1.016
0.0403	1.024
0.1090	2.769

Inches	MM
0.1093	2.776
0.1099	2.791
0.1100	2.794
0.1149	2.918
0.1150	2.921
0.1190	3.023
0.1193	3.030

Inches	MM
0.1199	3.045
0.1200	3.048
0.1249	3.172
0.1250	3.715
0.250	6.350
0.375	9.525

Inches	MM
0.500	12.700
0.750	19.050
3.520	89.408
4.500	114.300

NOTES:

1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 millimeters.
3. Unless otherwise specified herein or in MIL-DTL-22520, tolerances are ± .005 inch (0.13 millimeters) for three place decimals and ± .5° for angles.
4. Gage end "go" colored green and "no-go" colored red.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:50Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. The dimensions and configuration of the inspection gages shall be in accordance with figures 1 and 2.
2. Material: Gage Pins - Tool steel, chrome flash finish
   Handles - Aluminum, anodized finish
3. Each tool shall have an instruction sheet which includes applications, usage and instructions.
4. Complete manufacturer's name or AIR-1351 listed logo shall be permanently marked on the tool.

CONCLUDING MATERIAL

Custodians:
Navy - AS
Army - CR
AF – 11

Preparing activity:
Navy - AS
(Project 5120-2007-004)

Review activities:
Navy - EC, MC, OS, SH
DLA - CC

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST online database at http://assist.daps.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-19T12:50Z
Check the source to verify that this is the current version before use.