# JAN–I–9

**AMENDMENT—3**
**17 October 1956**

**SUPERSEDING**
**AMENDMENT—2**
**22 July 1954**

## JOINT ARMY-NAVY SPECIFICATION

# INSULATORS, GLASS, RADIO

This amendment forms a part of Joint Army-Navy Specification JAN–I–9, 31 May 1944, and has been approved by the Department of Defense and is mandatory for use by the Departments of the Army, the Navy, and the Air Force.

Page 1, section A: Delete, including footnote, and substitute:

**"A. APPLICABLE SPECIFICATIONS AND OTHER PUBLICATIONS**

"A–1. *Specifications*—The following specifications, of the issue in effect on date of invitation for bids, form a part of this specification:

## FEDERAL SPECIFICATIONS

| | |
|---|---|
| NN–B–591 | —Boxes, Fiberboard, Wood-Cleated (for Domestic Shipment). |
| NN–B–621 | —Boxes, Wood, Nailed and Lock-Corner. |
| NN–P–515 | —Plywood, Container Grade. |
| QQ–B–621 | —Brass, Commercial-Yellow, High-Copper-Yellow, and Naval; Castings. |
| QQ–B–636 | —Brass, Naval, Leaded and Non-Leaded; Rods, Bars, Shapes, and Forgings. |
| QQ–B–691 | —Bronze; Castings. |
| QQ–I–666 | —Iron Castings, Malleable. |
| QQ–S–624 | —Steel, Alloy; Bars (General Purpose). |
| QQ–S–633 | —Steel, Carbon; Bars (General Purpose). |
| LLL–B–631 | —Boxes; Fiber Corrugated (for Domestic Shipment). |
| LLL–B–636 | —Boxes, Fiber, Solid, (for Domestic Shipment). |
| PPP–B–00575 | —Boxes, Straparound. |
| PPP–B–585 | —Boxes; Wood, Wirebound. |
| PPP–B–601 | —Boxes, Wood, Cleated-Plywood. |

411229—57

FSC 5970

Source: https://assist.dla.mil -- I
Check the source to verify that thi

## MILITARY SPECIFICATIONS

| | |
|---|---|
| MIL–C–5 | —Capacitors, Fixed, Mica-Dielectric. |
| JAN–I–10 | —Insulating Materials, Ceramic Radio, Class L. |
| JAN–P–103 | —Packaging and Packing for Oversea Shipment—Boxes; Wood Cleated; Solid Fiberboard. |
| JAN–P–106 | —Packaging and Packing for Oversea Shipment—Boxes; Wood, Nailed. |
| JAN–P–108 | —Packaging and Packing for Oversea Shipment—Boxes, Fiberboard (V-Board and W-Board), Exterior and Interior. |
| MIL–P–116 | —Preservation, Methods of. |
| MIL–B–10377 | —Box, Wood, Cleated, Veneer, Paper Overlaid. |
| MIL–L–10547 | —Liners, Case, Waterproof. |

"A–2. *Other publications*—The following publications form a part of this specification. Unless otherwise indicated, the issue in effect on date of invitation for bids shall apply.

## MILITARY STANDARD

MIL–STD–129—Marking for Shipment and Storage


## NATIONAL BUREAU OF STANDARDS PUBLICATION

Handbook H28—Screw-Thread Standards for Federal Services

## CONSOLIDATED CLASSIFICATION COMMITTEE PUBLICATION

Consolidated Freight Classification Rules"

Page 4, paragraph D–3, type-designation example: Delete and substitute:




Page 4, paragraph D–3c: Delete.

Pages 15 and 16, section G: Delete and substitute:



Source: https://assist.dla.mil --
Check the source to verify that th

"G. PACKAGING, PACKING, AND MARKING FOR SHIPMENT

"G–1. *Preservation and packaging* (*par. H–2*).

"G–1*a*. *Level A*—Insulators shall be protected and unit-packaged in accordance with method III of Specification MIL–P–116. The quantity to be included in a unit package shall be as specified by the procuring activity (par. H–2).

"G–1*b*. *Level C*—Insulators shall be afforded preservation and packaging in accordance with the manufacturer's replacement-parts practice.

"G–2. *Packing* (*par. H–2*).

"G–2*a*. *Level A*.—Insulators packaged as specified (par. H–2) shall be packed in wood-cleated fiberboard, nailed wood, corrugated or solid fiberboard, wood-cleated paper-overlaid (overseas type), type II straparound, wirebound wood (for class 3 use), or wood-cleated plywood (overseas type) boxes conforming to Specifications JAN–P–103, JAN–P–106, JAN–P–108, MIL–B–10377, PPP–B–00575, PPP–B–585, and PPP–B–601, respectively. Plywood shall be type I or II class 2, conforming to Specification NN–P–515. Shipping containers shall have case liners conforming to Specification MIL–L–10547 and appendix thereto. Case liners for boxes conforming to Specification JAN–P–108 may be omitted provided all joints of the boxes are sealed with tape as specified in the box specification. Box closures shall be as specified in the appendix of the applicable box specification. The gross weight of wood boxes shall not exceed 200 pounds; fiberboard boxes shall not exceed the weight limitations of the applicable box specification.

"G–2*b*. *Level B*—Insulators packaged as specified (par. H–2) shall be packed in wood-cleated fiberboard, nailed wood, corrugated or solid fiberboard, type I straparound, wirebound wood ( for class 1 use), wood-cleated plywood (domestic type), or wood-cleated paper-overlaid (domestic type) boxes conforming to Specifications NN–B–591, NN–B–621, LLL–B–631, LLL–B–636, PPP–B–00575, PPP–B–585, PPP–B–601, and MIL–B–10377, respectively. Closures shall be as specified in the applicable box specification or appendix thereto. Fiberboard boxes shall conform to the special requirements of the applicable box specification. The gross weight of wood boxes shall not exceed 200 pounds; fiberboard boxes shall not exceed the weight limitations of the applicable box specification.

"G–2*c*. *Level C*—Insulators packaged as specified (par. H–2) shall be packed in containers of the type, size, and kind commonly used for the purpose, in a manner that will insure acceptance by common carrier and safe delivery at destination. Shipping



Source: https://assist.dla.mil
Check the source to verify that

containers shall comply with the Consolidated Freight Classification Rules, or regulations of other carriers as applicable to the mode of transportation.

"**G–3.** *Marking*—In addition to any special marking required by the contract or order, unit packages and exterior shipping containers shall be marked in accordance with Standard MIL–STD–129 (par. H–2)."

Page 16, paragraph H–2: Following item (d), add:

"(e) Production-sampling tests required (par. F–4).

(f) Levels of preservation and packaging and packing, and applicable marking (sec. G).

(g) Quantity to be included in unit package (par. G–1*a*)."

Page 16: Following paragraph H–2, add new paragraph:

"**H–2***a*. *Indirect shipments*—The packaging, packing, and marking specified in section G apply only to direct purchases by or direct shipments to the Government and are not intended to apply to contracts or orders between the manufacturer and prime contractor."

Page 17, paragraph H–6, line 5: Delete "Joint Army-Navy Specifications JAN–I–10 and JAN–C–5" and substitute "Specifications JAN–I–10 and MIL–C–5".

Page 17, paragraphs H–8 to H–10, inclusive: Delete and substitute:

"**H–8.** Copies of Handbook H28 may be obtained upon application, accompanied by money order, coupon, or cash, to the Superintendent of Documents, Government Printing Office, Washington 25, D. C.

"**H–9.** Copies of Consolidated Freight Classification Rules may be obtained upon application to the Consolidated Classification Committee, 202 Chicago Union Station, Chicago 6, Ill.

"**H–10.** Copies of Federal and military specifications and military standards required for Air Force purchases may be obtained upon application to the Commander, Wright Air Development Center, Wright-Patterson Air Force Base, Ohio. Both the title and identifying number or symbol should be stipulated when requesting copies.


"**H–11.** Copies of Federal and military specifications and military standards required for Army purchases may be obtained as indicated in the Department of the Army Index of Specifications and Standards. Copies of the index may be obtained from the Superintendent of Documents, Government Printing Office, Washington 25, D. C. Services within the Department of the Army will obtain copies of the specifications and standards through established departmental channels. Both the title and identifying number or symbol should be stipulated when requesting copies.



Source: https://assist.dla.mil –
Check the source to verify that t

"H–12. Copies of Federal and military specifications and military standards required for Navy purchases may be obtained upon application to the Commanding Officer, Naval Supply Depot, Scotia 2, N. Y. Both the title and identifying number or symbol should be stipulated when requesting copies."

Pages 18, 20, 22, 24, 25, 26, 28, and 30, and page facing page 32, figures 6 to 14, inclusive, type-designation example: Delete and substitute:




Page 19, figure 6, bill of materials: Delete remarks for part numbers 1, 2, 3, and 5 and substitute therefor the following:

Part number 1: "⅜–16 x ½, brass, Federal Specification QQ–B–636, Class A."

Part number 2: "1/16 thick, brass, for part number 1, Federal Specification QQ–B–636, Class A."

Part number 3: "Brass, Federal Specification QQ–B–636, Class A, or QQ–B–621, Composition A, or bronze, Federal Specification QQ–B–691, Composition 1."

Part number 5: "Malleable iron, Federal Specification QQ–I–666, or brass, Federal Specification QQ–B–636, Class A or QQ–B–621, Composition A, or bronze, Federal Specification QQ–B–691, Composition 1."

Delete the following requirement: "Bottom of base to be finished before galvanizing."

Pages 19, 21, 23, 24, 25, 27, and 29, and pages facing 30 and 32, figures 6 to 14, inclusive: Delete boxhead entitled "Insulators of following grades are available in appearances shown" and substitute "Insulators available in following grades." Delete all listings of appearances and substitute "____."

Pages 19, 21, 23, 24, 27, and 29, and pages facing 30 and 32, figures 6 to 9, inclusive, and 11 to 14, inclusive, footnote 1, second sentence: Delete and substitute: "Grade of material will be indicated by a symbol inserted for the first hyphen."

Page 21, figure 7, bill of materials: Delete remarks for part numbers 1, 2, 3, and 5 and substitute therefor the following:

Part number 1: "⅜–16 x ½, brass, Federal Specification QQ–B–636, Class A."



Source: https://assist.dla.mil --
Check the source to verify that t

Part number 2: "1/16 thick, brass, for part number 1, Federal Specification QQ–B–636, Class A."

Part number 3: "Brass, Federal Specification QQ–B–636, Class A, or QQ–B–621, Composition A, or bronze, Federal Specification QQ–B–691, Composition 1."

Part number 5: "Malleable iron, Federal Specification QQ–I–666, or brass, QQ–B–636, Class A or QQ–B–621, Composition A, or bronze, Federal Specification QQ–B–691, Composition 1."

Delete the following requirement: "Bottom of base to be finished before galvanizing."

Page 23, figure 8, bill of materials: Delete remarks for part numbers 1, 2, 3, and 5 and substitute therefor the following:

Part number 1: "10–32, brass, for part number 5, Federal Specification QQ–B–636, Class A."

Part number 2: "Steel, for part number 5, Federal Specification QQ–S–624 or QQ–S–633."

Part number 3: "Brass, for part number 5, Federal Specification QQ–B–636, Class A."

Part number 5: "Brass, Federal Specification QQ–B–636, Class A."

Page 25, figure 10, table, column 1, lines 1, 2, and 3: Delete "C" and substitute "__".

Page 29, figure 12, bill of materials: Delete remarks for part number 1 and substitute therefor the following: "Malleable iron, Federal Specification QQ–I–666."

Page 29, figure 12: Under "Type designation", change "NA–5402" to "NA–5403" and "NA–5403" to "NA–5405".

Figure 14, facing page 32: Under "Type designation" change "NS" to "NA".

Figure 14, facing page 32, second footnote, line 2: Delete "Joint Army-Navy Specification JAN–C–5" and substitute "Specification MIL–C–5".

**Custodians:**
**Army—Signal Corps**
**Navy—Bureau of Ships**
**Air Force**
**Other interests:**
**Army—O**
**Navy—AOr**

**Preparing activity:**
**Army—Signal Corps**

[JAN–I–9]

Source: https://assist.dla.mil
Check the source to verify that