A-A-53099
31 August 1987

COMMERCIAL ITEM DESCRIPTION

RACK-BIN ASSEMBLY, PHARMACEUTICAL STORAGE

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers a 108 bin, double-sided floor stand shelving unit suitable for pharmacy storage.

Salient characteristics:

The pharmaceutical rack-bin assembly consists of a free-standing rack, approximately 64 inches (162.6 cm) high by approximately 36 inches (91.4 cm) wide supporting a total of 108 bins, 54 on each side, on 10 evenly spaced horizontal rails.

The rack shall support the following number of bins with the approximate overall dimensions:

No. of Bins	Dimension (H x L x W)
84 (42 on each side)	5 inches by 9-1/4 inches by 5-3/4 inches
24 (12 on each side)	5 inches by 9-1/4 inches by 8-3/4 inches

The bins shall be fabricated of high-density polyethylene. Each bin shall have a molded slot on the front surface for an identification card.

Each individual 5-3/4 inch (14.6 cm) or 8-3/4 inch (22.2 cm) wide bin shall be capable of supporting at least 15 pounds of contents.

The rack shall be supported by two flanged, triangular floor mounts. Each floor mount shall be approximately 8 inches 20.3 cm) high and approximately 22 inches (55.9 cm) long with an approximately 1-1/2 inch (3.8 cm) flange.

The frame of the rack shall include at least two diagonal braces and all necessary hardware for assemblage.

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

The supporting frame uprights, floor mounts, diagonal braces, and horizontal rails shall be fabricated of cold-rolled steel, suitably protected against corrosion by zinc-plating or an equally effective means. The uprights and floor mounts shall be not less than 12 gauge. The diagonal braces and rails shall be not less than 16 gauge (manufacturer's standard gauge).

The unit shall be fabricated from materials which are inherently resistant to corrosion, or which are treated to render them corrosion-resistant. Where painting or plating is used, appropriate cleaning and priming shall be performed prior to finishing. All components including hardware shall be corrosion-resistant.

The rack shall be capable of being assembled easily without the use of special tools or equipment.

When fully assembled, the rack shall be free of wobble and distortion, whether empty or filled with the maximum load of 1,620 pounds (734.8 kg).

Finish shall provide a pleasing, professional appearance and be free of gaps, scratches, chips, and other imperfections.

Two sets of instructions for assembly and maintenance shall be supplied with each unit.

Workmanship. The pharmaceutical rack-bin assembly shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One pharmaceutical rack-bin assembly, as specified, constitutes one unit.

Quality Assurance Provisions.

Responsibility for inspection. Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

Records. Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Government upon the Government's request, at any time, or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate.

Inspection. Inspection, as used herein, is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item.

Tests. Tests shall be conducted to determine compliance with specification requirements. Where feasible, the same sample shall be used for the determination of two or more test characteristics.

Sampling. Sampling for examination shall be conducted in accordance with MIL-STD-105 and table I. The unit of product for sampling purposes shall be one complete rack-bin assembly as specified in this description.

TABLE I. Sampling for examination.

	Inspection level	AQL (defects per hundred units)
For visual examination		
Major defects	II	1.0
Total defects (Major and minor combined)	II	4.0
For dimensional examination	S-1	2.5

Examination. The rack-bin assembly shall be examined to determine compliance with all requirements contained in this specification.

Classification of defects. Examination shall be conducted in accordance with the classification of defects listed in table II. Examination shall not be restricted to the classified possible defects below.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

TABLE II. Classification of Defects

Categories	Defects
Major	
101	Any component part missing, broken, or otherwise unusable.
102	Exposed edge not free of burrs or sharpness.
103	Two sets of instructions not furnished with unit.
104	Storage unit not packaged as a single unit.
Minor	
201	Finish not free of chips, cracks, scratches and other appearance defects.
202	Unit not clean.

Tests. The rack-bin assembly shall be completely assembled in its operating configuration and tested to determine compliance with this description. Testing shall include the following:

The fully assembled rack shall be tested with the load of 1,620 pounds. Failure to be free from wobble and distortion shall constitute a major defect.

The fully assembled rack shall be tested with an empty load. Failure to be free from wobble and distortion shall constitute a major defect.

Each storage bin on the assembled rack shall be tested to support a load of 15 pounds each. Any cracking or breaking of a bin shall constitute a major defect.

Metric products. Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met.

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units, a request should be made to the contracting officer to determine if the product is acceptable.

The contracting officer has the option of accepting or rejecting the product.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U.S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

Recovered material. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580, as amended, and as implemented by Federal Acquisition Regulation Subpart 23.4 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

6530-01-168-8113

Ordering data. Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

A-A-53099

MILITARY INTERESTS:

Custodians:

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY:

DoD - MB

Agent:

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES:

VA-OSS
PHS
FDA-MPQAS

Project No. 6530-1905

PGC 51061

Location: CID/RACK/H13-28

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4968 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
Attn DPSC-RSTS
2800 South 20th Street
Philadelphia, PA 19101

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:15Z
Check the source to verify that this is the current version before use.

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions - Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-53099	Rack-Bin Assembly, Pharmaceutical Storage

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)* _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE

Source: https://assist.dla.mil -- Downloaded: 202610-26T09:15Z
Check the source to verify that this is the current version before use.