GG-S-161/10D
May 1, 1985
SUPERSEDING
GG-S-161/10C
May 3, 1977

FEDERAL SPECIFICATION SHEET

SCALES, PLOTTING: METERS AND YARDS

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Plotting: Meters and Yards described herein shall consist of this document and the latest issue of GG-S-161.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers detail requirements for flat beveled wood scales with two plastic facings graduated in meters and yards at various scale ratios as specified herein.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Sub-paragraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type X scale and are further identified in GG-S-161.

1.2.1.1 Spec No. GG-S-161.

1.2.1.2 Type of scales - -X.

1.2.1.3 Shape of scales - -1 or -2.

1.2.1.4 Composition of scales - -A.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

1.2.1.5 Grade of scales - -1 or -2.

1.2.1.6 Size of scales - -A or -D.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - -C or -E.

1.2.1.9 Style of scales - -A, -B, or -C (see 3.2.1).

1.2.1.10 Type of sheath required - -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. Scales shall be as shown in figure 1 of GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 1 and 2. Shapes 1 and 2 scales shall be as shown in figure 1 of GG-S-161, direct or double numbered, and shall be of the following styles (see 1.2.1.9).

3.2.1.1 Style A. Style A scale shall be fully divided in a ratio of 1:20,000, single numbered. One edge shall be graduated to 5500 yards, the other edge shall be graduated to 5000 meters. Minimum readings shall be to 20 units, and each 500-unit graduation shall be numbered. Style A scales shall be furnished in 10-inch nominal lengths.

3.2.1.2 Style B. Style B scale shall be fully divided in a ratio of 1:62,500, single numbered. One edge shall be graduated to 17,000 yards, the other edge shall be graduated to 15,600 meters. Minimum readings shall be to 50 units and each 1000-unit graduation shall be numbered. Style B scales shall be furnished in 10-inch nominal lengths.

3.2.1.3 Style C. Style C scale shall be fully divided in a ratio of 1:10,000 and 1:20,000, double numbered. One edge shall be graduated 5500/11,000 yards and the other edge shall be graduated to 5000/10,000 meters. Minimum readings shall be 10/20 units, and each 250-/500-unit graduation shall be numbered. Style C scales shall be furnished in 50-centimeter nominal lengths.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

5.1 Packaging shall be in accordance with GG-S-161.

6. NOTES. (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Plotting scales, meters and yards, are used in plotting and drawing maps and charts.

6.2 Ordering data. Procurement documents should specify those options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activity

Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0790

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.