GG-S-161/12B
May 1, 1985
SUPERSEDING
GG-S-161/12A
May 3, 1977

FEDERAL SPECIFICATION SHEET

SCALES, DRAFTING: ENLARGING

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Drafting: Enlarging described herein shall consist of this document and the latest issue of GG-S-161.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers detail requirements for triangular scales with enlarged graduations.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Sub-paragraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type XII scale and are further identified in GG-S-161.

1.2.1.1 Spec. No. GG-S-161.

1.2.1.2 Type of scales - -XII.

1.2.1.3 Shape of scales - -6 or -7.

1.2.1.4 Composition of scales - -A, -B, -C, -D, -E, or -F.

1.2.1.5 Grade of scales - -1 or -2.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:49Z
Check the source to verify that this is the current version before use.

1.2.1.6 Size of scales - -C and -D.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - -A.

1.2.1.9 Style of scales - -A or -B (see 3.2).

1.2.1.10 Type of sheath required - -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. Scales shall be in accordance with GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 6 and 7. Shapes 6 and 7 scales shall be as shown in figure 1 of GG-S-161, direct numbered. In addition, on the second, third, and fifth edges only, each half-inch/half-centimeter shall be numbered ".5" with a numeral smaller in size than that used to mark the inches/centimeters. Shapes 6 and 7 scales shall be of the following styles (see 1.2.1.9).

3.2.1.1 Style A. Style A graduations shall be in inches, with each inch and half-inch emphasized. Where graduation is to twentieths, each tenth-inch shall also be distinguished from the twentieths. Each edge shall be graduated as follows:

a. First edge. Actual size, 18 inches divided to tenths at 1:1.

b. Second edge. Five times size, 3.5 inches divided to twentieths at 5:1, plus 0.1 inch, to the left of the index graduation divided to hundredths.

c. Third edge. Ten times size, 1.7 inches divided to twentieths at 10:1, plus 0.1 inch, to the left of the index divided to hundredths.

d. Fourth edge. Double size, 9 inches divided to twentieths at 2:1.

e. Fifth edge. Eight times size, 2.1 inches divided to fortieths at 8:1, plus 0.1 inch, to the left of the index divided to hundredths.

f. Sixth edge. Four times size, 4.5 inches divided to twentieths at 4:1.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

3.2.1.2 Style B. Style B graduations shall be in centimeters with each centimeter and half-centimeter emphasized. Where graduation is to twentieths, each tenth-centimeter shall also be distinguished from the twentieths. Each edge shall be graduated as follows:

a. First edge. Actual size, 50 centimeters divided to tenths at 1:1.

b. Second edge. Five times size, 10 centimeters divided to twentieths at 5:1, plus 0.1 centimeter, to the left of the index graduation divided to 0.200 millimeters.

c. Third edge. Ten times size, 5 centimeters divided to twentieths at 10:1, plus 0.1 centimeter, to the left of the index divided to 0.200 millimeters.

d. Fourth edge. Double size, 25 centimeters divided to twentieths at 2:1.

e. Fifth edge. Eight times size, 6.25 centimeters divided to fortieths at 8:1.

f. Sixth edge. Four times size, 12.5 centimeters divided to twentieths at 4:1.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be in accordance with GG-S-161.

6. NOTES. (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Enlarging scales are used in drafting enlargements (blow-ups) of micro-minaturized assemblies and components, and enlarged drawings of other small parts or items.

6.2 Ordering data. Procurement documents should specify those desired options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activities

Army - ER, AR
Navy - CG
Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0792

GSA DC-8911503210

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.