PROPOSED FEDERAL SPECIFICATION SHEET

SCALES, DRAFTING: METRIC PROPORTIONAL

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Drafting: Metric Proportional described herein shall consist of this document and the latest issue of GG-S-161.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers detail requirements for triangular scales with proportional metric graduations.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Sub-paragraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type XIII scale and are further identified in GG-S-161.

1.2.1.1 Spec. no GG-S-161.

1.2.1.2 Type of scales - -XIII.

1.2.1.3 Shape of scales - -6 or -7.

1.2.1.4 Composition of scales - -A, -B, -C, -D, -E, or -F.

1.2.1.5 Grade of scales - -1 or -2.

1.2.1.6 Size of scales - -B (30 cm).

Source: https://assist.dla.mil -- Downloaded: 202640-26T11:49Z
Check the source to verify that this is the currentversion before use.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - -A.

1.2.1.9 Style of scales - -A (see 3.2.1).

1.2.1.10 Type of sheath required - -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. Scales shall be in accordance with GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 6 and 7. Shapes 6 and 7 scales shall be as shown in figure 1 of GG-S-161, direct numbered. Shapes 6 and 7 shall be of the following style (see 1.2.1.9).

3.2.1.1 Style A. Style A shall be metric with a scale length of 30 cm. The scale shall be ratios and fully divided in millimeters and numbered in centimeters. Each edge shall be graduated as follows:

a. First edge. Ratio of 1:100, reading to 30 meters.

b. Second edge. Ratio of 1:80, reading to 24 meters.

c. Third edge. Ratio of 1:50, reading to 15 meters.

d. Fourth edge. Ratio of 1:40, reading to 12 meters.

e. Fifth edge. Ratio of 1:33-1/3, reading to 10 meters.

f. Sixth edge. Ratio of 1:20, reading to 6 meters.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be in accordance with GG-S-161.

6. NOTES (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Metric proportional scales are used in drafting reduced drawings of large parts or items.

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:49Z
Check the source to verify that this is the currentversion before use.

6.2 Ordering data. Procurement documents should specify those desired options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activities

Army - ER
Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0799

☆U.S. GOVERNMENT PRINTING OFFICE: 1985 — 506-038/22218

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.