GG-S-161/4D
May 1, 1985

SUPERSEDING
GG-S-161/4C
May 3, 1977

FEDERAL SPECIFICATION SHEET

SCALES, DRAFTING: COMBINATION ENGLISH

AND METRIC MEASUREMENT SYSTEM

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Drafting: Combination English and Metric Measurement System described herein shall consist of this document and the latest issue of GG-S-161.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers detail requirements for drafting scales graduated in the English and metric systems of measurement.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Sub-paragraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type IV scale and are further identified in GG-S-161.

1.2.1.1 Spec. No. GG-S-161.

1.2.1.2 Type of scales - IV.

1.2.1.3 Shape of scales - -1, -2, or -3.

1.2.1.4 Composition of scales - -A, -B, -C, -D, -E, -F, or -G.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

1.2.1.5 Grade of scales - -1 or 2.

1.2.1.6 Size of scales - -B, -D, or -F.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - A.

1.2.1.9 Style of scales - -A, -B, or -C (see 3.2).

1.2.1.10 Type of sheath required -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. Scales shall be in accordance with GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 1, 2, and 3. Shapes 1, 2, and 3 shall be as shown in figure 1 of GG-S-161 and shall be fully divided with one edge divided to a minimum reading of 0.5 millimeter (mm), with every centimeter (cm) numbered. The other edge shall be as specified in the following styles (see 1.2.1.9).

3.2.1.1 Style A. The style A scale shall be 10 cm (nominal) in length, divided into 10 cm, subdivided into millimeters only.

3.2.1.2 Style B. The style B scale shall be 30 cm (nominal) in length, divided into 12 inches, subdivided into thirty-seconds of an inch, with each inch numbered.

3.2.1.3 Style C. The style C scale shall be 50 cm (nominal) in length, divided into 20 inches, subdivided into thirty-seconds of an inch, with each inch numbered.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be in accordance with GG-S-161.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

6. NOTES. (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Combination scales are used for marking English and metric system measurements.

6.2 Ordering data. Procurement documents should specify those desired options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activity

Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0784

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.