GG-S-161/5D
May 1, 1985
SUPERSEDING
GG-S-161/5C
May 3, 1977

FEDERAL SPECIFICATION SHEET

SCALES DRAFTING: SURVEYOR'S

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Drafting: Surveyor's described herein shall consist of this document and the latest issue of GG-S-161.

1. SCOPE AND CLASSIFICATION

1.1 Scope. This specification covers detail requirements for scales graduated in decimal parts of a foot to the foot.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Subparagraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type V scale and are further identified in GG-S-161.

1.2.1.1 Spec. No. GG-S-161.

1.2.1.2 Type of scales - V.

1.2.1.3 Shape of scales - -1, -2, or -3.

1.2.1.4 Composition of scales - -A, -B, -C, -D, -E, -F, or -G.

1.2.1.5 Grade of scales - -1 or -2.

1.2.1.6 Size of scales - -B or -F.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - -A.

1.2.1.9 Style of scales - -A (see 3.2.1).

1.2.1.10 Type of sheath required - -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. Scales shall be in accordance with GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 1, 2, and 3. Shapes 1, 2, and 3 shall be as shown in figure 1 of GG-S-161, and as specified in the following styles (see 1.2.1.9).

3.2.1.1 Style A. Style A surveyor's scales shall be fully divided to 1000 parts per foot on one edge and to 0.5 millimeters (mm) on the other edge. Scales shall be numbered at each tenth of a foot and at each centimeter (cm). Style A scales shall be in 6- and 12-inch nominal lengths.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be in accordance with GG-S-161.

6. NOTES. (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Surveyor's scales are used in earthwork computations.

6.2 Ordering data. Procurement documents should specify those desired options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activity

Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0785

☆U.S. GOVERNMENT PRINTING OFFICE: 1985 — 505-038/22209

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.