GG-S-161/8D
May 1, 1985
SUPERSEDING
GG-S-161/8C
May 3, 1977

# FEDERAL SPECIFICATION SHEET

## SCALES, PLOTTING: METRIC

This specification was approved by the Assistant Administrator, Office of Federal Supply and Services, General Services Administration, for the use of all Federal agencies.

The complete requirements for procuring Scales, Plotting: Metric described herein shall consist of this document and the latest issue of GG-S-161.

### 1. SCOPE

1.1 This specification covers the detail requirements for a flat beveled wood scale with two plastic facings graduated in meters at various scale ratios.

1.2 Classification.

1.2.1 Type designation number. Scales covered by this specification shall be identified by a type designation number (see 6.2) formed as indicated in GG-S-161. The type designation number is intended for cataloging and ordering purposes and not for printing on the scales. Sub-paragraphs 1.2.1.3 through 1.2.1.10 indicate the options available for the type VIII scale and are further identified in GG-S-161.

1.2.1.1 Spec. No. GG-S-161.

1.2.1.2 Type of scale - -VIII.

1.2.1.3 Shape of scale - -1 or -2.

1.2.1.4 Composition of scales - -A.

1.2.1.5 Grade of scales - -1 or -2.

FSC 6675

Source: https://assist.dla.mil -- Downloaded: 202610-26T11:49Z
Check the source to verify that this is the current version before use.

1.2.1.6 Size of scales - -B.

1.2.1.7 Scale graduations - -1.

1.2.1.8 Numbering of scales - -A or -C.

1.2.1.9 Style of scales - -A (see 3.2.1).

1.2.1.10 Type of sheath required - -1, -2, -3, -4, -5, or -6.

3. REQUIREMENTS

3.1 Description. The scale shall be in accordance with GG-S-161 and as specified herein.

3.2 Shapes and styles.

3.2.1 Shapes 1 and 2. Shapes 1 and 2 shall be as shown in figure 1 of GG-S-161, direct or double numbered, and as specified by the following style (see 1.2.1.9).

3.2.1.1 Style A. Style A plotting scale shall be fully divided, direct numbered, with one edge in the ratio of 1:10,000, and 1:20,000, reading to 3000 and 6000 meters respectively, double numbered at every 100 and 200 meters. The other edge shall be divided in the ratio of 1:50,000 reading to 15,000 meters, single numbered at every 1000 meters. Style A scale shall be furnished in 30-centimeter nominal lengths.

4. QUALITY ASSURANCE PROVISIONS

4.1 Quality assurance provisions shall be in accordance with GG-S-161.

5. PREPARATION FOR DELIVERY

5.1 Packaging shall be in accordance with GG-S-161.

6. NOTES (The notes in GG-S-161 are applicable to this specification.)

6.1 Intended use. Plotting scales, metric, are used in plotting and drawing maps and charts.

6.2 Ordering data. Procurement documents should specify those desired options offered herein and should also specify the following:

a. Type designation number (see 1.2.1).



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.

MILITARY INTERESTS:

Custodians

Army - ME
Navy - YD
Air Force - 99

Review activities

Army - GL
Navy - MC
DLA - GS

User activity

Air Force - 82

CIVIL AGENCY COORDINATING ACTIVITIES:

FSS
NBS
OSS
SCS

PREPARING ACTIVITY:

Army - ME

Project 6675-0788



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:49Z
Check the source to verify that this is the current version before use.