
MIL-L-3661/37A
17 February 1972
SUPERSEDING
MIL-L-3661/37
27 March 1967

MILITARY SPECIFICATION SHEET

LENSES, INDICATOR-LIGHT, STYLE LC37, SEMI-BLACKOUT, WATERTIGHT, MECHANICAL DIMMER

The complete requirements for procuring the lenses described herein shall consist of this document and the latest issue of Specification MIL-L-3661.

This specification is mandatory for use by all Departments and Agencies of the Department of Defense.



INCHES	MM
.010	.25
.016	.41
.030	.76
.219	5.56
.330	8.38
.625	15.88
.640	16.26

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.

Ⓐ denotes changes.

FSC 6210

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:01Z
Check the source to verify that this is the current version before use.

REQUIREMENTS:

1. Design and construction: See figure.
2. Lens shall accommodate one T-1-3/4 midget flange base incandescent lamp. Internal lamp cavity shall be .530 inch minimum dimensioned from the plane of entrance of lamp opening.
3. Temperature cycling: -55°C to +71°C.
4. Sealing: Watertight.

Type designation	Mating holder	Lens material	Transmittance	Lens color
LC37RD2	LH89	Plastic	Diffusing	Red
LC37GD2	LH89	Plastic	Diffusing	Green
LC37YD2	LH89	Plastic	Diffusing	Yellow
LC37BD2	LH89	Plastic	Diffusing	Blue
LC37CD2	LH89	Plastic	Diffusing	Colorless

NOTE: Glass lenses, previously identified by symbol 1, are inactive for new design. Symbol 2 lenses with equivalent colors and transmittance shall be used as replacements.

Custodians:
Army - EL
Navy - EC
Air Force - 82

Review activities:
Army - MI, MU
Navy - AS
Air Force -
DSA - GS

User activities:
Army - AT,
Navy - MC , SH, OS
Air Force -

Preparing activity:
Navy - EC

Agent:
DSA - ES

(Project 6210-0436)

Source: https://assist.dla.mil -- Downloaded: 20260-16T21:01Z
Check the source to verify that this is the current version before use.

SPECIFICATION ANALYSIS SHEET

Form Approved
Budget Bureau No. 22-R255

INSTRUCTIONS: This sheet is to be filled out by personnel, either Government or contractor, involved in the use of the specification in procurement of products for ultimate use by the Department of Defense. This sheet is provided for obtaining information on the use of this specification which will insure that suitable products can be procured with a minimum amount of delay and at the least cost. Comments and the return of this form will be appreciated. Fold on lines on reverse side, staple in corner, and send to preparing activity. Comments and suggestions submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or serve to amend contractual requirements.

SPECIFICATION

ORGANIZATION

CITY AND STATE

CONTRACT NUMBER

MATERIAL PROCURED UNDER A

☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE SPECIFICATION CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?

A. GIVE PARAGRAPH NUMBER AND WORDING.

B. RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2. COMMENTS ON ANY SPECIFICATION REQUIREMENT CONSIDERED TOO RIGID

3. IS THE SPECIFICATION RESTRICTIVE?

☐ YES ☐ NO *(If "yes", in what way?)*

4. REMARKS *(Attach any pertinent data which may be of use in improving this specification. If there are additional papers, attach to form and place both in an envelope addressed to preparing activity)*

SUBMITTED BY *(Printed or typed name and activity - Optional)*

DATE

DD FORM 1 JAN 66 1426

REPLACES EDITION OF 1 OCT 64 WHICH MAY BE USED.

S/N-0102-014-1801 C-26264

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T21:01Z
Check the source to verify that this is the current version before use.

FOLD

POSTAGE AND FEES PAID

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

Commander
Naval Electroic Systems Command
ATTN: ELEX 5043
Department of the Navy
Washington, DC 20360

FOLD

Source: https://assist.dla.mil -- Downloaded: 202610-16T21:01Z
Check the source to verify that this is the current version before use.