MILITARY SPECIFICATION SHEET

INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the tools described herein shall consist of this document and the latest issue of Specification MIL-I-81969.




FIGURE 1. Removal tool.

(A) Denotes changes

1/ For complete supersession data, see page 3 of this specification.

FSC 5120

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.

INCHES	MM	INCHES	MM	INCHES	
.001	.03	.072	1.83	.609	15.4
.002	.05	.078	1.98	.84	21.3
.005	.13	.104	2.64	1.063	27.00
.01	.3	.123	3.12	1.39	35.3
.02	.5	.305	7.75	1.81	45.97
.03	.8	.31	7.9	3.375	85.72
.061	1.55	.50	12.7		
.067	1.70	.53	13.5		

Ⓐ NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Detail "A" .104 inch (2.64 mm) diameter hole shall be .500 inch (12.7 mm) deep minimum.
4. Each tool shall be legibly and permanently marked on the handle in accordance with MIL-STD-130.

FIGURE 1. Removal tool - Continued.

Ⓐ REQUIREMENTS:

Dimensions and configuration: See figure 1.

Material and finishes:
Handle and body: Aluminum 6061-T1, green anodize.
Nose: Steel 6150 or S1 heat treat to Rockwell C50-54, black oxide.
Probe: Stainless steel 303.
Spring: Steel, spring loaded force 3 pounds ± 1 pound.

Part number:
M81969/20-01, for size 16 and 20 contacts.
M81969/20-02, for size 22 contact.

Application: These tools shall be used to remove contacts from connectors specified in MIL-C-28748.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.

Ⓐ REQUIREMENTS - Continued.

Supersession data: In addition to MIL-I-81969/20, the following document is also superseded by this specification.
a. MS17806A, dated 18 March 1970.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - MI, AR, AT, GL
Navy - EC, SH, OS
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - ME, AV
Navy - MC, YD
Air Force - 19

Preparing activity:
Navy - AS

Agent:
DLA - ES

(Project 5120-0907)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.