
MILITARY SPECIFICATION SHEET

INSTALLING AND REMOVAL TOOLS, CONNECTOR ELECTRICAL CONTACT, TYPE II, CLASS 1, COMPOSITION A

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the tools described herein shall consist of this document and the latest issue of Specification MIL-I-81969.



INCHES	MM
.001	.03
.010	.25
.02	.5
.044	1.12
.115	2.92
.16	4.1
.365	9.27
.395	10.03
1.00	25.4
1.468	37.29
1.532	38.91

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only and are based upon 1.00 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 inch (.13 mm).
4. Each tool shall be legibly and permanently marked in accordance with MIL-STD-130.

FIGURE 1. Removal tool.

Ⓑ Denotes changes

FSC 5120

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.




FIGURE 2. Contact installing.




FIGURE 3. Contact removal.

REQUIREMENTS:

Dimensions and configuration: See figures 1, 2, and 3.

Material: Steel per QQ-S-700.
Plating: Nickel per QQ-N-290, .000030 inch thick.
Contact installing: See figure 2. Be certain the contact lance is sprung about 15°. Aline the solder tab with those already in the receptacle.

Contact removal: See figure 3. Push tool tip through the narrow opening of the rear cavity, between the solder tab and the housing. This will depress the lance. Push contact through the cavity by depressing on the solder tab.

Plunger force: Not applicable.

Rotation: Not applicable.

Thrust: Not applicable.

Impact strength: Not applicable.

Part number: M81969/9-01.

Application: These tools shall be used to remove contacts MIL-C-55302/32 as specified in MIL-C-55302/24, MIL-C-55302/25, and MIL-C-55302/27.

(B) Supersession data; MIL-C-55302/28A, dated 20 May 1972.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.

Custodians:
Army - CR
Navy - AS
Air Force - 85

Review activities:
Army - MI, AR, AT, GL
Navy - EC, SH, OS
Air Force - 11, 17, 99
DLA - ES

User activities:
Army - , ME, AV,
Navy - MC, YD
Air Force - 19

Preparing activity:
Navy - AS

(Project 5120-0968)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T06:30Z
Check the source to verify that this is the current version before use.