A-A-54291
23 November 1990

COMMERCIAL ITEM DESCRIPTION

BAG, BUCKSHOT

The General Services Administration has authorized the use of this commercial item description as a replacement for MIL-B-36538A which is cancelled

This Commercial Item Description covers a bag for holding buckshot to serve as a weight

Salient Characteristics

The buckshot bag shall be made of untreated nylon duck and shall be furnished in the following sizes

Size 1 - Cylindrical, 9 inches in height and 8 inches in diameter with open end and handle

Size 2 - 3 inches by 4-1/2 inches, close with small opening rectangular

Size 3 - 5 inches by 5 inches, closed end with small opening, square

Tolerances on the above inch sizes shall be plus 1 inch, minus 0

AMSC N/A FSC 6530

DISTRIBUTION STATEMENT A Approved for public release distribution is unlimited

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

The nylon duck shall have the following physical characteristics

Characteristic	Requirement
Weave	Plain, 1 up and 1 down
Weight, ounces per square yard (minimum)	7 25
Yarns per inch minimum	
Warp	60
Filling	45
Yarn ply	
Warp	2
Filling	2
Breaking strength pounds (minimum)	
Warp	325
Filling	275

The side wall of the Size 1 bag shall be constructed of one piece with one side seam The bottom shall be one piece The bottom seam shall have a 5/8 inch wide hem (with edge turned up) Stitching for the bag shall be type 301 (lockstitch) or type 401 (chainstitch)

The handle webbing shall be a double fabric and shall have the following physical characteristics

Characteristic	Requirement
Width, inches	1 inch plus or minus 1/16 inch
Thickness inches	0 046 inch plus or minus 0 007 inch
Weight ounces per linear yard (minimum)	0 5
Breaking strength pounds (minimum)	300

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

The length of the handle shall be a minimum of 10 inches, excluding the sewed ends The ends of the handle shall be secured to the upper hem of the bag, each end secured to a diametrically opposite side of the bag In securing each handle end, a minimum of 3/8 inch of the handle end shall be turned under the upper hem of the bag, and this portion shall be sewed to the bag during the sewing of the hem Each handle end shall be further secured to the hem of the bag by stitching around the periphery of the portion of the handle end in contact with the upper hem and by cross stitching within the peripheral stitching (diagonally from corner to corner of the peripherally stitched area) Two copper rivets with 1/4 inch rivet heads shall be placed through each handle end and the upper hem of the bag near the top edge of the bag A 1/4 inch copper washer shall be placed under each rivet head and under the peened portion of each rivet on the inside of the bag

The Size 2 bag shall be made of two pieces of material joined on all four sides A one inch opening shall be left on one corner for insertion of buckshot Seams shall have not less than 16 stitches to the inch The Size 3 bag shall be similar in construction to the Size 2 bag

The thread for all stitching shall be polyester suitable for the purpose intended All stitching shall be free of breaks The bag shall be free of holes, tears, spots and discoloration

Each bag shall be permanently and legibly marked with the following information

Name or registered trademark of the manufacturer
National Stock Number
Contract or purchase order number

Marking secured by adhesives shall not be used

Workmanship The buckshot bag shall be free from defects which detract from its appearance or impair its serviceability

Unit Each (EA) bag of the size specified constitutes one unit

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

Quality Assurance Provisions

Responsibility for inspection Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein Except as otherwise specified in the contract or purchase order, the contractor may use his own or any facilities suitable for the performance of the inspection requirements specified herein, unless disapproved by the Government The Government reserves the right to perform any of the inspections set forth in the specification where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements

Records Records of examinations and tests performed by or for the contractor shall be maintained by the contractor and made available to the Governmet upon the Government's request, at any time or from time to time, during the performance of the contract and for a period of three years after delivery of the supplies to which such records relate

Inspection Inspection as used herein is defined as both examination (such as visual or auditory investigation without the use of special laboratory appliances or procedures) and testing (determination by technical means of physical and chemical properties) of the item

Sampling for examination Sampling for examination shall be conducted in accordance with MIL-STD-105, with an AQL of 6 5 (percent defective) and an inspection level of II The unit of product for examination purposes shall be one buckshot bag

Sampling for tests Sampling for tests including dimensional test shall be conducted in accordance with MIL-STD-105 with an AQL of 2 5 (percent defective) and an inspection level of S-3 The unit of product for test purposes shall be one buckshot bag

Tests Tests shall be conducted to determine compliance with specification requirements Where feasible the same sample shall be used for the determination of two or more test characteristics

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

Metric products Products manufactured to metric dimensions will be considered on an equal basis with those manufactured using inch-pound units, providing they fall within the tolerances specified using conversion tables contained in the latest revision of Federal Standard 376, and all other requirements of this document are met

If a product is manufactured to metric dimensions and those dimensions exceed the tolerances specified in the inch/pound units a request should be made to the contracting officer to determine if the product is acceptable

The contracting officer has the option of accepting or rejecting the product

Contractor certification The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract

Regulatory requirements

Federal Food, Drug and Cosmetic Act If the product covered by this document has been determined by the U S Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal State and local statutes ordinances and regulations

Recovered materials The offeror/contractor is encouraged to use recovered materials in accordance with Federal Acquisition Regulation Subpart 23 4 to the maximum extent practical

Preservation, packaging, packing, labeling, and marking Unless otherwise specified preservation packaging and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

handling, etc , involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order

Ordering data Intermediate/exterior package quantities, labeling, and marking must be specified in the contract and/or order

NOTE The following National Stock Number(s) are covered by this document

6530-00-308-4400 (Size 1)
6530-00-308-4100 (Size 2)
6530-00-308-4200 (Size 3)

MILITARY INTERESTS

Custodians

Army - MD
Navy - MS
Air Force - 03

PREPARING ACTIVITY

DoD-MB

Agent

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITIES

VA-OSS
USPHS
FDA-MPQAS

Project Number 6530-2157

Location BAGCID13 A1

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE. This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEFENSE LOGISTICS AGENCY

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 4956 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEFENSE LOGISTICS AGENCY

Commander
Defense Personnel Support Center
ATTN: DPSC-RSTE
2800 South 20th Street
Philadelphia, Pennsylvania 19101-8419

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
A-A-54291	BAG, BUCKSHOT

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR
	☐ USER
b. ADDRESS *(Street, City, State, ZIP Code)*	☐ MANUFACTURER
	☐ OTHER *(Specify)*:

5. PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:32Z
Check the source to verify that this is the current version before use.