[METRIC]
A-A-2942
September 19, 1995

COMMERCIAL ITEM DESCRIPTION
MARKER, ASSORTMENT, TUBE TYPE
(DRY-ERASE)

This Commercial Item Description is approved by the Commissioner, Federal Supply Service, General Services Administration for use by all federal agencies.

1. Scope: This commercial item description covers tube type capillary action, bullet shaped felt, solvent based, tip markers used for white boards and other smooth or laminated surfaces. Ink is non-toxic and wipes clean with a dry cloth or tissue.

2. Salient Characteristics:

2.1 The marker set (4 each) shall be constructed so as to prevent evaporation and leakage of the ink and shall be equipped with a protective cap or plug which shall indicate the color of ink and shall consist of the following colors: Black, Blue, Red and Green.

2.2 The overall length of each marker shall be not less than 13.2cm ± .5cm (5.2 inches ± .2 inch) and a diameter of 1.2cm ± .5cm (.5 inches ± .2 inches) and shall contain a minimum of 1.5 to 2 grams of ink.

2.3 Metal or plastic used shall be of a material appropriate for the intended purpose and when used externally shall be suitable for coating as a decorative finish.

2.4 The writing tip shall be conical shaped (2mm to 4mm size) and shall contain a pigmented, non-toxic ink which shall produce no offensive odor and conform to ASTM D4236 or D236.

2.5 The ink shall be fed to the tip by capillary action and shall produce solid lines which will wipe off melamine, porcelain, glass, smooth metal and most clear laminates with a dry cloth or tissue.

2.6 Workmanship. The marker shall be free from defects or imperfections of manufacture which may affect their durability, appearance, serviceability or present a hazard to the user.

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data which may improve this document should be sent to General Services Administration, Federal Supply Service, Engineering Branch, 26 Federal Plaza, New York, NY 10278.

FSC 7520

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

2.7 Shelf Life. The markers shall be able to meet all the requirements of this commercial item description from the time of delivery to a minimum of 18 months in storage, under normal conditions (horizontally). Suppliers shall replace, without cost to the government, all markers failing to meet this requirement.

3. Regulatory Requirements:

The offerer/contractor is encouraged to use recovered materials to the maximum extent practicable, in accordance with paragraph 23.403 of the Federal Acquisition Regulation (FAR).

4. Quality Assurance Requirements:

4.1 Contractor Certification. The contractor shall certify and maintain substantiating evidence that the product offered meets the salient characteristics of this Commercial Item Description, and that the product conforms to the producer's own drawings, specifications, standards, and quality assurance practices. The government reserves the right to require proof of such conformance prior to first delivery and therefore as may be otherwise provided for under the provisions of the contract.

4.2 Examination and Testing.

4.2.1 Suppliers are encouraged to use quality control (QC) techniques that exhibit control over their processes (e.g. (Statistical Process Control) SPC Techniques) as defined in American National Standards Institute (ANSI) Z1.1, Z1.2 and Z1.3 / American Society for Quality Control (ASQC) B.1, B.2 and B.3 that systematically reduce excess variations. If used, objective evidence shall be available that demonstrates overall measurement adequacy techniques and controls. These techniques shall ensure quality levels equal to, or greater than, those cited in applicable technical document or, herein.

4.2.2 End item inspection / testing may be used by the offeror or the Government representative, as a means to determine the effectiveness of the in process quality controls. In process controls shall not be substituted for end item performance testing.

4.2.3 For those characteristics for which there are no such controls, or for end item performance test, lot by lot sampling for inspection / test shall be required. The sample unit shall be one set of markers. Sampling shall be in accordance with the American National Standards Institute (ANSI) / American Society for Quality Control (ASQC) Z1.4, Sampling Procedures and Tables for Inspection by Attributes.

4.2.4 An inspection lot shall consist of all like items submitted for inspection at one time. The inspection level for visual, dimensional and performance testing shall be S-2 with an AQL of 4.0 percent defective. The supplier must provide objective evidence (tests and inspection records) that the presented material meets the requirements of the sampling plan as indicated above.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

4.3. Performance Tests: Unless otherwise specified, the tests shall be conducted in an atmosphere of 23° ± 1.1° C. (73.5 ± 2° F.) and at a relative humidity of 50% ± 4%. Tests involving writing, shall be conducted on the following surfaces: melamine, porcelain, glass, smooth metal or transparencies with the markers held at an angle approximately 50° from the horizontal and with a writing pressure so that the markings are clearly visible.

4.3.1 Drying Time. Write a five-letter word (on one of the surfaces outlined in paragraph 4.3) utilizing an sample marker. Allow to dry for 5 seconds. The markings shall not smear or smudge.

4.3.2 Erasion. Write a five-letter word (on one of the surfaces outlined in paragraph 4.3) utilizing an sample marker. Allow to dry for 5 seconds. Utilizing a dry cloth or tissue, wipe the markings from the surface and examine. Markings shall be completely removed from the surface (without leaving color residue).

4.3.3 Write Test. Write a five-letter word (on one of the surfaces outlined in paragraph 4.3) utilizing an sample marker. Allow to dry for 5 seconds. The marker shall produce solid continuous lines free from breaks, splits, separations, uneven concentrations with bright, highly visible markings. The markers reservoir will then be weighed empty and then with ink to measure the fill (1.5 to 2 grams).

5. Packaging:

5.1 Preservation, packing, and marking shall be specified in the contract or order.

6. Notes:

6.1 Applicable Documents. Issues of the following documents, in effect on the date of invitation for bids or request for proposal form a part of this document to the extent specified herein.

6.1.1 Federal Acquisition Regulation (FAR) may be obtained from the Superintendent of Documents, Government Printing Office, Washington. DC 20402.

6.1.2 Application for copies of (ANSI) Z1.1, Z1.2 and Z1.3 and (ASQC) B.1, B.2 and B.3 may be obtained from the American Society for Quality Control. PO Box 3005, 611 E. Wisconsin Avenue, Milwaukee, WI 53201-4606.

6.1.3 American Standards for Testing Materials may be obtained at 1916 Race Street, Philadelphia, PA 19103.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.

6.1 6 Ordering Information. Purchaser should select the required options permitted herein, and include the following information in procurement documents.

A. Title, number, and date of this commercial item description.
B. Purchasers shall specify type of tube marker and size of tip.
C. Purchasers shall specify arrangement for inspection and inspection facilities, if other than specified.
D. Purchasers shall specify packaging, packing, and any special marking for shipment, if other than required
E. Purchasers shall specify identification marking, if other than required.
F. Purchasers shall specify if bar code marking is not required.
G. Purchasers should specify palletization, if required.

6.2 National Stock Number Listing.

Marker, Assortment, Tube Type (Set - 4 ea)

7520-01-156-1411

MILITARY INTERESTS:
NONE: DoD has determined that no military activity has an interest in this commercial item description.

PREPARING ACTIVITY
GSA-FSS

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:27Z
Check the source to verify that this is the current version before use.