GG-B-675D
INT. AMENDMENT-3(ARMY/EA)
September 9, 1986
SUPERSEDING
INT. AMENDMENT-2(ARMY/EA)
7 June 1984

INTERIM AMENDMENT

TO

FEDERAL SPECIFICATION

BREATHING APPARATUS, SELF-CONTAINED

This interim amendment was developed by the U.S. Army Chemical Research, Development and Engineering Center, ATTN: SMCCR-SPD-TS, Aberdeen Proving Ground, MD 21010-5423, based upon currently available technical information. It is recommended that Federal agencies use it in procurement and forward recommendations for changes to the preparing activity at the address shown above.

The General Services Administration has authorized the use of this interim amendment as a valid exception to GG-B-675D, dated September 23, 1976.

PAGE 2

Change as follows:

Paragraph 2.1:

(1) Add the following under "Federal Specifications":

"PPP-F-320 - Fiberboard; Corrugated and Solid, Sheet Stock (Container Grade) and Cut Shapes.
PPP-B-601 - Boxes, Wood, Cleated-Plywood.
PPP-B-621 - Boxes, Wood, Nailed and Lock - Corner.
PPP-C-795 - Cushioning Material, Flexible, Cellular, Plastic Film for Packaging Application.
PPP-C-843 - Cushioning Material, Cellulosic."

(2) Delete under "Federal Standards", "FED-STD-No. 123" and its title.

(3) Add the following under "Laws and Regulations":

"49 CFR - Transportation."

FSC 4240

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.



Source: https://assist.dla.mil--Downloaded: 2026-10-26T11:52Z
Check the source to verify that this is the current version before use.

Paragraph 2.2:

(1) Change "Air Force Manuals", to "Department of the Army Technical Manuals". Change "AFM71-4" and its title to "TM38-250 Preparation of Hazardous Materials For Military Air Shipments."

(2) Delete section titles "National Motor Freight Traffic Association, Inc., Agent" and "Uniform Classification Committee Agent", their documents and application information in their entirety.

(3) Add the following:

"ASTM Standards.

D 3951 - Commercial Packaging.

(Application for copies should be addressed to ASTM, 1916 Race Street, Philadelphia, PA 19103.)"

PAGE 3

Paragraph 3.3: Add "Apparatuses that provide a mask mounted regulator are acceptable."

Paragraph 3.5.2: After first sentence add "Wire or wire braid reinforced hose is acceptable." Add at end of paragraph "This paragraph is not applicable to face mounted regulator type apparatus."

Paragraph 3.5.3.1: Delete this paragraph in its entirety.

PAGE 4

Paragraph 3.6.1: Add "This paragraph is not applicable to face mounted regulator type apparatus."

Paragraph 3.5.7.1 Design and construction: Add "(see 5.2)" at end of paragraph.

PAGE 5

Paragraph 4.3.3: Add "For face mounted regulator type apparatus, the mask mounted regulator is to be suitably capped and the purge valve fully closed. Then connect the pressure reducer high pressure hose to the cylinder valve, open the cylinder valve and leak check. Apply soapy water to the hose and observe for conformance to paragraph 3.5.6. The appearance of continuous bubbles indicates a leak."



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:52Z
Check the source to verify that this is the current version before use.

Section 5 PREPARATION. Delete this section in its entirety and substitute with the following in lieu thereof:

"5. Packaging.

5.1 Cleaning and drying. Prior to preservation and unit packing, the breathing apparatus and components shall be cleaned and dried in accordance with cleaning method C-1 of MIL-P-116 and any of the drying methods listed therein.

5.2 Preservation and unit packing, level A. The apparatus with components, assembled in the carrying case as specified in 3.5.7, shall be cushioned as required to prevent movement using cushioning material conforming to PPP-C-795 or PPP-C-843. The carrying case shall be closed with fasteners provided. The apparatus shall be unit packed in a snug fitting fiberboard box conforming to type RSC, class WR, grade W5c of PPP-B-636. Filler pads conforming to the same material as the fiberboard box shall be used as necessary to make a tight assembly. The box shall be closed in accordance with the method IV closure requirements in the appendix to PPP-B-636.

5.3 Packing. Packing shall be level A or B as specified (see 6.2).

5.3.1 Level A. The breathing apparatus, unit packed as specified in 5.2, shall be packed in a snug fitting overseas wood box conforming to style optional, class 2, grade A, type 1 load, 0-50 pound load limit, of PPP-B-621. As an alternative, a cleated-plywood box conforming to overseas type, style optional, grade A, type 1 load, 0-100 pound load limit, of PPP-B-601, may be used. Filler pads, fabricated of fiberboard conforming to grade W5c or W6c of PPP-F-320, shall be used as necessary to make a tight pack. The boxes shall be closed and strapped in accordance with the appendix to their respective specifications.

5.3.2 Level B. The breathing apparatus, unit packed as specified in 5.2, shall serve as the level B pack, except that the box shall be closed in accordance with the method V closure requirement and reinforced in accordance with the appendix to PPP-B-636.

5.4 Marking.

5.4.1 Unit packing and packing. In addition to any special markings required in the contract or order (see 6.2), the unit packs (see 5.2) and packs (see 5.3) shall be marked in accordance with MIL-STD-129.

5.4.2 Special marking. Shipments shall be marked in accordance with 49 CFR and TM38-250 as follows:

a. Proper shipping name: Air, compressed, UN1002.

b. DOT label: Non-flammable gas, with a "2" in bottom corner of label."



Source: https://assist.dla.mil -- Downloaded: 2026-10-26T11:52Z
Check the source to verify that this is the current version before use.

Paragraph 6.2, subparagraph:

(1) "(c)", delete in its entirety and substitute "(c) Level of packing required (see 5.3)."

(2) "(d)", delete in its entirety.

(3) "(e)", change subparagraph letter "(e)" to "(d)" and change "5.3" to "5.4".

Custodian:

Army - EA

Preparing activity:

Army - EA

Project No. 4240-A873

☆U.S. GOVERNMENT PRINTING OFFICES: 1986 — 704-036/45969



Source: https://assist.dla.mil - Downloaded: 2026-10-26T11:52Z
Check the source to verify that this is the current version before use.