MILITARY STANDARD

MIL-STD-1322-106
(NAVY)

9 MAY 1991

UNIT LOAD
FOR DOMESTIC AND OVERSEAS SHIPMENT

EXPLOSIVE SECTION, MK 15 MOD 0
IN CONTAINER, SHIPPING AND STORAGE, DL6209352

UNIT LOAD DATA

NUMBER OF EXPLOSIVE SECTIONS PER CONTAINER	1	
NUMBER OF CONTAINERS PER UNIT LOAD	12	
NUMBER OF FIRING DEVICES PER UNIT LOAD	12	
GROSS WEIGHT OF ONE CONTAINER	50	LBS
WEIGHT OF WOOD FRAMES	65	LBS
WEIGHT OF STEEL STRAPPING	7	LBS
WEIGHT OF PALLET	75	LBS
GROSS WEIGHT OF UNIT LOAD	747	LBS △
CUBE	30.1	CU FT

△ DO NOT USE FOR SHIPPING WEIGHT

FOR HAZARD CLASSIFICATION, SEE NAVSEA OP 2165.
DO NOT STACK MORE THAN
6 UNIT LOADS HIGH IN STORAGE.



SHIPPING AND STORAGE CONDITION
DRAWING NUMBER 53711-6209352



AMSC NO. - N/A

NOTES:

1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE:
DISTRIBUTION IS UNLIMITED.

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR DEPOT HANDLING AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1322 (NAVY).

5/8/91
SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE

5/3/91
SIGNATURE SEASYSCOM BY DIRECTION DATE

ORIGINATOR 8 MAY 91
DATE

WPNSTA EARLE, NEW JERSEY

PALLETIZING PROCEDURE

(A) FABRICATE TWO FRAME ASSEMBLIES AS SHOWN IN DETAIL A WITH THE STRAPPING, ITEM 4, POSITIONED AS SHOWN. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5, AND SECURE THE STRAPPING WITH STAPLES, ITEM 6.
(B) THREAD TWO STRAPS, ITEM 2, THROUGH THE SLOTS IN THE PALLET DECK, ITEM 1, AS SHOWN IN DETAIL B.
(C) POSITION ONE FRAME ASSEMBLY ON THE PALLET DECK WITH EQUAL OVERHANG AT BOTH ENDS AND BOTH SIDES.
(D) POSITION 12 CONTAINERS IN THE FRAME ASSEMBLY AS SHOWN IN THE PLAN VIEW.
(E) POSITION THE SECOND FRAME ASSEMBLY, OPEN SIDE DOWN, OVER THE CONTAINERS.
(F) POSITION STRAPPING, ITEM 2, OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(G) POSITION STRAPPING, ITEM 3, UNDER THE PALLET DECK AND OVER THE UNIT LOAD. TENSION AND DOUBLE NOTCH THE SEAL, ITEM 5.
(H) SECURE STRAPPING, ITEMS 2 AND 3, TO THE TOP FRAME ASSEMBLY WITH STAPLES, ITEM 6, AS SHOWN.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1322 (NAVY).



NOTES:
1. ALL MATERIALS SHALL BE IN ACCORDANCE WITH THE BASIC DOCUMENT, MIL-STD-1322 (NAVY).
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

DEPALLETIZING PROCEDURE

(A) REMOVE TOP SURFACE STAPLES.
(B) CUT AND REMOVE STRAPPING, ITEMS 2 & 3.
(C) REMOVE TOP FRAME ASSEMBLY.
(D) REMOVE CONTAINERS.
(E) REMOVE BOTTOM FRAME ASSEMBLY.

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
AS REQ'D.	10	NAIL, BOX	SEE NOTE 1	6d
12	9	BATTEN	SEE NOTE 1	1 X 8 X 35 3/4
4	8	END PIECE	SEE NOTE 1	1 X 4 X 35 3/4
4	7	SIDE PIECES	SEE NOTE 1	1 X 4 X 45 1/2
16	6	STAPLE	SEE NOTE 1	3/4
6	5	SEAL	SEE NOTE 1	3/4
2	4	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 15 FT 6 IN
2	3	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 11 FT 9 IN
2	2	STEEL STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 13 FT 9 IN
1	1	PALLET, WOOD	MIL-P-15011 STYLE IA, CL 1	35 X 45 1/2 X 5 1/2

LIST OF MATERIALS

UNIT LOAD
DETAILS



ONE ITEM 9 AT EACH END AND
FOUR EQUALLY SPACED.

DETAIL A

FRAME ASSEMBLY
(TWO REQUIRED)



PLAN VIEW

12 CONTAINERS/LAYER
1 LAYER HIGH



DETAIL B

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N972)

☆U.S. GOVERNMENT PRINTING OFFICE: 1991-604-034/70009