PALLETIZING
DOMESTIC UNIT LOAD


5"/38 WARHEAD MK 74 MOD 0
FOR ROCKET ASSIST PROJECTILE
(IN PALLET ADAPTER MK 11 MOD 1)

UNIT LOAD DATA


NUMBER OF WARHEADS PER ADAPTER		12
NUMBER OF ADAPTERS PER UNIT LOAD		4
NUMBER OF WARHEADS PER UNIT LOAD		48
GROSS WEIGHT OF ONE WARHEAD	(Lbs.)	21.46
WEIGHT OF PALLET	(Lbs.)	94
WEIGHT OF UNIT LOAD	(Lbs.)	1280
CUBE	(Cu. Ft.)	21.4

DO NOT STACK MORE THAN 9 UNIT LOADS HIGH IN STORAGE

CLASS A EXPLOSIVES



DWG 10001 - 2117004



MIL STD NUMBER	ASSOCIATED PROCESS
1320-2	TRUCKLOADING
1325-100	CARLOADING

NOTES:

1. FOR GENERAL PALLETIZING REQUIREMENTS SEE MIL-STD-1322(NAVY).
2. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR [illegible] **AND STORAGE AND FOR SHIPMENT BY COMMON CARRIER IN COMPLIANCE WITH DOT REGULATIONS.**

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T
Check the source to verify that this is the current version b

PALLETIZING PROCEDURE

(a) THREAD LONGITUDINAL STRAPPING, PC. 3, THROUGH DECK WIRES OF PALLET, PC. 1, AS SHOWN IN DETAIL A.

(b) THREAD INTERMEDIARY STRAP, PC. 4, THROUGH BOTTOM SPACER, PC. 2, AS SHOWN IN DETAIL B.

(c) POSITION BOTTOM SPACER ON PALLET DECK AND LOAD WITH 12 WARHEADS.

(d) POSITION TOP SPACER, PC. 6, OVER WARHEADS WITH SMALL RINGS UP.

(e) THREAD INTERMEDIARY STRAP THROUGH TOP SPACER, TENSION AND SECURE WITH DOUBLE CRIMPED SEAL, PC. 7.

(f) REPEAT STEPS, b, c, d AND e FOR THE OTHER THREE SECTIONAL UNITS.

(g) THREAD LONGITUDINAL STRAP THROUGH THE TOP SPACERS, TENSION AND DOUBLE CRIMP SEAL.

(h) POSITION LATERAL STRAPPING, PC. 5, UNDER PALLET DECK WIRES AND AROUND THE UNIT LOAD, TENSION AND DOUBLE CRIMP SEAL.

MARKING:

IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129.

DEPALLETIZING PROCEDURE

(a) CUT AND REMOVE LONGITUDINAL AND LATERAL STRAPPING.

(b) CUT INTERMEDIARY STRAPS.

(c) REMOVE TOP SPACER.

(d) REMOVE WARHEADS.


(e) REMOVE BOTTOM SPACER AND STRAPS.

* .031 COLD ROLLED, HEAT TREATED MAY BE SUBSTITUTED.


REQ.	ITEM	DESCRIPTION	MAT'L.	MAT'L. SPEC.	DIMENSIONS
12	7	SEALS	STEEL, COATED	COM'L	3/4 X 22 GA. MIN.
4	6	TOP SPACER	STEEL	1372735	20 X 24
2	5	LATERAL STRAPPING	STEEL, COATED	QQ-S-781 TY.I CL. A OR B	1 1/4 X .035 (*) X 9 FT. 6
8	4	INTERMEDIARY STRAPPING	STEEL, COATED	QQ-S-781 TY.I CL. A OR B	1 1/4 X .035 (*) X 6 FT.
2	3	LONGITUDINAL STRAPPING	STEEL, COATED	QQ-S-781 TY.I CL. A OR B	1 1/4 X .035 (*) X 11 FT. 6
4	2	SPACER, BOTTOM	STEEL	1341957	20 X 24
1	1	PALLET, MK 3 MOD 0	STEEL	564200	40 X 48

LIST OF MATERIALS


Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23
Check the source to verify that this is the current version befo



DETAIL A



DETAIL B



ASSEMBLED UNIT LOAD

Source: https://assist.dla.mil - Downloaded: 2026-10-23T
Check the source to verify that this is the current version b