MILITARY STANDARD

MIL-STD-1323-344
(NAVY)
11 JANUARY 1988

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
AIRBOCS, AN/SLQ-39 CHAFF BUOYS AND
AN/SSQ-95 ACTIVE ELECTRONIC BUOYS
IN PALLET CRATE, CNU-313/E

UNIT LOAD DATA

DODIC/ NALC NO.	NOMENCLATURE	CONTAINERS			UNIT LOAD GROSS WT. LBS.*
		SIZE	CONTAINERS/ UNIT LOAD	CONTAINER WT. LBS.	
TBD	AIRBOC	LONG	30	38	1431
TBD	AN/SLQ-39 CHAFF BUOY	LONG	30	48	1971
TBD	AN/SLQ-95 AEB	LONG	30	39	1460

* DO NOT USE FOR SHIPPING WEIGHT

AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION IS UNLIMITED

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

SIGNATURE TECHNICAL DIRECTION AGENT (TDA) DATE 1-15-88

SIGNATURE AIRSYSCOM, BY DIRECTION DATE 1-11-88

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY)

ORIGINATOR Charles McBride 11/24/87 DATE
NAVAL WEAPONS HANDLING CENTER
WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T20:38Z
Check the source to verify that this is the current version before use.


NO. OF AIRBOCS/CHAFF BUOYS PER CONTAINER..... 1
WEIGHT OF PALLET CRATE (APPROX.)..... 290 LBS.
WEIGHT OF STEEL STRAPPING (APPROX.)..... 1 LB.
UNIT LOAD CUBE..... 53.5 CU. FT.
DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE

WARNING

ALL CONTAINERS SHOULD BEAR THE FOLLOWING MARKING. "SMALL QUANTITY OF HAZARDOUS MATERIAL CONTAINED HEREIN - HANDLE CAREFULLY WHEN OPENING".

HAZARD CLASSIFICATION

	AIRBOCS	CHAFF BUOYS AN/SLQ-39	AEB AN/SSQ-95
DOT:	C	C	C



LONG CONTAINER CNU-289/E FOR AIRBOC. CHAFF BUOY CARTRIDGE AN/SLQ-39 AND ACTIVE ELECTRONIC BUOYS AN/SSQ-95.

NOTES:

1. UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCES TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.

UNITIZING PROCEDURE FOR LONG CONTAINER

(A) SET UP THE SIDES ALL ENDS OF THE PALLET CRATE, ITEM 1, LEAVING THE TOP HALF OF THE REMOVABLE END FOLDED DOWN. ASCERTAIN THAT ALL DECK INTERLOCKING LOOPS AT THE BOTTOM EDGE OF PANELS ARE ENGAGED IN THE DECK (SEE DETAIL B) AND ALL CORNER LOCKING DEVICES ARE SECURED.


(B) THREAD STRAPPING, ITEM 2, AROUND THE FIRST DOUBLE HORIZONTAL WIRES BELOW THE TOP OF THE CRATE SIDES. FORM SEALED LOOPS AS SHOWN IN DETAIL A AND DOUBLE NOTCH THE SEALS, ITEM 3. (TWO STRAPS ON EACH SIDE.)


(C) POSITION 30 CONTAINERS LONGITUDINALLY IN THE CRATE WITH THEIR SCREW CAPS TOWARD THE OPEN END OF THE CRATE AND THEIR SMOOTH SIDES UP (DO NOT ENGAGE STACKING LUGS).


(D) RAISE THE TOP HALF OF THE REMOVABLE END TO THE CLOSED POSITION AND SECURE THE CORNER LOCKING DEVICES.


(E) THREAD STRAPPING, ITEM 2, THROUGH THE SECOND SQUARE BELOW THE TOP EDGE OF THE CRATE. TENSION OVER THE CONTAINERS AND DOUBLE NOTCH THE SEAL, ITEM 3.

MARKING: THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-1323 (NAVY)









NOTES:

1. ALL MATERIALS SHALL BE AS SPECIFIED IN MIL-STD-1323.
2. DO NOT USE TYPE I STRAPPING WITH POWER MACHINES.

LIST OF MATERIALS

REQ'D	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
6	3	SEAL	SEE NOTE 1	3/4
4	2	STRAPPING	SEE NOTES 1 & 2	3/4 X .035 X 3 FT 6 IN
1	1	PALLET CRATE, CNU-313/E	MIL-C-21215 SIZE 4	48 X 44 X 43-3/4

DEUNITIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING.

(B) REMOVE CONTAINERS.

REVIEW ACTIVITY:
NAVY-OS

PREPARING ACTIVITY:
NAVY-OS
(PROJECT NO. 8140-N072)

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T23:59Z
Check the source to verify that this is the current version before use.