MILITARY STANDARD

MIL-STD-1323-394

(NAVY)


7 OCTOBER 1993

UNIT LOAD
FOR UNDERWAY REPLENISHMENT
CARTRIDGE, .50 CAL, UNLINKED
IN AMMUNITION BOX M2A1
IN WIREBOUND CONTAINER 19200-7553346

UNIT LOAD DATA

NUMBER OF ROUNDS / CONTAINER	240
GROSS WEIGHT OF ONE CONTAINER	82 LBS.
NUMBER OF CONTAINERS / UNIT LOAD	48
NUMBER OF ROUNDS / UNIT LOAD	11520
WEIGHT OF STEEL PALLET	94 LBS.
WEIGHT OF STEEL STRAPPING	16 LBS.
WEIGHT OF PLYWOOD DUNNAGE	58 LBS.
GROSS WEIGHT OF UNIT LOAD △	4,104 LBS.
CUBE	50.32 CU. FT.

NOTE: GROSS WEIGHT SHOWN IS FOR (HEAVIEST) .50 CAL CARTRIDGE.




WIREBOUND CONTAINER
19200-7553346
2/M2A1 BOXES PER
WIREBOUND CONTAINER

△ DO NOT USE FOR SHIPPING WEIGHT WEIGHTS AND OVERALL UNIT LOAD DIMENSIONS ARE APPROXIMATE.

DO NOT STACK MORE THAN 4 UNIT LOADS HIGH IN STORAGE.

FOR HAZARD CLASSIFICATION SEE SWO20-AC-SAF-010/020/030

FOR QUALIFICATIONS OF UNIT LOAD SEE NWSE TEST REPORT # 83053



AMSC NO. - N/A

DISTRIBUTION STATEMENT A
APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED.

NOTES:
1. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.
2. FOR CROSS REFERENCE TO ASSOCIATED TRUCKLOADING, CONTAINERLOADING AND CARLOADING MILITARY STANDARDS, REFER TO INDEX TO STANDARDS, MIL-HDBK-236 (NAVY).

REV LTR	REVISION DESCRIPTION	DATE	TDA	SYSCOM
			APPROVAL	

FSC 8140

THIS UNIT LOAD IS AUTHORIZED AND RELEASED FOR SHIPPING, HANDLING, STORAGE AND TRANSFER-AT-SEA. IT MAY ALSO BE USED FOR DOMESTIC SHIPMENT IN COMPLIANCE WITH DOT REGULATIONS.

REQUIREMENTS FOR CONSTRUCTION OF THIS UNIT LOAD SHALL CONSIST OF THIS DOCUMENT AND THE LATEST ISSUE OF MIL-STD-1323 (NAVY).

SIGNATURE TDA, WPNSTA EARLE — DATE 10/6/93

SIGNATURE NAVSEASYSCOM BY DIRECTION — DATE 10/7/93

ORIGINATOR — DATE 93/8/23

WPNSTA EARLE, NEW JERSEY

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.


PALLETIZING PROCEDURE

(A) THREAD LONGITUDINAL STRAPS, ITEM 2, THROUGH THE DECK WIRES OF THE PALLET, ITEM 1, AS SHOWN IN DETAIL A.
(B) PLACE ONE PLYWOOD BASE, ITEM 4, ON PALLET, ITEM 1, WITH EQUAL OVERHANG ON BOTH SIDES AND ENDS.
(C) PLACE 48 WIREBOUND CONTAINERS ON PLYWOOD BASE, ITEM 4, WITH EQUAL OVERHANG/UNDERHANG ON BOTH SIDES AND ENDS.
(D) PLACE PLYWOOD TOP, ITEM 4, ON TOP OF THE CONTAINERS.
(E) POSITION LATERAL STRAPS, ITEM 3, UNDER THE PALLET DECK, OVER THE EDGE PROTECTORS, ITEM 5, AND AROUND THE UNIT LOAD WITHIN DIMENSIONS SHOWN. TENSION AND SECURE EACH STRAP WITH ONE DOUBLE NOTCHED SEAL, ITEM 6.
(F) POSITION LONGITUDINAL STRAPS, ITEM 2, OVER THE EDGE PROTECTORS, ITEM 5, AND AROUND THE UNIT LOAD. TENSION AND SECURE EACH STRAP WITH ONE DOUBLE NOTCHED SEAL, ITEM 6.

MARKING: IN ADDITION TO ANY SPECIAL MARKING REQUIRED BY CONTRACT OR ORDER, THE UNIT LOAD SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-129 (NAVY).

DEPALLETIZING PROCEDURE

(A) CUT AND REMOVE STRAPPING AND EDGE PROTECTORS.
(B) REMOVE TOP PLYWOOD.
(C) REMOVE WIREBOUND CONTAINERS.




NOTE: ALL MATERIALS SHALL BE IAW THE BASIC DOCUMENT, MIL-STD-1323 (NAVY).

REQ	ITEM	DESCRIPTION	MAT'L/DWG	DIMENSIONS
7	6	SEAL	STEEL	FOR 1 1/4 STRAPPING
14	5	EDGE PROTECTOR	FSN-8135-00-291-0962 STEEL	
2	4	BASE, TOP & BOTTOM	PLYWOOD	3/4 X 51 X 44
4	3	STRAP, LATERAL	STEEL	.035 X 1 1/4 X 14 1/2 FT
3	2	STRAP, LONGITUDINAL	STEEL	.035 X 1 1/4 X 15 1/2 FT
1	1	PALLET MK 3 MOD 0	564200	40 X 48 X 4 3/4

LIST OF MATERIALS

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.



2 REF:THREAD STRAPPING, ITEM 2. BETWEEN THE 4TH AND 5TH AND 11TH AND 12TH WIRES.

DETAIL A

Source: https://assist.dla.mil -- Downloaded: 2026-10-24T00:00Z
Check the source to verify that this is the current version before use.