[INCH-POUND]
A-A-55485/10A
3 September 1999
A-A-55485/10
30 September 1993

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, LEAD CONVERSION, .200 DIAMETER PIN CENTER

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-M-38527/10 for all federal agencies.

1. SCOPE. This CID covers mounting pads with pin through-holes beginning on a .200 diameter circle and tapering at an angle to a different diameter exit circle.

2. CLASSIFICATION. This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see 7.1).

A-55485/10	-001	D
CID number	Dash number	Material letter (see 3.2)

3. SALIENT CHARACTERISTICS.

3.1 Interface and physical dimensions. Mounting pads supplied to this CID shall be as specified herein (see figure 1).

3.2 Material. Material shall be diallyl phthalate (D) or nylon (N).

3.3 Marking. Not applicable.

4. REGULATORY REQUIREMENTS. This section is not applicable to this CID sheet.


Beneficial comments, recommendations, additions, deletions, clarifications, etc., and any data which may improve this document should be sent to: Defense Supply Center Columbus, ATTN: DSCC-VAT, 3990 East Broad Street, Columbus, OH 43213-1199, or telephone (614) 692-0554, or facsimile (FAX) (614) 692-6939.

AMSC N/A FSC 5999


DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

Inches	mm
.020	0.51
.025	0.64
.030	0.76
.031	0.79
.048	1.22
.055	1.40
.060	1.52
.096	2.44
.100	2.54
.192	4.88
.350	8.89



A-55485/10-001




Inches	mm
.001	0.03
.005	0.13
.010	0.25
.011	0.28
.015	0.38
.020	0.51
.022	0.56
.030	0.76
.040	1.02
.080	2.03
.100	2.54
.150	3.81
.200	5.08
.235	5.97
.250	6.35
.280	7.11

A-55485/10-002


Figure 1. Configurations and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.030	0.76
.050	1.27
.100	2.54
.146	3.71
.170	4.32
.180	4.57
.200	5.08
.400	10.16
.500	12.70

A-55485/10-003




Inches	mm
.005	0.13
.015	0.38
.031	0.79
.040	1.02
.045	1.14
.047	1.19
.125	3.18
.200	5.08
.292	7.42
.550	12.70
.515	13.08

A-55485/10-004


Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.020	0.51
.025	0.64
.028	0.71
.050	1.27
.075	1.91
.125	3.18
.200	5.08
.265	6.73
.350	8.89

A-55485/10-005



Inches	mm
.010	0.25
.015	0.38
.022	0.56
.033	0.84
.044	1.12
.050	1.27
.100	2.54
.105	2.67
.125	3.18
.135	3.43
.185	4.70
.200	5.08
.210	5.33
.305	7.75

A-55485/10-006

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Tolerance on height of pad shall be ± .015 (0.38 mm).
4. Unless otherwise specified, tolerances are ± .010 (0.25 mm) for decimals and ± 1° on angles. A .010 (0.25 mm) radius is permissible on corners and edges. A 1° draft is permitted on sides.

Figure 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

5. QUALITY ASSURANCE PROVISIONS. Quality assurance provisions shall be as specified in A-A-55485.

6. PACKAGING. Packaging shall be as specified in A-A-55485.

7. NOTES.

7.1 PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See section 2 for PIN format example.

7.2 Commercial and Government Entity (CAGE) code. For ordering purposes, inventory control, and submission of these mounting pads to DSCC under the Military Parts Control Advisory Group (MPCAG) evaluation program, CAGE code 58536 should be used.

7.3 Source of documents.

Commercial Item Description

A-A-55485 - Mounting Pads, Electrical-Electronic Component, General Requirements for.

7.4 Ordering data. Ordering data shall be as specified in A-A-55485.

7.5 Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE	MFR's name and address
21071	Globe Plastics, Inc. 13477 Twelfth Street Chino, CA 91710-5206 (909) 464-1520 http://www.globeplastics.com
24227	Teknational Industries, Inc. 391 Gregory Street Rochester, NY 14620 (716) 473-6310 http://www.teknational.com
32559	Bivar, Inc. 4 Thomas Irvine, CA 92718-2512 (949) 951-8808 http://www.bivar.com
53174	APX Plastics Company 3407 Dalworth Street Arlington, TX 76011-6815 (817) 275-3883 http://www.apxplastics.com
54355	Accessories for Electronics, Inc. 195-Q Central Avenue E. Farmingdale, NY 11735 (516) 847-0158 http://www.afeaccessories.com

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

7.6 Part number (P/N) supersession data. This CID supersedes the following manufacturer's P/N's and MIL-M-38527/10B P/N's as shown. This information is being provided to assist in reducing proliferation in the government inventory system.

Dash number (see figure 1) A-55485/10 -	Manufacturers part number 1/				
	CAGE code 21071	CAGE code 24227	CAGE code 32559	CAGE code 53174	CAGE code 54355
001N	10296-1				965-685N
001D	10296-2			AP-226/D	965-685D
002N	10304-1			AP-234/N	965-623N
002D	10304-2			AP-234/D	965-623D
003N					
003D					
004N	10366-1			AP-174/N	965-534N
004D	10366-2			AP-174/D	965-534D
005N	10298-1			AP-146/N	965-538N
005D	10298-2	2014		AP-146/D	965-538D
006N	10142-1		207-125	AP-023/N	965-544N
006D	10142-2			AP-023/D	965-544D

1/ The manufacturers part number shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown.

MIL-M-38527/10B supersession data	
Superseded (old) PIN in accordance with MIL-M-38527/10B: M38527/10 -	Superseding (new) CID PIN A-55485/10 -
001	001
002	002
003	003
004	004
005	005
006	006
007	007

1/ Complete PIN shall include a suffix letter to denote material.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

7.7 Government users. To acquire information on obtaining these mounting pads from the Government inventory system, contact Defense Supply Center, Columbus, ATTN: DSCC-C, P.O. Box 3990, Columbus, OH 43216-5000, or telephone (614) 692-7963.

MILITARY INTERESTS:

Custodians:
Army - CR
Navy - EC
Air Force - 11
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing activity:

DLA - CC

(Project 5999-0346)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.