[INCH-POUND]
A-A-55485/11A
7 March 2003
SUPERSEDING
A-A-55485/11
30 September 1993

COMMERCIAL ITEM DESCRIPTION
SPECIFICATION SHEET

MOUNTING PADS, ELECTRICAL-ELECTRONIC COMPONENT, VERTICAL TYPE

The General Services Administration has authorized the use of this commercial item description (CID) as a replacement for MIL-M-38527/11 for all federal agencies.

The complete requirements for procuring the mounting pads described herein shall consist of this document and the issue in effect of CID A-A-55485.

CLASSIFICATION/PART OR IDENTIFICATION NUMBER (PIN). This CID uses a classification system which is included in the Part Identification Number (PIN) as shown in the following example (see NOTES).

A-55485	/11	-001	A
CID number	CID sheet	Dash number	Material letter

SALIENT CHARACTERISTICS.

Interface and physical dimensions. Mounting pads supplied to this CID shall be as specified herein (see figure 1).

Material. Material shall be acetal copolymer (A) or polyterephthalate thermoplastic (C).


Marking. Not applicable.

NOTES.

PIN. The PIN should be used for Government purposes to buy commercial products to this CID. See classification information for PIN format example.

AMSC N/A FSC 5999
DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.025	0.64
.030	0.76
.032	0.81
.034	0.86
.040	1.02
.050	1.27
.055	1.40
.060	1.52
.062	1.57
.080	2.03
.090	2.29
.100	2.54
.105	2.67
.110	2.79
.150	3.81
.210	5.33
.250	6.35
.312	7.92
.437	11.10
.562	14.27

PIN A-55485/11-	Dimensions								Material
	A	B	C	D	E	F	G	H	
001	.312	.100	.030	.060	.030	.030	.055R	.030	A
002	.437	.100	.030	.060	.030	.030	.055R	.030	A
003	.562	.150	.040	.110	.055	.040	.080R	.040	A
004	.312	.100	.030	.060	.030	.030	.055R	.030	C
005	.437	.100	.030	.060	.030	.030	.055R	.030	C
006	.562	.150	.040	.110	.055	.040	.080R	.040	C

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (0.13 mm).

FIGURE 1. Configurations and dimensions.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.025	0.64
.030	0.76
.032	0.81
.034	0.86
.040	1.02
.050	1.27
.055	1.40
.060	1.52
.062	1.57
.075	1.91
.080	2.03
.090	2.29
.100	2.54
.105	2.67
.130	3.30
.150	3.81
.160	4.07
.200	5.08
.210	5.33
.250	6.35
.260	6.60
.300	7.62
.312	7.92
.437	11.10
.562	14.27

PIN A-55485/11-	Dimensions										Material
	A	B	C	D	E	F	G	H	I	J	
007	.312	.200	.030	.160	.080	.030	.055R Typ	.030	.050	.100	A
008	.437	.200	.030	.160	.080	.030	.055R Typ	.030	.050	.100	A
009	.562	.300	.040	.260	.130	.040	.080R Typ	.040	.075	.150	A
010	.312	.200	.030	.160	.080	.030	.055R Typ	.030	.050	.100	C
011	.437	.200	.030	.160	.080	.030	.055R Typ	.030	.050	.100	C
012	.562	.300	.040	.260	.130	.040	.080R Typ	.040	.075	.150	C

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (0.13 mm).

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.




Inches	mm
.010	0.25
.015	0.38
.025	0.64
.030	0.76
.032	0.81
.034	0.86
.040	1.02
.050	1.27
.055	1.40
.060	1.52
.062	1.57
.080	2.03
.090	2.29
.100	2.54
.105	2.67
.130	3.30
.150	3.81
.205	5.21
.200	5.08
.210	5.33
.250	6.35
.260	6.60
.300	7.62
.312	7.92
.410	10.41
.437	11.10
.450	11.43
.562	14.27

PIN A-55485/11-	Dimensions									Material
	A	B	C	D	E	F	G	H	I	
013	.312	.300	.030	.260	.130	.030	.055R	.030	.100	A
014	.437	.300	.030	.260	.130	.030	.055R	.030	.100	A
015	.562	.450	.040	.410	.205	.040	.080R	.040	.150	A
016	.312	.300	.030	.260	.130	.030	.055R	.030	.100	C
017	.437	.300	.030	.260	.130	.030	.055R	.030	.100	C
018	.562	.450	.040	.410	.205	.040	.080R	.040	.150	C

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (0.13 mm).

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.



Inches	mm
.010	0.25
.015	0.38
.025	0.64
.030	0.76
.032	0.81
.034	0.86
.040	1.02
.050	1.27
.055	1.40
.060	1.52
.062	1.57
.075	1.91
.080	2.03
.090	2.29
.100	2.54
.105	2.67
.150	3.81
.180	4.57
.210	5.33
.225	5.72
.250	6.35
.280	7.11
.300	7.62
.312	7.92
.360	9.14
.400	10.16
.437	11.10
.450	11.43
.560	14.22
.562	14.27
.600	15.24

PIN A-55485/11-	Dimensions												Material
	A	B	C	D	E	F	G	H	I	J	K	L	
019	.312	.400	.030	.360	.180	.030	.055R	.030	.100	.050	.150	.300	A
020	.437	.400	.030	.360	.180	.030	.055R	.030	.100	.050	.150	.300	A
021	.562	.600	.040	.560	.280	.040	.080R	.040	.150	.075	.225	.450	A
022	.312	.400	.030	.360	.180	.030	.055R	.030	.100	.050	.150	.300	C
023	.437	.400	.030	.360	.180	.030	.055R	.030	.100	.050	.150	.300	C
024	.562	.600	.040	.560	.280	.040	.080R	.040	.150	.075	.225	.450	C

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (0.13 mm).

FIGURE 1. Configurations and dimensions - Continued.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

NOTES.

Commercial products. As part of the market analysis and research effort, this CID was coordinated with the following manufacturers of commercial products. At the time of CID preparation and coordination, these manufacturers were known to have commercial products that would meet the requirements of this CID. (NOTE: This information should not be considered as a list of approved manufacturers or be used to restrict procurement to only the manufacturers shown.)

MFR's CAGE	MFR's name and address
0ZK84	Micro-Dimensional Products, Inc 548 North Trooper Road Norristown, PA 19403-4536 (610) 630-4658 http://www.microdimensional.com
21071	Globe Plastics, Inc. 13477 Twelfth Street Chino, CA 91710-5206 (909) 464-1520 http://www.globecomposites.com
32559	Bivar, Inc. 4 Thomas Irvine, CA 92718-2512 (949) 951-8808 http://www.bivar.com
53174	APX Plastics Company 3407 Dalworth Street Arlington, TX 76011-6815 (817) 275-3883 http://www.apxplastics.com
54355	Accessories For Electronics, Inc. 195-Q Central Avenue E. Farmingdale, NY 11735 (631) 847-0158 http://www.afeaccess.com

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

Part number (P/N) supersession data. These CID part numbers supersede the following manufacturer's P/N's (table I) and MIL-M-38527/11 P/N's (table II) as shown. This information is being provided to assist in reducing proliferation in the Government inventory system.

TABLE I. P/N Supersession data.

CID PIN (see figure 1) A-55485/11-	Manufacturers part number. 1/				
	CAGE 0ZK84	CAGE 21071	CAGE 32559	CAGE 53174	CAGE 54355
001					
002		10880-4			965-702A
003					
004	10595	10904-3	3121-004	AP-9004/C	965-703C
005	10592		4371-005	AP-9005/C	965-701C
006	10632		5621-006	AP-9006/C	965-724C
007					
008					
009					
010	10598		3122-010	AP-9010/C	965-708C
011	10606		4372-011	AP-9011/C	965-706C
012	10593		5622-012	AP-9012/C	965-704C
013					
014					
015					
016	10597		3123-016	AP-9016/C	965-720C
017	10601		4373-017	AP-9017/C	965-741C
018	10608		5623-018	AP-9018/C	965-743C
019					
020					
021					
022	10604		3124-022	AP-9022/C	965-726C
023	10599		4374-023	AP-9023/C	965-729C
024	10633		5624-024	AP-9024/C	965-710C

1/ The manufacturer's P/N shall not be used for procurement to the requirements of this CID. At the time of preparation of this CID, the aforementioned commercial products were reviewed and could be replaced by the CID PIN shown. For actual part marking requirements see the marking paragraph.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.

TABLE II. MIL-M-38527/11 P/N supersession data. 1/

Superseded part number M38527/11 -	Replacement CID Part number A-55485/11 -
001	001
002	002
003	003
004	004
005	005
006	006
007	007
008	008
009	009
010	010
011	011
012	012
013	013
014	014
015	015
016	016
017	017
018	018
019	019
020	020
021	021
022	022
023	023
024	024

1/ Complete PIN shall include a suffix letter to denote material.

MILITARY INTERESTS:

Custodians:
Army - CR
Navy - EC
Air Force - 11
DLA - CC

CIVIL AGENCY COORDINATING ACTIVITY:

GSA - 7FXE

Preparing activity:

DLA - CC

(Project 5999-0389-06)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:48Z
Check the source to verify that this is the current version before use.