INCH-POUND

A-A-55488B
16 January 2025
SUPERSEDING
A-A-55488A
19 August 2019

COMMERCIAL ITEM DESCRIPTION

PIN, RETAINING SAFETY

The General Services Administration has authorized the use of this Commercial Item Description by all federal agencies.

1. SCOPE. This Commercial Item Description (CID) depicts the requirements for a safety retaining pin.

2. SALIENT CHARACTERISTICS.

2.1 Material. Stainless steel spring wire, Type 316 (UNS S31600), in accordance with ASTM A313/A313M.

2.2 Surface Treatment. CRES pins shall be passivated in accordance with SAE-AMS2700 or ASTM A967/A967M.




FIGURE 1. Safety Retaining Pin

Beneficial comments, recommendations, additions, deletions, clarifications, etc. and any data that may improve this document should be sent to: STDZNMGT@dla.mil or DLA Aviation VEB, 6090 Strathmore Road, Richmond, Virginia 23237. Since contact information can change, you may want to verify the currency of this address information using the ASSIST database at https://assist.dla.mil/.

AMSC N/A FSC 5315

DISTRIBUTION STATEMENT A. APPROVED FOR PUBLIC RELEASE; DISTRIBUTION IS UNLIMITED.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

All dimensions are in inches.
Tolerances: fractions ± 1/32, decimals ±.010.
Chamfer as shown and remove all burrs and break sharp edges.
Interpret drawing in accordance with ASME Y14.5..
For cancelled AN416 part number, replacement part numbers are listed in Table 3.
Part identification number (PIN) shall consist of the basic commercial item number followed by a dash number from Table 1.

FIGURE 1. Safety Retaining Pin - Continued

Dash Number	A	B	D	⌀E	G	H	J	K	L	M
-1	1.062	1.375	.093	.051	.296	.046	.125	.046	.125	.156
-2	.750	.937	.062	.041	.250	.031	.093	.031	.125	.156
-3	2.156	2.656	.080	.080	.500	.156	.171	.080	.320	.250

TABLE 1. DASH NUMBERS AND DIMENSIONS

3. REGULATORY REQUIREMENTS. The offeror/contractor is encouraged to use recovered, recycled, biobased, and environmentally-preferable materials to the maximum extent practicable.

4. PRODUCT CONFORMANCE PROVISIONS.

4.1 Product conformance. The products provided shall meet the salient characteristics of this Commercial Item Description, conform to the producer's own specifications, standards, and quality assurance practices, and be the same product offered in the commercial marketplace. The government reserves the right to require proof of such conformance.

4.1.1 Market acceptability criteria. The item offered must have been sold to the Government or commercial market.

4.1.2 Inspection requirements. Bid samples may be required for CID items when necessary to assure product quality. In general, first article testing should not be required. First article testing may only be required for those items produced on demand which are customized. Detailed procedures on inspection requirements or sampling in a CID should be minimized and used only when no other method for assuring quality is acceptable.


5. PACKAGING.

5.1 Packaging. Preservation, packing, and marking shall be specified in the contract or order. (See 6.4).

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

6. NOTES.

6.1 Part or Identification Number (PIN). The following PIN procedure is for government purposes and does not constitute a requirement for the contractor.



6.1 Sources of documents.

6.1.1 Sources of Non-Government documents.

6.1.1.1 ASTM Standards are available online at https://www.astm.org/.

6.1.1.2 ASME Standards are available online at https://www.asme.org/.

6.1.1.3 SAE Standards are available online at https://www.sae.org/.

6.2 National Stock Numbers (NSNs). The following is a list of NSNs assigned that correspond to this CID. The list may not be indicative of all possible NSNs associated with the CID.

NSN	Dash Number
002236112	-2
002236113	-1
013437322	-3
015519991	-2

TABLE 2. NSNs

6.3 Cross-Reference

Canceled AN PIN	Replacement CID PIN
AN416 - • .1/	AA55488 - • .1/

1/ • REPRESENTS THE SAME DESIGNATION CODES F'OR BOTH AN AND CID PINS.

TABLE 3. Cross-Reference Table

6.4 Ordering data. The contract or purchase order should specify the following:

a. CID document number, revision, and CID PIN
b. Product conformance provisions (see 5.1)
c. Packaging requirements (see 6.1)

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.

6.5 Changes from previous issue. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the previous issue.

MILITARY INTERESTS:

Custodians:

Army – AV
Air Force – 11
DLA – GS

CIVIL AGENCY COORDINATING ACTIVITY:

GSA – FAS

PREPARING ACTIVITY

DLA-GS2
(Project: 5315-2025-001)

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST online database at https://assist.dla.mil.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T09:49Z
Check the source to verify that this is the current version before use.