MIL-T-55155/24B
27 NOVEMBER 1981
SUPERSEDING
MIL-T-55155/24A
27 October 1971

MILITARY SPECIFICATION SHEET

TERMINAL, STUD (NONINSULATED), STYLE SE24

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for procuring the terminals described herein shall consist of this document and the latest issue of Specification MIL-T-55155.




FIGURE 1. Dimensions and configuration.

FSC 5940

Source: https://assist.dla.mil -- Downloaded: 202640-22T22:30Z
Check the source to verify that this is the current version before use.

Type designation	Dimensions										Mounting board thickness ±.005 (reference)
	A ±.005	B	C	D	E	F	G ±.002	H	J	K	
SE24XC01	.062	.188	.156	.093	.125	45°	.060	.029	.015	.042 dia, max runout .003 TIR	.031
SE24XC02	.094										.062
SE24XC03	.125										.094
SE24XC04	.156										.125
SE24XC05	.037	.125	---	.094	.094	---	.063 +.000 -.005	.025	---	.043 dia, ±.010	.016
SE24XC06	.053										.031
SE24XC07	.084										.062
SE24XC08	.115										.094
SE24XC09	.147										.125
SE24XC10	.037	.125	---	.031	.062	---	.042 +.000 -.005	.016	.008	.026 dia, ±.010	.016
SE24XC11	.053										.031
SE24XC12	.084										.062
SE24XC13	.115										.094
SE24XC14	.147										.125
SE24XC15	.053	.070	---	.050	.047	---	.032 +.000 -.005	.020	---	.020 dia, ±.010	.031
SE24XC16	.084										.062
SE24XC17	.115										.094

NOTES:
1. Dimensions are in inches.
2. Metric equivalents (to the nearest .01 mm) are given for general information only and are based upon 1 inch = 25.4 mm.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm) for types -01 through -04 and ±.010 (.25 mm) for types -05 through -17 on decimals and ±3° on angles.
4. Drawing depicts only general design characteristics and is not intended to limit specific manufacturing processes.

FIGURE 1. Dimensions and configuration. - Continued

Source: https://assist.dla.mil -- Downloaded: 202640-22T22:30Z
Check the source to verify that this is the current version before use.

INCH	MM	INCH	MM
.002	.05	.047	1.19
.003	.08	.050	1.27
.005	.13	.053	1.35
.010	.25	.060	1.52
.015	.38	.062	1.57
.016	.41	.063	1.60
.020	.51	.070	1.77
.025	.64	.084	2.13
.026	.67	.093	2.36
.029	.74	.094	2.39
.031	.79	.115	2.92
.032	.82	.125	3.18
.037	.94	.147	3.73
.042	1.07	.156	3.96
.043	1.10	.188	4.78

FIGURE 1. Dimensions and configuration. - Continued.

REQUIREMENTS:

Dimensions and configuration: See figure.

Revision letters are not used to denote changes due to the extensiveness of the changes.

Custodians:
Army - ER
Navy - EC
Air Force - 11

Review activities:
Army - MI, AR, EA, ME
Navy -
Air Force - 85, 99
DSA - GS

User activities:
Army - AT
Navy - YD, MC
Air Force -

Preparing activity:
Army - ER

Project No. 5940-0947

Source: https://assist.dla.mil -- Downloaded: 202610-22T22:30Z
Check the source to verify that this is the current version before use.