A-A-51118
8 November 1985

COMMERCIAL ITEM DESCRIPTION

PLIERS, OPTICIANS', RIVET AND SHIELD BURNISHING

The General Service Administration has authorized the use of this commercial item description.

This commercial item description covers one type of opticians' pliers to be used for use in burnishing the rivets on the hinges of the spectacle frames.

Salient characteristics:

Shall conform to the design and dimensions as shown in Figure 1.

Shall have a replaceable jaw made of phenolic or hard fiber material having nominal Shore hardness of 80 durometer.

Shall be made of tool steel type 1040 series, nickel plated or chromium plated over nickel base throughout, with scratch brush finish at the bottom halves of the handles.

Hardness of the metal jaw shall be C40 to C45 Rockwell or better.

The pliers shall be the box lock type with no looseness between the two halves of the pliers in the open or closed position.

The pliers shall be permanently marked with manufacturer's name or logo.

Workmanship. The pliers shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One pliers, as specified, constitutes one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U. S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

FSC 6540

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

6540-00-299-8415

MILITARY INTERESTS:

Custodians:

Army-MD
Navy-MS
Air Force-03

PREPARING ACTIVITY:

DoD-MB


Agent.

DLA-DM

CIVIL AGENCY COORDINATING ACTIVITY.
VA-OSS

Project No. 6540-1156
Location S3-6-4

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.



Source: https://assist.dla.mil + Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.

NOTE: ALL DIMENSIONS ARE IN INCHES,
UNLESS OTHERWISE SPECIFIED, TOLERANCES ARE
AS FOLLOWS: 1/8" AND UNDER ± 1/64"
1/8" TO 1/2" ± 1/32"
OVER 1/2" ± 1/8"
DECIMAL ± .003"

FIG. 1

6540-00-299-8415

PLIERS, OPTICIANS', RIVET &
SHIELD BURNISHING, 5 INCH

A-A-51118