A-A-51120
20 November 1985

COMMERCIAL ITEM DESCRIPTION

PLIERS, OPTICIANS', LENS AND ALIGNING, 7-1/4 INCH

The General Services Administration has authorized the use of this commercial item description.

This commercial item description covers one type of opticians' pliers to be used for aligning lenses in spectacles after glazing.

Salient characteristics:

The pliers shall conform to the style and dimensions shown in figure 1. Overall length shall be 7-1/4 inches minimum.

Handles shall be made of cast aluminum alloy or formed low carbon steel with nickel plating. Jaws opening spring is optional.

The clevis and jaw plate shall be made of brass or high impact resistant plastic material.

The rubber gripping pads shall be made of black neoprene rubber or natural rubber with fiber reinforcement. Hardness shall be from 60 to 65 durometer.

The pliers shall be permanently marked with manufacturer's name or logo.

All surfaces shall be smooth and free from sharp edges and corners.

Provide three sets of spare pads with each pliers.

Workmanship. The pliers shall be free from defects which detract from its appearance or impair its serviceability.

Unit. Each (EA). One pliers, as specified, constitutes one unit.

Contractor certification. The contractor shall certify that the product offered meets the salient characteristics of this description and conforms to the producers' own drawings, specifications, standards, and quality assurance practices. The Government reserves the right to require proof of such conformance prior to first delivery and thereafter as may be otherwise provided for under the provisions of the contract.

Regulatory requirements.

Federal Food, Drug and Cosmetic Act. If the product covered by this document has been determined by the U. S. Food and Drug Administration to be under its jurisdiction, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of the Federal Food, Drug and Cosmetic Act, as amended, and regulations promulgated thereunder. In addition, the offeror/contractor shall comply, and be responsible for compliance by its subcontractors/suppliers, with the requirements of all other applicable Federal, State, and local statutes, ordinances, and regulations.

FSC 6540

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.

Recovered materials. The offeror/contractor is encouraged to use recovered material in accordance with Public Law 94-580 to the maximum extent practical.

Preservation, packaging, packing, labeling, and marking. Unless otherwise specified, preservation, packaging, and packing shall be to a degree of protection to preclude damage to containers and/or contents thereof under normal shipping conditions, handling, etc., involving shipment from the supply source to the receiving activity, plus reshipment from receiving activity, and shall conform to applicable carrier's rules and regulations. Intermediate and exterior package quantities and labeling and marking shall be as specified in the contract and/or order.

NOTE: The following National Stock Number is covered by this document:

6540-00-135-7149

MILITARY INTERESTS:

Custodians:

Army-MD
Navy-MS
Air Force-03

PREPARING ACTIVITY:

DoD-MB

Agent:


DLA-DM

CIVIL AGENCY COORDINATING ACTIVITY:
VA-OSS

Project No. 6540-1151

Location S3-6-8

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.



NOTE

GENERAL TOLERANCE $\pm\frac{1}{64}$ UNLESS SPECIFIED

ALL DIMENSIONS IN INCHES

PLIERS, OPTICIANS, LENS AXIS ALIGNING

FIGURE 1

6540-00-135-7149

A-A-51120

Source: https://assist.dla.mil -- Downloaded: 2026-10-26T08:50Z
Check the source to verify that this is the current version before use.