MILITARY SPECIFICATION

DETECTOR TUBES, CHEMICAL AGENT

This amendment forms a part of Military Specification MIL-D-0051082D(MU), 15 April 1969.

Page 2

2.2, lines 8 and 9: Delete "202 Union Station, 516 West Jackson Boulevard" and substitute "Room 1106, 222 South Riverside Plaza."

Page 3

3.2.1, line 9: Delete "(see 6.7)".

Page 4

3.2.2, line 2: Delete "(6.5)" and substitute "(6.4)".

Page 5

3.6, Table II, under type III: Add the following to the appropriate column:

"7.5 Y (Hue)	9 (Value)	4 (Chroma)
7.5 Y (Hue)	9 (Value)	6 (Chroma)"

Page 10

4.4.4.1, line 2: After "5 inches" insert "(minimum)"

Page 11

4.4.4.4, line 2: After "chroma" insert "The Munsell color shall be read using a 7400°K light source in an enclosure having a neutral gray-colored interior".

4.4.4.5(b), line 4: After "layer" insert "using a 7400°K light source in an enclosure having a neutral gray-colored interior."

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:49Z
Check the source to verify that this is the current version before use.

Page 14

6.4: Delete 6.4 in its entirety and substitute:

"6.4 Manufacture and protection of gels and unsealed tubes. The description of manufacture for detector kit, chemical agent, ABC-M18A2 gives suggested methods for preparing types I, II, III, IV, and VII gels and tubes."

6.5: Delete 6.5 in its entirety.

6.7: Delete 6.7 in its entirety.

6.8, line 2: Delete "ABC-ARMY-STD 94" and substitute "QSTAG-242 and QSTAG-211."

Custodian:

Army - MU

Preparing activity:

Army - MU(EA)

Project No. 6665-A322

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:49Z
Check the source to verify that this is the current version before use.