MILITARY SPECIFICATION

COAT, WOMAN'S: CLASSIC DESIGN, POLYESTER/WOOL

This amendment forms a part of Military Specification MIL-C-44101A(GL), dated 10 June 1986, and is approved for use by the Natick Research, Development, and Engineering Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 3

2.1, under "SPECIFICATIONS, MILITARY": Delete "MIL-T-43548" and its title and substitute "MIL-T-43548 - Thread, Polyester Core: Cotton-, Rayon-, or Polyester-Covered".

Under "SPECIFICATIONS, MILITARY": Add the following:

"MIL-C-44192 - Container, Shipping and Storage, Coat (Hanger Pack)"

PAGE 5

3.2.14.1: Delete lines 1 and 2 and substitute:

"3.2.14.1 Thread, polyester core, cotton-, rayon-, or polyester-covered. The cotton-, rayon-, or polyester-covered polyester core thread shall conform to MIL-T-43548 in the".

PAGE 34

Table II, operation 23.a: Insert the following in the appropriate columns:

"or 401	SSa-1	10-14	50	50"

PAGE 36

Table II, operation 25: Insert the following in the appropriate columns:

"or 401	SSa-1	10-14	50	50"

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:53Z
Check the source to verify that this is the current version before use.

PAGE 38

Table II, operation 26.i: Add the following alternate operation:

"-or-

(1) Baste lining to right vent as worn 1/2 inch from folded edge and fell.	Hand or machine			Commercial	
(2) Fold left vent lining under, position to left cloth vent, and top stitch 1/16 inch from the edge.	301	SSc-1	10-14	50	50
(3) On inside of coat overlap left cloth vent over right and baste into position making certain vents are properly aligned and will lay flat and smooth on the finished coat.	Hand or machine			Commercial	
(4) Fold left lining under at top of vent completely covering the basic material and hand fell left lining to right lining diagonally down to top of vent, turn corner and close vent 1 to 1-1/4 inches.	Hand or machine			Commercial	
(5) Place a 1-3/8 inch, diagonal machine stitch through all plies as indicated by mark on pattern.	301 or 401		10-14	50 50	50 50"

PAGE 46

Table II, operation 37.d, lines 1 and 2: Delete "inch bartack (see 3.6.2)." and substitute "to 3/8 inch vertical bartack, with the bartack centered on both legs of the buttonhole.".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:53Z
Check the source to verify that this is the current version before use.

Page 51, Table III: Delete and substitute:

TABLE III. Measurements for women (in inches)

	Size									
	4	6	8	10	12	14	16	18	20	Tolerance
1/2 bust	17-3/4	18-1/4	18-3/4	19-1/4	20	20-3/4	21-1/2	22-1/2	23-1/2	± 3/8
Cross back	13-5/8	13-7/8	14-1/8	14-3/8	14-3/4	15-1/8	15-1/2	16	16-1/2	± 3/8
1/2 waist	13-1/4	13-3/4	14-1/4	14-3/4	15-1/2	16-1/4	17	18	19	± 3/8
1/2 waist plus sizes	13-3/4	14-1/4	14-3/4	15-1/4	16	16-3/4	17-1/2	18-1/2	19-1/2	± 3/8
1/2 sweep	19-3/4	20-1/4	20-3/4	21-1/4	22	22-3/4	23-1/2	24-1/2	25-1/2	± 1/2
1/2 sweep plus sizes	20-1/4	20-3/4	21-1/4	22-1/4	23	23-3/4	24-1/2	25-1/2	26-1/2	± 1/2
SLEEVE LENGTH:										
Short		21-3/4	22	22-1/4	22-1/2	22-3/4	23	23-1/4	23-1/2	± 1/4
Regular	22-3/4	23	23-1/4	23-1/2	23-3/4	24	24-1/4	24-1/2	24-3/4	± 1/4
Long	24-1/4	24-1/2	24-3/4	25	25-1/4	25-1/2	25-3/4	26	26-1/4	± 1/4
Extra Long			26-1/4	26-1/2	26-3/4	27				± 1/4
BACK LENGTH:										
Short		25-3/4	26	26-1/4	26-1/2	26-3/4	27	27-1/4	27-1/2	± 3/8
Regular	26-3/4	27	27-1/4	27-1/2	27-3/4	28	28-1/4	28-1/2	28-3/4	± 3/8
Long	28	28-1/4	28-1/2	28-3/4	29	29-1/4	29-1/2	29-3/4	30	± 3/8
Extra Long			29-3/4	30	30-1/4	30-1/2				± 3/8

Source: https://assist.dla.mil -- Downloaded: 2026-02-21T03:53:53Z
Check the source to verify that this is the current version before use.

PAGE 53

Add the following new paragraph:

"4.1.2 Responsibility for dimensional requirements. Unless otherwise specified in the contract or purchase order, the contractor is responsible for assuring that all specified dimensions have been met. When dimensions cannot be examined on the end item, inspection shall be made at any point, or at all points in the manufacturing process necessary to assure compliance with all dimensional requirements."

PAGE 60

5.2.1: Delete the sixth sentence in its entirety.

PAGE 61

5.2.2: Delete the last sentence.

Add the following new paragraph:

"5.2.2.2 Hanger packs. When specified (see 6.2), 12 coats of one class and size shall each be placed on a 14 inch hanger for sizes up to and including size 11 and a 16 inch hanger for size 12 and larger and packed in a type I container (hanger pack) in accordance with MIL-C-44192. The loaded containers shall be palletized and marked in accordance with MIL-C-44192."

5.3, line 3: Delete "type 1" and substitute "type I".

5.4.1: Delete in its entirety.

PAGE 62

6.2: Add the following new subparagraph:

"h. When hanger pack is required (see 5.2.2.2)."

Add the following new paragraph:

"6.7 Subject term (key word) listing.

Coat
Junior ROTC
Polyester/wool
Woman's clothing"

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:53Z
Check the source to verify that this is the current version before use.

Custodian:

Army - GL

Review activities:

Army - MD
DLA - CT

Preparing activity:

Army - GL

Project No. 8410-A646

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:53Z
Check the source to verify that this is the current version before use.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:53Z
Check the source to verify that this is the current version before use.