INCH-POUND

MIL-P-44087B
INTERIM AMENDMENT 1 (GL)
10 May 1991

MILITARY SPECIFICATION

PARKA, NIGHT CAMOUFLAGE, DESERT

This interim amendment is approved for use within the Department of the Army, with MIL-P-44087B, dated 17 April 1989.

PAGE 2

2.1.1, under "SPECIFICATIONS, FEDERAL": Add the following:

"A-A-50198 - Thread, Gimp
A-A-50199 - Thread, Polyester Core, Cotton- or Polyester-Covered"

Under "SPECIFICATIONS, FEDERAL": Delete "V-T-280" and its title.

Under "SPECIFICATIONS, MILITARY": Delete "MIL-T-43548" and its title.

Under "STANDARDS, MILITARY", line 7, after "from the": Delete the remainder of the paragraph and substitute "Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)"

PAGE 3

2.2: Delete lines 5 through 10.

3.3.1: Delete and substitute:

"3.3.1 Basic material. The basic material shall conform to class 3 of MIL-C-44034."

3.3.1.1, line 7: Delete "class 2" and substitute "class 3".

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:49Z
Check the source to verify that this is the current version before use.

PAGE 4

3.3.1.1, line 1: Delete "class 2" and substitute "class 3".

Line 5, after "finisher": Add "or at the end item contractor's plant".

At the end of the paragraph: Add "When applied at the end item contractor's plant, the color of the stripes shall approximate any one of the camouflage print colors, and may be applied with a "magic marker" quality marking medium."

3.3.3.1, line 3: Delete "Olive Green 107" and substitute "Tan 380".

3.3.3.2, line 2: Delete "Olive Green 106" and substitute "Tan 380".

3.3.5: Delete and substitute:

"3.3.5 Thread. The thread shall be polyester core, cotton-covered or polyester-covered conforming to A-A-50199, ticket numbers 50, 2 ply; 70, 2 ply for seaming and stitching; 50, 2 ply for bartacking; and 30, 2 or 3 ply for buttonholes and sewing on buttons. The thread shall be dyed Khaki P-1, Cable No. 66019."

3.3.6: Delete and substitute:

"3.3.6 Gimp. The cotton gimp for reinforcing buttonholes shall be size 8, Khaki P-1, Cable No. 66019, conforming to type I or II of A-A-50198."

3.3.7: Delete the second sentence and substitute "The color shall be Tan AJ, Cable No. 62028."

PAGE 5

3.3.8, line 2, after "DDD-L-20": Delete the remainder of the paragraph and substitute "The label color shall be Khaki, Cable No. 70188. The labels shall show fastness to laundering."

PAGE 6

Add the following new paragraph:

"3.4.1 Figure. Figure 1 is furnished for information only. If there are inconsistencies between this specification and the figure, this specification shall control."

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:49Z
Check the source to verify that this is the current version before use.

PAGE 7

3.6, line 2, after "herein": Delete the remainder of the paragraph.

PAGE 8

3.6.3: Add the following to the end of the paragraph: "Bartacking shall be free from thread breaks and loose stitching."

Add the following new paragraph:

"3.7.1 Use of automated apparel equipment. Automated apparel equipment may be used to perform any of the operations specified in table II, providing that the seam and stitch type are as specified and the finished component conforms to the required configuration. When a government furnished shaper pattern is forwarded, the component shall conform to that pattern."

PAGE 11

Table II, operation 4: Delete lines 2 and 3 and substitute: "The labels shall be sewn 1/8 to 3/16 inch from the edges on all four sides. The stitching shall not pass through the contents of the label. The labels shall be positioned as follows:".

PAGE 37

4.4.5, under "Defect": Delete "Interlocking of loads not as specified".

PAGE 38

5.3, line 6, after "means": Delete the remainder of the paragraph and substitute "C and D or film bonding means F or G. Pallet pattern shall be number 3 in accordance with the appendix of MIL-STD-147.".

Preparing activity:

Army - GL

(Project 8415-A836)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:49Z
Check the source to verify that this is the current version before use.