MIL-P-44114(GL)
24 October 1983

MILITARY SPECIFICATION

PORK CHOP, DEHYDRATED, UNCOOKED, FLAKED AND FORMED

This specification is approved for use by the Natick Research and Development Center, Department of the Army, and is available for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This document covers dehydrated, uncooked, flaked and formed, pork chops unit packed in cans for use as a component of B-rations.

2. APPLICABLE DOCUMENTS

2.1 Government documents. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein:

SPECIFICATIONS

FEDERAL

TT-C-495	-	Coatings, Exterior for Tinned Food Cans
PPP-B-636	-	Boxes, Shipping, Fiberboard
PPP-C-96	-	Cans, Metal, 28 Gauge and Lighter

MILITARY

MIL-L-1497	-	Labeling of Metal Cans for Subsistence Items
MIL-L-35078	-	Loads, Unit: Preparation of Nonperishable Subsistence, General Specification for

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be of use in improving this document should be addressed to: U.S. Army Natick Research and Development Center, Natick, MA 01760 by using the self-addressed Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

FSC 8905

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes
MIL-STD-129 - Marking for Shipment and Storage

(Copies of documents required by manufacturers in connection with specific acquisition functions should be obtained from the contracting activity or as directed by the contracting officer.)

OTHER GOVERNMENT DOCUMENTS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Federal Food, Drug and Cosmetic Act and Regulations Promulgated Thereunder (21 CFR Parts 1-199)

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S DEPARTMENT OF AGRICULTURE (USDA)

Meat and Poultry Inspection Regulations

(Application for copies should be addressed to the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402.)

U.S. Standards for Condition of Food Containers

(Application for copies should be addressed to the Director, Market Research and Development Division, Agricultural Marketing Service, U.S. Department of Agriculture, Washington, DC 20402.)

U.S. Standards for Grades of Nonfat Dry Milk

(Application for copies should be addressed to the Director, Market Research and Development Division, Agricultural Marketing Service, U.S. Department of Agcriculture, Washington, DC 20250.)

ENVIRONMETAL PROTECTION AGENCY (EPA)

National Interim Primary Drinking Water Regulations

(Application for copies should be addressed to the Office of Drinking Water WH550, Environmental Protection Agency, Washington, DC 20460.)

2.2 Other publications. Unless otherwise specified, the following documents of the issue in effect on date of invitation for bids or request for proposal, form a part of this document to the extent specified herein.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 1111 North 19th Street, Suite 210, Arlington, VA 22209.)

AMERICAN DRY MILK INSTITUTE, INC.

Standards for Grades of Dry Milks, Including Methods of Analysis, Bulletin 916

(Application for copies should be addressed to the American Dry Milk Institute, Inc., 130 North Franklin St., Chicago, IL 60606.)

THE U.S. PHARMACOPOEIAL CONVENTION, INC.

Pharmacopoeia of the United States

(Application for copies should be addressed to the U.S. Pharmacopoeial Convention, Inc., 46 Park Avenue, New York, NY 10016.)

NATIONAL MOTOR FREIGHT TRAFFIC ASSOCIATION, INC., AGENT

National Motor Freight Classification

(Application for copies should be addressed to the American Trucking Associations, Inc., Traffic Department, 1616 P Street, N.W., Washington, DC 20036.)

UNIFORM CLASSIFICATION COMMITTEE, AGENT

Uniform Freight Classification

(Application for copies should be addressed to Uniform Classification Committee, Suite 1106, 222 South Riverside Plaza, Chicago, IL 60606.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document shall take precedence.

3. REQUIREMENTS

3.1 First article. When specified, a sample shall be subjected to first article inspection (see 4.4, 6.1 and 6.2).

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent and insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Pork. The pork shall be the only meat ingredient used and shall be from hogs and shall be derived from any combination of the following recognizable wholesale cuts: shoulder, shoulder picnics, Boston butts, hams and loins. All suitable lean meat shall be used in proportions as existing in the involved cut except that tenderloins may be excluded at the option of the contractor. All pork shall be in excellent condition, i.e., exposed lean and fat surfaces shall be of a color and bloom normally associated with the class and cut of meat and typical of meat which has been properly stored and handled; cut surfaces and naturally exposed lean surfaces shall show no more than slight darkening or discoloration due to dehydration, aging, or microbial activity; no odors foreign to fresh meat shall be present; changes in color and odor characteristically associated with vacuum-packaged meat in excellent condition shall be acceptable; and there shall be no evidence of freezing, defrosting or mishandling. Coarse textured pale, soft and exuditive (PSE) pork, dark meat as typically produced from aged sows, stags, or boars is not acceptable.

3.2.1.1 Boning and trimming. The fresh chilled pork shall be boned and trimmed to remove objectionable material such as bone, cartilage, blood clots, etc. The boneless trimmed meat shall meet the limitations specified in tables I and II.

3.2.1.2 Handling and storage of raw meat. Processing of the pork into finished product shall be started on the same day as boning and trimming. The temperature of the pork shall not be allowed to exceed 42°F at any time prior to start of processing.

3.2.2 Nitrogen. Nitrogen shall be U.S. Pharmacopoeia grade and shall be water pumped or liquid nitrogen pumped.

3.2.3 Water. Water used for formulation and and washing shall conform to the National Interim Primary Drinking Water Regulations.

3.3 Preparation and processing.

3.3.1 Pork chop preparation.

a. The boned and trimmed meat shall be flaked through an Urschel Comitrol Comminutor Model 2100, equipped with a size 3J030750 or 35060750 head or equivalent equipment (grinding is not acceptable).

b. The flaked pork shall be thoroughly mixed mechanically. Mixing shall continue until product becomes moderately sticky.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

c. The flake-cut and mixed product shall be mechanically stuffed into casings then frozen and tempered. The stuffed casings shall be placed in a freezer within 1 hour of stuffing and frozen to 0°F, or below, within 12 hours. Once tempered, the product shall not be allowed to thaw and shall not be frozen and tempered more than once. From the time of freezing until the start of dehydration shall not be more than 12 days.

d. The tempered product (26°-28°F) shall be removed from the casings and formed in a hydraulic press at a minimum of 500 psi, to provide an approximately round log with a diameter range of 3.5 to 3.75 inches. Forming in a hydraulic press may be omitted provided that an equivalent round tempered product with a diameter range of 3.5 to 3.75 inches is produced.

e. The tempered product shall be mechanically sliced into chops weighing from 3.75 to 4.5 ounces each and approximately round with a diameter range of 3.5 to 3.75 inches. Patty making equipment is not acceptable.

NOTE: The flaking, mixing, stuffing, and placement in the freezer shall be a continuous process completed within one working day. The tempering, pressing (forming), slicing, and beginning of freezing for dehydration shall be a continuous process and except for tempering shall be completed within one working day.

3.3.1.1 Fat content. The fat content of the flaked pork after mixing or forming into logs should be 13 percent and shall not be less than 9 percent nor more than 16 percent.

3.3.2 Freezing for dehydration. The sliced chops shall be frozen to an internal temperature of 0°F within 8 hours after slicing. The temperature of the frozen chops shall not be allowed to exceed 0°F at any time prior to dehydration, and shall not be held longer than 24 hours before the start of dehydration.

3.3.3 Dehydration. The product shall be freeze dehydrated at an absolute pressure not to exceed 1.5 mm of mercury except that momentary increases in pressure due to operational factors may be permitted provided that no thawing of the product or moisture drip on the product occurs. The product temperature, as indicated by suitable instruments, shall not be more than 150°F. If the platen temperature is maintained at 155°F or below, the product temperature may be disregarded. After dehydration is completed, the pressure shall be equalized to atmospheric level with nitrogen, and product shall be immediately unit packed as specified in 5.1. Under no circumstances will the product be held longer than 16 hours before packaging. After dehydration it shall be protected from oxygen and moisture by either holding under a nitrogen atmosphere with a maximum of 2.0 percent oxygen or under a vacuum of at least 27 inches of mercury for the entire period. If vacuum is used, it shall be broken with nitrogen.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

3.4 Finished product. The finished product shall comply with the following requirements:

a. There shall be no foreign material such as, but not limited to, dirt, glass, or paint.
b. There shall be no extraneous material such as, but not limited to, casings, string, or wrapping paper.
c. There shall be no evidence of incomplete dehydration such as wet or soft spots.
d. There shall be no evidence of faulty dehydration procedures such as glazed areas more than 2.0 inches in any dimension or dark-colored cores of any dimension.
e. At least 95 percent by weight of the dehydrated product shall consist of whole slices. There shall be no alteration or modification of the slices after the completion of the dehydration process.
f. Moisture content of the dehydrated product shall not exceed 2.0 percent.
g. After rehydration and grilling, pork chop does not have flavor, odor or texture characteristic of a grilled pork chop.
h. After rehydration and grilling, cross sections show unrehydrated spots larger than 0.2 inch in any dimension.
i. After rehydration and grilling, chop has a foreign or undesirable odor or flavor.

3.5 Plant qualification. The meat component and the finished product shall originate and be produced, processed, and stored in plants regularly operating under Meat and Poultry Inspection Regulations of the U.S. Department of Agriculture.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this document. The contractor shall assure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and acceptance service. Product acceptability shall be determined by the USDA. The USDA will determine the degree of acceptance service necessary to assure compliance with the requirements of this document. The cost of grading and acceptance services performed by the USDA involving inspection, official documentation, and related services shall be borne by the contractor.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

4.3 Classification of inspection. The inspection requirements specified herein are classified as follows:

a. First article inspection (see 4.4).
b. Quality conformance inspection (see 4.5).

4.4 First article inspection. When a first article is required (see 6.1) it shall be inspected in accordance with the quality assurance provisions of this document and evaluated for overall appearance and palatability. Any failure to conform to the quality assurance provisions of this document or any appearance or palatability failure shall be cause for rejection of the first article.

4.5 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.5.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this document or applicable purchase document.

4.5.1.1 Pork examination for condition and cut. All pork shall be examined in either the bone-in or boneless state for conformance to the condition and cut requirements in 3.2.1. Cuts initially examined in the boneless state shall be in the form of whole boneless recognizable cuts. Any nonconforming pork shall be rejected.

4.5.1.2 Boned and trimmed pork examination. After boning and trimming and prior to any further processing or to any freezing, the pork shall be examined for the defects listed in table II. The lot size expressed in terms of pounds shall be declared to the AMS agent by the contractor. However, the AMS agent reserves the right to declare as a lot any portion of a declared lot, if, in his or her opinion, that portion may be out of compliance with any requirements. The sample unit shall be a minimum of 12 pounds of adjacent boneless pork. The sample size shall be as specified in table I. If all or a portion of the sample unit falls within a larger cut, the entire cut shall be examined. Failure of the pork to meet the acceptance criteria as indicated in table I shall be cause for rejection of the lot. Except for pork rejected because of freezing, defrosting, or presence of any off-condition, the pork may be reworked by the contractor and re-offered for examination. For re-examination, the sampling plan used shall be the one in table I designed for the next larger lot size than the one under which the lot was initially rejected. Pork shall not be re-examined more than one time.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

TABLE I. Sampling and acceptance criteria for boned and trimmed pork

Lot size (Pounds)	Sample size (No. sample units)	Defect categories Major AC	Major RE	Minor AC	Minor RE
500 or less	13	1	2	3	4
501 to 1200	20	2	3	5	6
1201 to 3200	32	3	4	7	8
3201 to 10000	50	5	6	10	11
10001 to 35000	80	7	8	14	15
Reinspection lots of 10001 to 35000	125	10	11	21	22

TABLE II. Boned and trimmed pork defects

Category		Defect 1/ 2/ 3/
Major	Minor	
151		Presence of blood clot measuring 0.5 inch or more in any dimension.
	201	Presence of blood clot measuring 0.3 inch or more but less than 0.5 inch.
152		Presence of bruise measuring 1.0 inch or more in any dimension.
	202	Presence of bruise measuring 0.3 inch or more but less than 1.0 inch in any dimension.
153		Presence of bone measuring 0.3 inch or more in any dimension.
154		Presence of cartilage measuring 0.5 inch or more in any dimension.
	203	Presence of cartilage measuring 0.3 inch or more but less than 0.5 inch in any dimension.

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:00Z
Check the source to verify that this is the current version before use.

TABLE II. Boned and trimmed pork defects (cont'd)

Category		Defect 1/ 2/ 3/
Major	Minor	
155		Presence of major lymph gland measuring 1.0 inch or more in any dimension.
	204	Presence of exposed lymph gland measuring 0.5 inch or more but less than 1.0 inch in any dimension.
156		Presence of skin measuring 0.3 inch or more in any dimension.
157		Exposed (protruding) ligaments and tendons measuring more than 0.3 inch.
158		Presence of kidney measuring more than 1.0 inch in any dimension.
159		Presence of ham facing.
	205	Presence of shank with tendinous end showing less than 75 percent lean tissue on a cross-sectional cut surface.
	206	Presence of exposed major blood vessel measuring 1.0 inch or more in any dimension.
	207	Presence of skirt (diaphragm) or abdominal tissue.
	208	Presence of leaf, lumbar, or pelvic fat.
	209	Presence of mediastinal tissue in the first rib of sternal region.
	210	Presence of dehydrated surface measuring 1.0 square inch or more.

1/ Acceptability of product with respect to the presence of foreign material (for example: glass, dirt, insect parts, hair, wood, metal) shall be made by a Meat and Poultry Inspection Operations employee.

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:00Z
Check the source to verify that this is the currenversion before use.

2/ Evidence of freezing or defrosting or the presence of any product not in excellent condition shall cause rejection of the involved lot.

3/ This table contains a listing of standard defects some of which may not apply to product which has been boned and trimmed from the specific cuts specified in 3.2.1. The listing of such defects does not relieve the contractor of the responsibility of complying with the requirements of 3.2.1.

4.5.1.3 Other ingredient examination. Conformance of ingredients to identity and condition requirements shall be determined by examination of pertinent labels, markings, U.S. Grade certificates, invoices, certificates of analysis, or other valid documents. In addition, each ingredient shall be examined organoleptically as necessary to determine conformance to the condition requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient lot or of any involved product.

4.5.1.4 Can tin coating weight testing. The cans shall be tested for tin coating weight (specified in 5.1.1) in accordance with PPP-C-96.

4.5.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, can interior coating, and sealing requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or other valid documents shall be cause for rejection of the involved product.

4.5.2.1 In-process examination of pork chops. After slicing and prior to dehydration, the pork chops shall be examined for defects listed in table III. Regardless of lot size the sample shall be 50 chops and shall include only product produced in one workshift. The finding of six or more defects shall cause rejection of the involved lot. The lot may be reworked but shall not be re-examined more than one time.

TABLE III. Pork chop (prior to dehydration) defects

Category	Defect
Major	
151	Weight of chop less than 3.75 ounces or more than 4.5 ounces
152	Size and shape of chop does not approximate that of a circle with a diameter of 3.75 inches.

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:00Z
Check the source to verify that this is the current version before use.

4.5.2.2 In-process fat content testing. After mixing or forming into logs, four 1-pound samples of flaked pork shall be selected from the days production and tested for fat content in accordance with the Official Methods of Analysis of the Association of Official Analytical Chemists. If the fat content of one or more of the samples is more than 16 percent or less than 9 percent, the production lot of flaked pork and any finished product made therefrom shall be rejected.

4.5.3 End item inspection. The end item shall include only filled and sealed cans produced in one workshift. The USDA reserves the right to separate the inspection lot into smaller inspection lots.

4.5.3.1 Product examination. The finished product shall be examined in accordance with table IV. The sample shall consist of 20 filled and sealed cans selected at random from the lot. The entire contents of each can in the sample shall be examined for defects 151 and 152. One pork chop shall be selected at random from each of the cans in the sample and examined for the remaining defects. The presence of any defect shall be cause for rejection of the lot.

TABLE IV. Product examination 1/

Category	Defect
Major	Applicable to dehydrated product:
151	More than 5 percent of can contents consists of pieces that are broken or crumbled.
152	Less than 12 whole pork chops in a can.
153	Incomplete dehydration, i.e., wet or soft spots.
154	Glazed areas greater than 2.0 inches in any dimension (except glazed areas caused by blood) or dark colored cores of any dimension.
	Applicable to rehydrated product 2/
155	After rehydration and grilling for 2 minutes per side on a 400°F lightly greased grill, chop does not have flavor, odor, or texture considered normal for grilled pork chop.
156	After rehydrating and grilling, the cross sections show unrehydrated spots larger than 2.0 inch in any dimension.

Source: https://assist.dla.mil -- Downloaded: 202640-22T00:00Z
Check the source to verify that this is the current version before use.

TABLE IV. Product examination 1/ (cont'd)

Category	Defect
	Applicable to rehydrated product 2/ (cont'd)
157	After rehydrating and grilling, chop has a foreign or undesirable odor or flavor.

1/ The presence of any foreign material (e.g., glass, dirt, insect parts, hair, wood, metal, etc.), foreign odor or flavor (e.g., burnt, scorched, moldy, rancid, sour, stale, etc.), or foreign color shall be cause for rejection of the lot.

2/ Rehydration of the raw, dehydrated, pork chops shall be accomplished in an excess of water at 70° to 100°F for a maximum of 20 minutes.

4.5.3.2 End item testing. Eight filled and sealed cans shall be selected at random from the lot. The oxygen in the headspace of each can shall be determined as specified in 4.6.1. The moisture content of the dehydrated product in each can shall be determined as specified in 4.6.2. Any test failure shall be cause for rejection of the lot.

4.5.4 Can condition examination. Examination of primary containers for external condition shall be in accordance with the U.S. Standard for Condition of Food Containers, except that examination for labeling shall be in accordance with MIL-L-1497 (see 5.4).

4.5.5 Shipping container examination. Shipping containers shall be examined for defects in construction, closure and reinforcement in accordance with the appendix of PPP-B-636. In addition, the following defects shall be classified as follows: Major: national stock number, item description, contract number or date of pack markings missing, incorrect or illegible. Minor: (1) Other required markings missing, incorrect or illegible; (2) Arrangement or number of cans not as specified; (3) Reinforcement with nonmetallic strapping or tape is not used. Level C containers shall be examined for the marking defects specified above, arrangement and number of cans and for the closure method specified in 5.2.3.

4.5.6 Unit load examination. Examination of unit loads shall be in accordance with MIL-L-35078 and the applicable specification sheet for the type and class of load specified.

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:00Z
Check the source to verify that this is the current version before use.

4.6 Methods of inspection.

4.6.1 Oxygen content test. The can shall be tested for oxygen content in headspace gas in accordance with the American Dry Milk Institute, Inc., Publication Bulletin 916, Standards for Grades of Dry Milks; Chapter: Methods of Analysis, Determination of Oxygen. The results shall be reported to the nearest 0.1 percent. Any result not conforming to the requirement in 5.1.1 shall be considered a test failure.

4.6.2 Moisture content test. The dehydrated product shall be tested for moisture content in accordance with the Moisture - Drying in Vacuum method in the Meat section of the Meat and Meat Products chapter in the Official Methods of Analysis of the American Association of Official Analytical Chemists. A temperature of 70°C for 16 hours under a pressure of 100 mm of mercury shall be used. The results shall be reported to the nearest 0.1 percent. Any result not conforming to the requirement in 3.4 shall be considered a test failure.

5. PACKAGING

5.1 Preservation. Preservation shall be level A or C as specified (see 6.1).

5.1.1 Level A. Not less than 12 dehydrated pork chops shall be filled into an open-top style, round metal can, size 603 by 700, with a soldered or welded side seam and compound-lined, double-seamed ends. The can shall be made throughout from not less than 0.25 pound per base box electrolytic tin plate. The can shall have a sufficient base plate weight and temper to protect the product during shipment and storage. The can shall be coated overall on the outside with a coating conforming to type I or when specified (see 6.1), type III of TT-C-495. The product shall be gas packed by first removing the air from the filled can and replacing it with nitrogen. The oxygen content shall not exceed 2 percent within each hermetically sealed can.

5.1.2 Level C. The product shall be preserved as specified in 5.1.1, except that cans with or without commercial exterior coating will be acceptable. Alternatively, cans may be made from 0.20 pound per base box electrolytic tinplate with an exterior commercial coating.

5.2 Packing. Six cans of product arranged 3 in length, 2 in width and 1 in depth shall be packed on end in a snug-fitting fiberboard shipping container in accordance with level A, B or C as specified (see 6.1).

5.2.1 Level A packing. The shipping container shall be constructed and closed in accordance with style RSC, grade V2s of PPP-B-636. Each shipping container shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

5.2.2 Level B packing. The shipping container shall be constructed and closed in accordance with style RSC, grade W5c or W5s of PPP-B-636. Each shipping container shall be reinforced with nonmetallic strapping or pressure-sensitive adhesive filament reinforced tape in accordance with the appendix of PPP-B-636.

5.2.3 Level C packing. The shipping container shall be in accordance with Uniform Freight Classification or National Motor Freight Classification, as applicable, except the closure of the fiberboard boxes shall be in accordance with method II as specified in the appendix of PPP-B-636.

5.3 Unit loads. When specified (see 6.1), the product packed as specified in 5.2, shall be arranged in unit loads in accordance with MIL-L-35078 for the type and class of load specified. When unit loads are strapped, the strapping shall be limited to nonmetallic strapping.

5.4 Marking.

5.4.1 Cans. Cans shall be labeled in accordance with MIL-L-1497 and shall include the following information:

PORK CHOP, DEHYDRATED, UNCOOKED, FLAKED AND FORMED
(in letters larger than any other used for the label).

Net Weight
Number of pieces
Name of processor
Date of unit packing (day, month, year)

In addition, the following information shall appear on the exterior of the can.

NITROGEN GAS PACKED

Directions for use

Rehydrate the chops as soon as can is opened. Cover chops with lukewarm (70°-100°F) salted water (1 teaspoon salt per quart of water). Soak 20 minutes or until all portions are soft. Drain. Grill on a 400°F lightly greased grill for 2 minutes per side.

5.4.2 Shipping containers. Shipping containers shall be marked in accordance with MIL-STD-129.

5.4.3 Unit loads. Unit loads shall be marked in accordance with MIL-L-35078.

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:00Z
Check the source to verify that this is the current version before use.

6. NOTES

6.1 Ordering data. Acquisition documents should specify the following:

a. Title, number, and date of this document.
b. When a first article is required (see 3.1, 4.4 and 6.2).
c. Selection of applicable levels of preservation and packing (see 5.1 and 5.2).
d. When type III exterior coating of cans is required (see 5.1.1).
e. Type and class of unit load when unit loading is specified (see 5.3).

6.2 First article. When a first article is required, it shall be inspected and approved under the appropriate provisions of DAR 7-104.55. The first article should be a preproduction sample. The contracting officer should include specific instructions in all acquisition documents regarding arrangements for selection, inspection, and approval of the first article.

6.3 Appropriate level of pack. Based on the conditions known or expected to be encountered during shipment, handling and storage of the specific item being procured, the contracting officer should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.33A/DLAR 4145.7, as applicable.

6.4 Award of contract. Award of contracts for this product specified in this document will be limited to plants known to maintain the required sanitation conditions of 3.5.

Custodian:

Army - GL

Preparing activity:

Army - GL

Project No. 8905-A985

Review activities:

Army - MD, TS
DP - SS

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T00:00Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS: In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE: This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document*(s)* or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE ARMY
5 Army Natick Research and Development Center
Natick, Massachusetts 01760

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300
DRDNA-ES

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO. 12062 WASHINGTON D. C.
POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE ARMY

Commander
US Army Natick Research and Development Center
ATTN: DRDNA-ES
Natick, MA 01760

Source: https://assist.dla.mil -- Downloaded: 202610-22T00:00Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-P-44114(GL)	Pork Chop, Dehydrated, Uncooked, Flaked And Formed

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*: _____
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

NATICK/OP, 1 APR 82

Source: https://assist.dla.mil -- Downloaded: 2020-10-22T00:00Z
Click on the above to verify that this is the current version before use.