INCH-POUND

MIL-S-44092(GL)
INT. AMENDMENT 2
26 May 1994

MILITARY SPECIFICATION

SLACKS, WOMEN'S: CLASSIC DESIGN, POLYESTER/WOOL

This interim amendment is approved for use within all Departments and Agencies of the Department of Defense, with MIL-S-44092(GL), dated 3 April 1987.

PAGE 1

Paragraph 1.2, Classification, line 1, after "following", delete remainder of sentence and substitute "classes and sizes as specified (see 6.2):

Class 1	-	Slacks, Polyester/Wool Serge, Army Green 489, 11.3 ounces
Class 2	-	Slacks, Polyester and Wool Tropical, Blue Shade 451, 10 ounces
Class 3	-	Slacks, Wool Elastique, Blue Shade 151, 16 ounces"

PAGE 2

Paragraph 2.1.1, Documents, under SPECIFICATIONS, MILITARY, add:

"MIL-C-2115	-	Cloth, Tropical, Wool, Polyester/Wool
MIL-C-3738	-	Cloth, Elastique, Wool
MIL-B-13466	-	Braid, Textile and Lace, Vellum, Woven, Textile (For Blue Dress Uniform)".

PAGE 4

Paragraph 3.2.1, Cloth, polyester/wool, serge, delete in its entirety and substitute the following:

AMSC N/A

FSC 8410

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:50Z
Check the source to verify that this is the current version before use.

PAGE 4

"3.2.1 Basic cloth.

3.2.1.1 Class 1 slack. The basic cloth for the class 1 slack shall be a 11.3 ounce polyester/wool serge, Army Green 489, conforming to type III, class 3 of MIL-C-823.

3.2.1.2 Class 2 slack. The basic cloth for the class 2 slack shall be a 10 ounce polyester and wool tropical, Blue Shade 451, conforming to type III, class 3 of MIL-C-21115.

3.2.1.3 Class 3 slack. The basic cloth for the class 3 slack shall be a 16 ounce wool elastique, Blue Shade 151, conforming to type III of MIL-C-3738."

Paragraph 3.2.3, Elastic waistband stabilizer. After this paragraph, insert the following, and renumber subsequent paragraphs appropriately:

"3.2.4 Slack ornamentation (classes 2 and 3). When ornamental stripes are required, the material shall be a 3/4-inch wide braid, conforming to type II, class 1, style C of MIL-B-13466."

Paragraph 3.2.5, Thread, covered polyester, lines 3 and 4, delete "The thread shall be dyed Green E, C.A. 66034 and" and substitute "The dyed thread shall".

Paragraph 3.2.5.1, Thread cotton, lines 2 and 3, delete "The thread shall be dyed Green E, C.A. 66034" and substitute "The dyed thread shall be supplied".

PAGE 5

Paragraph 3.2.5.1, Thread cotton. After this paragraph, insert the following new paragraph:

"3.2.5.2 Color. The color of the thread for each class of slacks shall conform to the following:

Class 1	-	Green E, C.A. 66034
Classes 2 and 3	-	Blue AC, C.A. 66045 for basic material and Goldenlite AJ, C.A. 66051 for ornamentation"

Paragraph 3.2.7, Slide fastener, plastic, line 4, after "66524" insert "for class 1, and Bright Blue Shade AA, Cable No. 66527 or Medium Blue Shade 0, Cable No. 66515 for classes 2 and 3,".

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:50Z
Check the source to verify that this is the current version before use.

Table II. Manufacturing Operation Requirements. After operation 9, add a new operation:

"10. Ornamentation (classes 2 and 3).

The braid shall be evenly stitched on each side without twists, puckers or pleats. When slacks are finished, the braid shall be caught in the waistband.

a. Position the braid on foreparts with the back edge of the braid aligned with the outseam and edge of pocket opening. Seam to slacks from top of forepart to lower end of pocket. This part of braid is attached before closing pocket. Continue the stitching from the lower end of the pocket opening to the bottom of leg, gradually working the stripes towards the back so that at the bottom the braid will be centered over the outseam. This part of the braid is attached after outseams have been pressed open. The stitching shall be 1/16 ± 1/32 inch from each edge of the braid."

Preparing Activity:

DLA - CT

Project No. 8410-0849

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:50Z
Check the source to verify that this is the current version before use.