MILITARY SPECIFICATION

RADAR SET AN/vPs-2: 10549058

This amendment forms a part of Military Specification MIL-R-50651B (AR), dated 26 December 1990, and is approved for use by the U. S Army Armament Munitions and Chemical Command , and is available for use by all Departments and Agencies of the Department of Defense.

PAGE 2

* 2.1.1: Delete the following:

MIL-STD-2000 - Standard Requirements for Soldering Electrical and Electronic Assemblies"

* 2.1.2: Add the following drawing:

"12950877 - Requirements for Soldering Electrical and Electronic Assemblies"

PAGE 4

* 3.301: Delete in entirety and substitute the following:

'3.3.1 Vibration. The radar shall not suffer damage and shall meet the requirements of 3.4 and 3.5 after exposure to the equivalent of 6000 miles of track-laying vehicle operational vibration as defined by MIL-STD-810 narrowband random-on random data for equipment installed on the deck of the M113 armored personnel carrier."

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:31Z
Check the source to verify that this is the current version before use.

* 3.3.3, 3.3.3.1 and 3.3.3.2: **Delete In entirety and substitute the following:**

"3.3.3 Altitude Operating. The radar shall meet the requirements of 3.4 and 3.5 during and after exposure to barometric pressure encountered at 10,000 feet above sea level (20.6 inches of Hg). "

PAGE 5

3.5.6.2.b: Delete '280 ± 20 nanoseconds" and substitute "280 +20/-10 nanoseconds."

PAGE 8

* **3.7: Delete in entirety and substitute the following:**

"3.7 Soldering. All soldering shall be in accordance with the requirements of Note 2 of Drawing 12950877.

PAGE 21

* **4.7.1.1, line 2: Delete 'as modified by and add 'and".**

PAGE 26

4.7.3.6.2: Delete '280 ± 20 ns" and substitute '280 +20/-10 ns".

PAGE 52

* **4.8: Delete in entirety and substitute the following:**

"4.8 soldering. Soldering processes shall be Inspected by certified inspectors to the requirements and acceptance criteria of Note 2 of Drawing 12950877 as specified in paragraph 3.7.

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:31Z
Check the source to verify that this is the current version before use.

The margins of this amendment are marked with an asterisk or vertical lines to indicate where changes (additions, modifications, corrections, deletions) from the previous amendment were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous amendment.

custodian:
Army-AR

Preparing activity:
Army-AR

(Project 1285 -A829)

Source: https://assist.dla.mil -- Downloaded: 2026-10-22T20:31Z
Check the source to verify that this is the current version before use.