
This military standard has been approved by the Department of the Air Force and is for use by that activity. All other military activities are required to employ this standard where suitable.

DD FORM 1 SEP 63 672 (LIMITED COORDINATION)

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

Procurement Specification MIL-C-38999	P A AF-85
Other Cust	International Interest
SUPERSEDES:	TITLE CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II
SHEET 1 OF 2	MS27481 (USAF)
5935-F966-19	MILITARY STANDARD



FINISH C

CLASS E AND T

9

SHELL SIZE	A +.001 -.005 DIA	B +.000 -.016 DIA OVER PROJ	C +.006 -.002 DIA	D +.005 -.001 DIA	F ±.005	N +.017 -.010 HEX	Y ±.005 DIA	E +.011 -.010	H THREAD (PLATED) CLASS 2A	M +.005 -.006 DIA	P -.000 -.006 FLAT	R ±.016 DIA	S ±.016	W +.017 -.000	Z +.006 -.005 DIA	CC	DD MIN DIA	EE +.005 -.000	RECOMMENDED PACKING ("O" RING)	FOR INSERT ARR SEE DWG MS
8	.473	.563	.078	.362	.438	1.062	.285	.094	7/8-20 UNEF	.413	.817	1.375	1.250	.115	.965	.004	.678	.140	MS9021-022	27343, 27516
10	.55-	.680		.490		1.188	.413		1-20 UNEF	.540	.941	1.500	1.375		1.090	.010	.780		MS9021-024	27344, 27[illegible]
12	.750	.859		.607		1.312	.527		1 1/8-18 UNEF	.689	1.065	1.625	1.500		1.215		.963		MS9021-026	27345, 275 8
14	.875	.984		.732		1.438	.652		1 1/4-18 UNEF	.814	1.190	1.750	1.625		1.340		1.088		MS9021-028	27346, 27519
16	1.000	1.108		.857		1.562	.777		1 3/8-18 UNEF	.939	1.320	1.938	1.781		1.477		1.222		MS9021-029	27347, 27520
18	1.125	1.233		.982		1.688	.866		1 1/2-18 UNEF	1.039	1.440	2.016	1.890		1.603		1.333		MS9021-030	27348, 27521
20	1.250	1.358		1.087		.812	.991		1 5/8-18 UNS	1.164	1.565	2.141	2.016		1.727		1.458	.166	MS9021-031	27349, 27522
22	1.375	1.483	.125	1.212	.464	2.000	1.116		1 3/4-18 UNS	1.289	1.690	2.265	2.140		1.853		1.583		MS9021-032	27350, 27523
24	.500	1.610		1.337		2.125	1.241		1 7/8-16 UN	1.414	1.815	2.390	2.265		1.977		1.708		MS9021-033	27351, 27524

NOTES

1. DIMENSIONS ARE IN INCHES
2. INSERT FRONT SURFACE SHALL BE FLAT WITHIN .005 T.I.R
3. DIAMETERS A, D, M Q AND Z SHALL BE CONCENTRIC WITHIN .015 T.I.R.
4. DIAMETERS D AND Y SHALL BE CONCENTRIC WITHIN .005 T.I.R AT MMC.
5. DIAMETER A WITH RESPECT TO DIAMETER B, AND DIAMETER D WITH RESPECT TO DIAMETER M, SHALL BE CONCENTRIC AT MMC
6. SIDES OF GROOVE MAY HAVE 5° MAX TAPER.
7. NORMAL KEYWAY POSITION FOR OTHER KEYWAY POSITIONS SEE FIGURE 6 OF PROCUREMENT SPECIFICATION.
8. THE POINT AT WHICH A GAGE PIN, HAVING THE SAME BASIC DIAMETER AS THE MATING CONTACT AND A SQUARE FACE, TOUCHES SOCKET CONTACT SPRING
9. RECOMMENDED PACKING IS FOR DIMENSIONS ONLY MATERIAL IS OPTIONAL
10. THE GAGE FEATURES FOR GG SHALL BE CC SMALLER THAN THEIR MMC SIZE AT BASIC LOCATION

THIS STANDARD TAKES PRECEDENCE OVER DOCUMENTS REFERENCED HEREIN.
REFERENCED DOCUMENTS SHALL BE OF THE ISSUE IN EFFECT ON DATE OF INVITATION FOR BID.

INACTIVE FOR NEW DESIGN AFTER 13 AUG 74

USE **MS27474**

EXAMPLE OF PART NUMBER: MS27481 T 12 C 98 P A

MS NO.	CLASS	SHELL SIZE	FINISH (COLOR)	INSERT ARR. NUMBER	STYLE (P OR S)	POLARIZATION NO LETTER REQUIRED FOR NORMAL

FED SUP CLASS 5935

APPROVED 8-SEPT-66 REVISED (E) 13 AUG 74

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

This military standard has been approved by the Department of the Air Force and is for use by that activity. All other military activities are required to employ this standard where suitable.

DD FORM 1 SEP 63 672

PREVIOUS EDITIONS OF THIS FORM ARE OBSOLETE

LIMITED COORDINATION

PA AF-85

Other Cust

International Interest

Procurement Specification MIL-C-38999

SUPERSEDES

SHEET 2 OF 2

TITLE


CONNECTOR, RECEPTACLE, ELECTRIC, JAM NUT MOUNTING, CRIMP TYPE, BAYONET COUPLING, SERIES II


MILITARY STANDARD

MS27481 (USAF)

FED SUP CLASS 5935


CLASS T






ENLARGED VIEW OF PROJECTIONS AT KK DATUM DIA

CLASS E





VIEW C ENLARGED

SHELL SIZE	NUT MS27512 DASH NO
8	-8C
10	-10C
12	-12C
14	-14C
16	-16C
18	-18C
20	-20C
22	-22C
24	-24C

SHELL SIZE		HH DIA +.000 -.005	KK DATUM DIA	NN	PP DIA ±.003	G INSERT PROJECTION CLASS T ONLY	LE MAX LENGTH	LT MAX LENGTH	XE MAX DIA	VV THREAD UNEF-2A MOD (PLATED) SIZE	VV THREAD UNEF-2A MOD (PLATED) MAJOR DIA MOD
8		.387	.366	12	.344	.120 ± .030	.516	.344	.594	7/16 28	.421 .417
10		.515	.487	16	.472				.719	9/16 - 24	.542- .538
12		.628	.609	20	.586				.844	11/16 24	.667- .663
14		.754	.731	24	.711				.969	13/16 - 20	.791- .787
16		.879	.853	28	.836				1.094	15/16 - 20	.916- .912
18		.985	.974	32	.942				1.219	1 1/16 - 18	1.034-1.030
20		1.110	1.097	36	1.067		.484	.312	1.344	1 3/16 18	1.158-1.154
22		1.235	1.218	40	1.192				1.469	1 5/16 - 18	1.283 1.279
24		1.360	1.340	44	1.317	.090 ± .050		.375	1.594	1 7/16 - 18	1.408 1.404

APPROVED 8-SEPT-66 REVISED (E) FOR CHANGES SEE SHEET 1

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

OMB Approval
No 22-R255

INSTRUCTIONS The purpose of this form is to solicit beneficial comments which will help achieve procurement of suitable products at reasonable cost and minimum delay, or will otherwise enhance use of the document DoD contractors government activities or manufacturers/ vendors who are prospective suppliers of the product are invited to submit comments to the government. Fold on lines on reverse side, staple in corner, and send to preparing activity Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements Attach any pertinent data which may be of use in improving this document If there are additional papers, attach to form and place both in an envelope addressed to preparing activity.

DOCUMENT IDENTIFIER AND TITLE
MS27481E (USAF) Connector, Receptacle, Electric, Jam Nut Mounting, Crimp Type

NAME OF ORGANIZATION AND ADDRESS	CONTRACT NUMBER
	MATERIAL PROCURED UNDER A ☐ DIRECT GOVERNMENT CONTRACT ☐ SUBCONTRACT

1. HAS ANY PART OF THE DOCUMENT CREATED PROBLEMS OR REQUIRED INTERPRETATION IN PROCUREMENT USE?
   A GIVE PARAGRAPH NUMBER AND WORDING

   B RECOMMENDATIONS FOR CORRECTING THE DEFICIENCIES

2 COMMENTS ON ANY DOCUMENT REQUIREMENT CONSIDERED TOO RIGID

3 IS THE DOCUMENT RESTRICTIVE?
☐ YES ☐ NO *(If "Yes", in what way?)*

4 REMARKS

SUBMITTED BY *(Printed or typed name and address - Optional)*	TELEPHONE NO
	DATE

DD FORM 1 JAN 72 1426 REPLACES EDITION OF 1 JAN 68 WHICH MAY BE USED

C16061

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.

FOLD

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

POSTAGE AND FEES PAID
DEPARTMENT OF THE AIR FORCE
DoD-318

U.S. MAIL

AFLL/MMGE/Standardization
Wright-Patterson AFB OH 45433

FOLD

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T16:41Z
Check the source to verify that this is the current version before use.