INCH-POUND

MS39325D
8 October 2019
SUPERSEDING
MS39325C
17 May 2006

DETAIL SPECIFICATION SHEET

HOSE ASSEMBLIES; AIR (TYPE I) AND VACUUM (TYPE II) BRAKE 3/8 INCH NOMINAL DIAMETER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the product described herein shall consist of this specification sheet and MIL-DTL-3992.




FIGURE 1. Hose assembly configurations.

AMSC N/A

FSC 4720

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:51Z
Check the source to verify that this is the current version before use.

REQUIREMENTS

Dimensions and hose configuration, type, and adapter shall be as specified on figure 1 and table I.

TABLE I. Type, class, and style of hose assemblies. 1/ 2/

Dash Number	Configuration	Nominal hose size (see MIL-DTL-3992)				Adapter MS39133 dash number
		Type I			Type II	
		Class 1 inch (mm)	Class 2 inch (mm)	Class 3 inch (mm)	Style A inch (mm)	
-01	A	.375 (.953)				-1
-02	A		.375 (9.53)			
-03	A			.375 (9.53)		
-04	A				.375 (9.53)	
-05	A	.375 (9.53)				-2
-06	A		.375 (9.53)			
-07	A			.375 (9.35		
-08	A				.375 (9.53)	
-09	B	.375 (9.53)				
-10	B		.375 (9.53)			
-11	B			.375 (9.53)		

1/ Dimensions are in inches
2/ Metric equivalents given for information only.

The hose and hose assembly shall be in accordance with MIL-DTL-3992.

The hose shall be replaceable from bulk supply.

Fittings shall be in accordance with A-A-52484 or MS39133, except as specified herein, see figure 1.

Material/finish shall be in accordance with table II.

TABLE II. Material/finish


Material/finish designator	Material/	Finish
A	Stainless steel	No additional finish. Passivation in accordance with SAE AMS2700, type 6 or 7.
B	Brass	No additional finish.
R	Steel	Zinc plating with colorless passivate in accordance with ASTM B633, type V, Fe/Zn 5.
S	Steel	Cadmium plated in accordance with SAE AMS-QQ-P-416, type II, class 2 or SAE AMS-C-81562, type II, class 2. 1/ 2/
Z	Steel	Zinc plated in accordance with ASTM B633, type II, Fe/Zn 5. 1/ 2/

1/ These finishes have a chromate conversion coating or chromic acid rinse, which includes hexavalent chromium, and are not recommended.
2/ The use of cadmium plating or coatings depositing hexavalent chromium for Army vehicles is prohibited unless otherwise explicated stated in the contract as a requirement.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:51Z
Check the source to verify that this is the current version before use.

All plating's shall be capable of meeting 96-hour salt spray test in accordance with ASTM B117. The fittings shall show no evidence of red corrosion after 96 hours of salt spray. Fluid passages, other openings, and internal threads shall not be subject to the plating thickness requirement and may have bare areas provided they are protected with a light film of oil.

Part or Identifying Number (PIN):



Hose assembly length (see figure 1) shall be specified in inches. Insert a zero in front of designator for lengths less than 100 inches (see PIN examples).

Fractions of an inch shall be specified in one eights (1/8) of an inch (example: 1 = 1/8, 2 = 2/8).

PIN examples:

MS39325-10S120 describes an air hose assembly (type I) configuration B, class 2, 3/8 inch (.375 inch) (9.53 mm) nominal hose size, steel with cadmium plated fittings, 120 inches long.

MS39325-04B096-4 describes a vacuum hose assembly (type II) configuration A, style A, 3/8 (.375 inch) (9.53 mm) nominal hose size, brass fittings, 96.5 inches long.

To the users of this document, it is recommended that the use of carbon steel material with cadmium plating be used only when the other materials and finishes specified in this document cannot meet performance requirements.

The use of cadmium plating or coatings depositing hexavalent chromium for Army vehicles is prohibited unless otherwise explicated stated in the contract as a requirement.

Class I and II ozone depleting substances (ODS) shall not be used in MS39325 or any referenced procedures.

Referenced documents shall be of the issue in effect on date of invitations for bid.

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:51Z
Check the source to verify that this is the current version before use.

Table III shows the PIN cross-reference changes from revision A through revision D.

TABLE III. Cross-Reference data.

MS39325A Pin	MS39325B PIN	MS39325D PIN
M39325-1-xx-S	MS39325-01S-xxx	MS39325-01Sxxx-x
M39325-2-xx-S	MS39325-02S-xxx	MS39325-02Sxxx-x
M39325-3-xx-S	MS39325-03S-xxx	MS39325-03Sxxx-x
M39325-4-xx-S	MS39325-04S-xxx	MS39325-04Sxxx-x
M39325-5-xx-S	MS39325-05S-xxx	MS39325-05Sxxx-x
M39325-6-xx-S	MS39325-06S-xxx	MS39325-06Sxxx-x
M39325-7-xx-S	MS39325-07S-xxx	MS39325-07Sxxx-x
M39325-8-xx-S	MS39325-08S-xxx	MS39325-08Sxxx-x
M39325-9-xx-S	MS39325-09S-xxx	MS39325-09Sxxx-x
M39325-10-xx-S	MS39325-10S-xxx	MS39325-10Sxxx-x
M39325-10-xx-S	MS3932511S-xxx	MS39325-11Sxxx-x
M39325-1-xx-B	MS39325-01B-xxx	MS39325-01Bxxx-x
M39325-2-xx-B	MS39325-02B-xxx	MS39325-02Bxxx-x
M39325-3-xx-B	MS39325-03B-xxx	MS39325-03Bxxx-x
M39325-4-xx-B	MS39325-04B-xxx	MS39325-04Bxxx-x
M39325-5-xx-B	MS39325-05B-xxx	MS39325-05Bxxx-x
M39325-6-xx-B	MS39325-06B-xxx	MS39325-06Bxxx-x
M39325-7-xx-B	MS39325-07B-xxx	MS39325-07Bxxx-x
M39325-8-xx-B	MS39325-08B-xxx	MS39325-08Bxxx-x
M39325-9-xx-B	MS39325-09B-xxx	MS39325-09Bxxx-x
M39325-10-xx-B	MS39325-10B-xxx	MS39325-10Bxxx-x
M39325-11-xx-B	MS39325-11B-xxx	MS39325-11Bxxx-x

Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue, due to the extent of the changes.

Referenced documents. In addition to MIL-DTL-3992, this document references the following:

A-A-52484
MS39133
ASTM B117
ASTM B633
SAE AMS-C-81562
SAE AMS-QQ-P-416
SAE AMS2700

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:51Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - AT
Navy - MC
Air Force - 71
DLA - CC

Preparing activity
DLA - CC

(Project 4720-2019-039)

Review activities:
Army - MI
Navy - SA

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at https://assist.dla.mil

Source: https://assist.dla.mil -- Downloaded: 2026-10-23T17:51Z
Check the source to verify that this is the current version before use.