INCH-POUND

MIL-S-43931A
25 November 1991
SUPERSEDING
MIL-S-43931
30 September 1975

MILITARY SPECIFICATION

SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES

This specification is approved for use by all Departments and Agencies of the Department of Defense.

1. SCOPE

1.1 Scope. This specification covers dehydrated beef-flavored soup with noodles and vegetables for use by the Department of Defense as an item of general issue and as a component of operational rations.

2. APPLICABLE DOCUMENTS

2.1 Government documents.

2.1.1 Specifications, standards, and handbooks. The following specifications, standards, and handbooks form a part of this document to the extent specified herein. Unless otherwise specified, the issues of these documents are those listed in the issue of the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto, cited in the solicitation (see 6.1).

SPECIFICATIONS

FEDERAL

A-A-20063 - Noodles, Egg, Enriched
PPP-C-29 - Canned Subsistence Items, Packaging Of

Beneficial comments (recommendations, additions, deletions) and any pertinent data which may be used in improving this document should be addressed to: U.S. Army Natick Research, Development and Engineering Center, Natick, MA 01760-5018 by using the Standardization Document Improvement Proposal (DD Form 1426) appearing at the end of this document or by letter.

AMSC N/A FSC 8935

DISTRIBUTION STATEMENT A. Approved for public release; distribution is unlimited.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

STANDARDS

MILITARY

MIL-STD-105 - Sampling Procedures and Tables for Inspection by Attributes

(Unless otherwise indicated, copies of federal and military specifications, standards, and handbooks are available from the Standardization Documents Order Desk, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094.)

2.1.2 Other Government documents, drawings, and publications. The following other Government documents, drawings, and publications form a part of this document to the extent specified herein. Unless otherwise specified, the issues are those cited in the solicitation.

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES (HHS)

Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder (21 CFR Parts 1-199)

(Copies are available from the Superintendent of Documents, U.S. Government Printing Office, Washington, DC 20402-0001.)

2.2 Non-Government publications. The following documents form a part of this document to the extent specified herein. Unless otherwise specified, the issues of the documents which are DOD adopted are those listed in the issue of the DODISS cited in the solicitation. Unless otherwise specified, the issues of documents not listed in the DODISS are the issues of the documents cited in the solicitation (see 6.1).

AMERICAN ASSOCIATION OF CEREAL CHEMISTS (AACC)

Approved Methods of the American Association of Cereal Chemists

(Application for copies should be addressed to the American Association of Cereal Chemists, 3340 Pilot Knob Road, St. Paul, MN 55121.)

AMERICAN DEHYDRATED ONION AND GARLIC ASSOCIATION (ADOGA)

Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products

(Application for copies should be addressed to the American Dehydrated Onion and Garlic Association, 650 California Street, Suite 800, San Francisco, CA 94108.)

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

AMERICAN OIL CHEMISTS SOCIETY (AOCS)

Official Methods and Recommended Practices of the Amercican Oil Chemists

(Application for copies should be addressed to the American Oil Chemists Society, P.O. Box 5037, Station A, Champaign, IL 61820.)

ASSOCIATION OF OFFICIAL ANALYTICAL CHEMISTS (AOAC)

Official Methods of Analysis of the Association of Official Analytical Chemists

(Application for copies should be addressed to the Association of Official Analytical Chemists, 2200 Wilson Boulevard, Suite 400-CD, Arlington, VA 22201-3301.)

NATIONAL ACADEMY OF SCIENCES

Food Chemicals Codex

(Application for copies should be addressed to the National Academy Press, 2101 Constitution Avenue, N.W., Washington, DC 20418.)

(Non-Government standards and other publications are normally available from the organizations that prepare or distribute the documents. These documents also may be available in or through libraries or other informational services.)

2.3 Order of precedence. In the event of a conflict between the text of this document and the references cited herein, the text of this document takes precedence. Nothing in this document, however, supersedes applicable laws and regulations unless a specific exemption has been obtained.

3. REQUIREMENTS

3.1 Bid sample approval. When specified (see 6.1), bid samples shall be submitted to the contracting officer as follows: Three hermetically sealed cans containing 1 pound of product per can, representative of the product which the supplier proposes to furnish, shall be submitted to the contracting officer prior to the bid opening. One sample of those selected by the contracting officer shall be used to determine bid sample approval by panel testing (see 6.3). The remaining samples submitted by the successful bidder shall be used as approved reference samples for determining the acceptability of deliveries, as concerns palatability. The approval of any bid sample for palatability will not constitute approval of the sample as meeting the other requirements of this document.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

3.2 Ingredients. All ingredients shall be clean, sound, wholesome, and free from foreign material, evidence of rodent or insect infestation, extraneous material, off-odors, off-flavors, and off-colors.

3.2.1 Egg noodles. Egg noodles shall comply with the requirements of A-A-20063 with the following exceptions: The noodles shall be not more than 0.05 inch in width and thickness and shall be of such size that not more than 10.0 percent, by weight, of the product is less than 1/2 inch or more than 1 inch in length. The moisture content shall be not more than 6.0 percent.

3.2.2 Salt. Salt shall be noniodized, white, refined sodium chloride with or without anticaking agents and shall comply with the purity standards for sodium chloride of the Food Chemicals Codex.

3.2.3 Spices and soluble spice flavorings. Spices and spice flavorings shall be true to name and possess characteristic odors and flavors of the type normally used in this product.

3.2.4 Disodium inosinate and disodium guanylate. Disodium inosinate and disodium guanylate shall comply with the Food Chemicals Codex.

3.2.5 Beef, cooked, powdered. Powdered, cooked beef shall be prepared from fresh frozen beef. Cooked beef may be seasoned with salt, beef broth, MSG, and nucleotides (a mixture of Disodium 5' -Inosinate and Disodium 5' -Guanylate). The cooked beef shall have a maximum moisture content of 4.0 percent. The product shall be of such size that 100 percent shall pass through a U.S. Standard No. 16 sieve. The finished product shall originate and be produced, processed, and stored in plants regularly operating under the Meat and Poultry Inspection Regulations of the U.S. Department of Agriculture.

3.2.6 Hydrolyzed vegetable protein. Hydrolyzed vegetable protein shall be a very light colored and flavored hydrolysate of plant protein. In a 3 percent solution, it shall have a clean, slightly salty, delicate flavor with no detectable harshness, and not rubbery or other off-flavor. The typical analyses of this hydrolyzed protein shall be as follows:

	Percent
Total solids	Not less than 94.0
Chloride, as NaCl	Not more than 50.0
Ash	47.5 to 51.5
Organic solids	46.5 to 50.5
Protein	29.0 to 35.0
pH	4.6 to 5.0

3.2.7 Onions, white, dehydrated, chopped. Dehydrated chopped white onions shall be Fancy Grade of the Official Standards and Methods of the American Dehydrated Onion and Garlic Association for Dehydrated Onion and Garlic Products.

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:03Z
Check the source to verify that this is the current version before use.

3.2.8 Cabbage, dehydrated, diced. The cabbage shall have been blanched to inactivate the peroxidase enzyme and sulfited prior to dehydration. Dehydrated diced cabbage shall possess a bright typical color and shall be free from haylike odors. The sulfite level (calculated as sulfur dioxide) shall be 1,500 ± 500 parts per million (ppm) by weight. The moisture content shall not exceed 5.0 percent by weight. The dehydrated cabbage dices shall be of such size that 100 percent, by weight, shall pass through a U.S. Standard 3/8 inch sieve, but that not more than 15 percent, by weight, shall pass through a U.S. Standard No. 8 sieve. The rehydrated and cooked product shall have the color, texture, and flavor typical of cooked cabbage.

3.2.9 Celery, dehydrated, cross cut. The celery shall have been sulfited prior to dehydration. Dehydrated cross cut celery shall possess a light green to green color, with some variation, and shall be free from haylike odors. The sulfite level (calculated as sulfur dioxide) shall be 750 ± 250 ppm by weight. The moisture content shall not exceed 4.5 percent by weight. The dehydrated cross cut celery shall be of such size that not more than 5 percent, by weight, shall pass through a U.S. Standard No. 10 sieve. The rehydrated and cooked product shall have the color, texture, and flavor typical of cooked celery.

3.2.10 Parsley flakes, dehydrated. Dehydrated parsley flakes shall possess a typical uniform green color and shall be free from haylike odors. The moisture content shall not exceed 4.5 percent by weight. The dehydrated parsley flakes shall be of such size that not more than 20 percent, by weight, shall pass through a U.S. Standard No. 20 sieve. The product shall be free flowing and shall be free from clumps, matted or rolled material.

3.2.11 Carrots, dehydrated, diced. The carrots shall have been blanched to inactivate the peroxidase enzyme and sulfited prior to dehydration. Dehydrated diced carrots shall possess a typical uniform orange color and shall be free from haylike odors. The sulfite level (calculated as sulfur dioxide) shall be 450 ± 250 ppm by weight. The moisture content shall not exceed 5.0 percent by weight. The dehydrated diced carrots shall be of such size that 99 percent, by weight, shall pass through a U.S. Standard 3/8 inch sieve, but that not more than 10 percent, by weight, shall pass through a U.S. Standard No. 8 sieve. The rehydrated and cooked product shall have the color, texture, and flavor typical of cooked carrots.

3.2.12 Beans, green, dehydrated, cross cut. Dehydrated green beans shall have been prepared from not more than 1 inch in length cross cut bean pieces. The beans shall have been blanched to inactivate the peroxidase enzyme and sulfited prior to dehydration. Dehydrated cross cut green beans shall possess a green color, with some variation from fairly bright green to dark green, and shall be free from haylike odors. The sulfite level (calculated as sulfur dioxide) shall be 750 ± 250 ppm by weight. The moisture content shall not exceed 4.0 percent by weight. The dehydrated cross cut green beans shall be of such size that not more than 5 percent, by weight, shall pass

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

through a U.S. Standard No. 16 sieve. The rehydrated and cooked product shall have the color, texture, and flavor typical of freshly cooked green beans.

3.2.13 Peppers, green and red, dehydrated, diced. The green and red peppers shall have been sulfited prior to dehydration. Dehydrated diced green and red peppers shall possess typical uniform green and red colors and shall be free from haylike odors. The sulfite level (calculated as sulfur dioxide) shall be 1,750 ± 750 ppm by weight. The moisture content shall not exceed 5.5 percent by weight. The dehydrated pepper dices shall be of such size that not more than 10 percent, by weight, shall pass through a U.S. Standard No. 8 sieve. The rehydrated and cooked product shall have the color, texture, and flavor typical of normal sweet bell green and red peppers.

3.2.14 Sweeteners. Sweetener ingredients shall be sucrose, dextrose, or corn syrup solids.

3.2.15 Starch. Starch shall be any edible type that gives the desired thickening properties.

3.2.16 Dextrin. Dextrin shall comply with the Food Chemicals Codex.

3.2.17 Hydrogenated vegetable shortening. The shortening shall be refined hydrogenated vegetable oil of 100 hours or greater stability as determined by the active oxygen method CA 12-57 of the Official Methods and Recommended Practices of the American Oil Chemists. In addition, the shortening shall contain antioxidant(s) approved by the U.S. Food and Drug Administration.

3.2.18 Monosodium glutamate. Monosodium glutamate (MSG) shall comply with the Food Chemicals Codex.

3.3 Preparation and processing.

3.3.1 Soup formulation. The dehydrated beef flavored soup with noodles and vegetables shall be formulated with the following ingredients:

Egg noodles 1/	51.0 maximum
Seasonings 2/ 3/	24.6 maximum
Salt	
Spices and spice flavorings	
Disodium inosinate	
Disodium guanylate	
Beef, cooked, powdered	
Hydrolyzed vegetable protein	

Source: https://assist.dla.mil -- Downloaded: 202640-21T23:03Z
Check the source to verify that this is the current version before use.

Ingredient	Percent by weight
Vegetables 1/ 3/	7.5 minimum
Onions, white, dehydrated, chopped	
Cabbage, dehydrated, diced	
Celery, dehydrated, cross cut	
Parsley flakes, dehydrated	
Carrots, dehydrated, diced	
Beans, green, dehydrated, cross cut	
Peppers, green and red, dehydrated, diced	
Sweeteners 4/	6.0 maximum
Sucrose	
Dextrose	
Corn syrup solids	
Starch, dextrin, or any combination thereof 1/	5.0 maximum
Hydrogenated vegetable shortening	3.5 minimum
Monosodium glutamate	2.4 minimum

1/ It may be necessary to further dry one or all of the ingredients to provide a product that complies with the finished product moisture requirement (see 3.4.1). After further drying, the formulation shall be adjusted, as necessary, to provide a product that complies with the soup formula.

2/ Combinations of the seasoning ingredients shall be used to provide a 24.6 maximum percent by weight.

3/ The total amount of salt in the formula shall be adjusted, as necessary, to produce a product that complies with the finished product salt requirements (see 3.4).

4/ A minimum of five of the vegetables shall be used. The combination shall include a minimum of 1.0 percent dehydrated green and red peppers and 1.0 percent dehydrated green beans.

5/ Combinations of the sweetener ingredients shall be used to provide a 6.0 maximum percent by weight.

3.3.2 Soup preparation. All ingredients except the noodles shall be uniformly blended to a free flowing mixture and shall be filled into cans as specified in 5.1.1. The noodles shall be included in the can separately when packaging the product.

3.4 Finished product requirements. The finished product shall comply with the following requirements.

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:03Z
Check the source to verify that this is the current version before use.

3.4.1 Dehydrated product. (If compliance with a requirement is questionable in the dry state, the product in question may be rehydrated for further examination.)

a. There shall be no foreign material such as, but not limited to, dirt, insect parts, hair, wood, glass, or metal.

b. There shall be no foreign odor or flavor such as, but not limited to, burnt, scorched, stale, sour, rancid, haylike, or moldy.

c. There shall be no color foreign to the product.

d. The moisture content of the finished product shall be not greater than 3.25 percent.

e. The fat content of the finished product shall be not greater than 5.5 percent.

f. The salt content of the finished product shall be not greater than 15.0 percent.

g. The average net weight shall be not less than 19.0 ounces of dehydrated product.

h. No individual can shall contain less than 18.5 ounces of product.

3.4.2 Rehydrated product. The rehydrated product shall possess the color, odor, flavor, and appearance typical of beef broth with noodles and vegetables. The dehydrated soup shall be rehydrated when 19.0 ounces of dehydrated soup is added to 2.0 gallons of boiling water, covered, and simmered for such a time as necessary (not to exceed 10 minutes) to produce a beef broth with noodles and vegetables.

3.4.3 Palatability. The finished product shall be equal to or better than the approved bid sample (see 6.1) in palatibility and overall appearance.

3.5 Plant qualification. The product shall be prepared, processed, and packaged in establishments meeting the requirements of Title 21, Code of Federal Regulations, Part 110: "Current Good Manufacturing Practice in Manufacturing, Packing or Holding Human Food," and the plant sanitation requirements of the appropriate Government inspection agency.

3.6 Federal Food, Drug, and Cosmetic Act. All deliveries shall conform in every respect to the provisions of the Federal Food, Drug, and Cosmetic Act and regulations promulgated thereunder.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

4. QUALITY ASSURANCE PROVISIONS

4.1 Contractor's responsibility. Inspection and acceptance by the USDA shall not relieve the contractor of obligation and responsibility to deliver a product complying with all requirements of this specification. The contractor shall ensure product compliance prior to submitting the product to the USDA for any inspection.

4.2 Inspection and certification. Product acceptability shall be determined by the USDA. The USDA will determine the degree of inspection and supervision necessary to ensure compliance with the requirements of this specification.

4.3 Quality conformance inspection. Unless otherwise specified, sampling for inspection shall be performed in accordance with MIL-STD-105.

4.3.1 Component and material inspection. In accordance with 4.1, components and materials shall be inspected in accordance with all the requirements of referenced documents unless otherwise excluded, amended, modified, or qualified in this specification or applicable purchase document.

4.3.1.1 Ingredient and component examination. Conformance of ingredients and components to identity, condition, and other requirements specified in 3.2 shall be certified by the ingredient supplier or ingredient manufacturer, and compliance shall be verified by examination of pertinent labels, markings, U.S. Grade Certificates, certificates of analyses, or other such valid documents acceptable to the inspection agency. If necessary, each ingredient shall be examined organoleptically or inspected according to generally recognized test methods, such as the standard methods described in the Official Methods of Analysis of the Association of Official Analytical Chemists, and in the Approved Methods of the American Association of Cereal Chemists, to determine conformance to the requirements. Any nonconformance to an identity, condition, or other requirement shall be cause for rejection of the ingredient or component lot or of any involved product.

4.3.1.2 Unfilled can inspection. Conformance of unfilled cans to the requirements specified in 5.1.1 shall be determined by examination of certificates of compliance or of other valid documents. Any nonconformance shall be cause for rejection of the can lot or of any involved product.

4.3.2 In-process examination. In-process examination shall be performed to determine conformance to the preparation, processing, filling, sealing, and packaging requirements. Any nonconformance revealed by actual examination or by review of records of time, temperature, and formulation or of other valid documents shall be cause for rejection of the involved product.

4.3.3 Net weight examination. The net weight of the filled and sealed cans shall be determined by the weighing each sample unit on a suitable scale tared with a representative empty can and lid. Any individual net weight of

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

less than 18.5 ounces shall be classified as a minor defect. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. The inspection level shall be S-3 and the acceptable quality level (AQL), expressed in terms of defects per hundred units, shall be 2.5. The results shall be reported to the nearest 0.1 ounce. In addition, the lot shall be rejected if the sample average net weight is less than 19.0 ounces.

4.3.4 Product examination. The finished product shall be examined for the defects listed in table I. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 1.5 for major defects and 4.0 for minor defects.

TABLE I. Product defects 1/ 2/

Category		Defect
Major	Minor	
		Dehydrated product
101		Soup ingredients not uniformly blended to provide a free flowing mixture
	201	Ingredients other than noodles weigh less than 9.1 ounces 3/
		Rehydrated product 4/ 5/
102		The rehydrated product does not possess the color, odor, flavor, and appearance typical of beef broth with noodles and vegetables

1/ The presence of foreign material (for example, dirt, insect parts, hair, wood, glass, metal), foreign odor or flavor (for example, burnt, scorched, moldy, haylike, rancid, sour, stale), or foreign color shall be cause for rejection of the lot.

2/ Product not equal to or better than the approved bid sample in palatability and overall appearance shall be cause for rejection of the lot (see 3.4.3).

3/ Pass product through a U.S. Standard No. 7 sieve to separate the noodles from the soup mixture, and weigh remainder in pan. Report results to nearest 0.1 ounce.

4/ Rehydration of product shall be in accordance with 3.4.2.

Source: https://assist.dla.mil -- Downloaded: 2026-10-21T23:03Z
Check the source to verify that this is the current version before use.

5/ Determine once per sample unit.

4.3.5 Moisture, fat, and salt content testing. The finished product shall be tested as specified in 4.3.5.1 and 4.3.5.2 for conformance to the moisture, fat, and salt requirements in 3.4.1. The sample for testing shall be a 1 pound composite, derived from the number of cans indicated by inspection level S-2. The composite shall be formed just prior to testing. The lot size shall be expressed in cans. Results for moisture shall be reported to the nearest 0.01 percent, and for the fat and salt to the nearest 0.1 percent. Any test failure for either moisture, fat, or salt shall be classified as a major defect and shall be cause for rejection of the lot.

4.3.5.1 Moisture content test. Grind approximately 100 grams of a well mixed sample in a clean, dry, Waring Blendor or similar mill for 1 minute. Weigh two samples, approximately 2.0 grams each of the ground material into tared, dry, aluminum weighing dishes (approximately 2 to 2-1/2 inches in diameter and 3/4 inch in depth) with tight-fitting covers. Place the dishes with cocked lids in a vacuum oven and dry the finished product for 16 hours at 60°C under a pressure of not more than 100 mm of mercury. During drying, admit to the oven a slow current of air (approximately two bubbles per second) dried by passing through concentrated sulfuric acid. Remove the dishes and allow them to cool in a desiccator before weighing. Calculate the percent of moisture.

4.3.5.2 Fat and salt content testing. The product shall be tested for fat content in accordance with the Fosslet Method or the Crude Fat or Ether Extract Method (using petroleum ether) in the Meat and Meat Products chapter of the Official Methods of Analysis of the AOAC, and for salt content in accordance with the Meat and Meat Products chapter of the Official Methods of Analysis of the AOAC.

4.3.6 Oxygen content test. The filled and sealed cans shall be tested for conformance to the oxygen in headspace requirement by using an electronic oxygen analyzer which operates on the principle of the difference in partial pressure of oxygen between an oxygen reference and the oxygen content of the sample as detected by a porous ceramic Zirconia Sensor, such as the Illinois Instruments and Mocon Analyzers, or their equivalent; or on the principle of paramagnetic resonance such as the Servomex analyzer, or equivalent. The oxygen analyzer shall be calibrated to a known sample value prior to testing product. Test results shall be reported to the nearest 0.1 percent. Any result failing to conform to the oxygen headspace requirements in 5.1.1 shall be classified as a major defect. The lot size shall be expressed in cans. The sample unit shall be one filled and sealed can. The inspection level shall be S-2 and the AQL, expressed in terms of defects per hundred units, shall be 2.5.

4.3.7 Packaging examination. Examination of preservation, shipping container, and leakage and vacuum shall be in accordance with PPP-C-29.

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:03Z
Check the source to verify that this is the current version before use.

5. PACKAGING

5.1 Preservation. The product shall be preserved in accordance with level A or C, as specified (see 6.1).

5.1.1 Level A or level C. A net weight of 19.0 ounces (9.3 oz. of ingredients other than noodles with the remainder being noodles) of product shall be unit packed into a size 401 by 411, open-top style, round metal can, in accordance with level A or level C requirements of PPP-C-29 for the level specified. The product shall be packed under an atmosphere of nitrogen so that the oxygen content of the gases in the filled and sealed container shall not exceed 2.0 percent when tested in accordance with 4.3.6. The cans shall be hermetically sealed and shall not show leakage when examined in accordance with PPP-C-29. Alternatively, the cans may be hermetically sealed under a vacuum of not less than 27 inches of mercury when examined in accordance with procedures in PPP-C-29.

5.2 Packing. The product shall be packed in accordance with level A, B, or C, as specified (see 6.1).

5.2.1 Level A, B, or C packing. The product shall be packed for each level of protection in accordance with PPP-C-29 for the level specified.

5.3 Unit loading. When specified (see 6.1), the product, packed as specified in 5.2.1, shall be arranged in unit loads in accordance with PPP-C-29.

5.4 Labeling and marking.

5.4.1 Cans. Cans shall be labeled in accordance with PPP-C-29. In addition, the following information, as applicable, shall be included on the can:

GAS PACKAGED (if applicable)

SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES
(Preserved with Sulfur Dioxide)
Net Weight 19.0 oz.

Date of pack.
Name and address of contractor.
Lot number.

5.4.1.1 Directions for use. The following directions for use shall be lithographed on the body or on the end of the can, or printed on the label:

DIRECTION FOR USE

Source: https://assist.dla.mil -- Downloaded: 202640-21T23:03Z
Check the source to verify that this is the current version before use.

Stir contents of can into 2.0 gallons of boiling water. Return water to a boil, cover, and simmer for 10 minutes. Yields approximately 32 servings (8 fluid ounces each).

5.4.2 Shipping containers and unit loads. Shipping containers and unit loads shall be marked in accordance with PPP-C-29.

6. NOTES

(This section contains information of a general or explanatory nature that may be helpful, but is not mandatory.)

6.1 Acquisition requirements. Acquisition documents must specify the following:

a. Title, number, and date of this specification.
b. Issue of DODISS to be cited in the solicitation, and if required, the specific issue of the individual documents referenced (see 2.1.1 and 2.2).
c. When a bid sample is required (see 3.1).
d. Provisions for approved bid sample (see 3.4.3).
e. Level of preservation and packing required (see 5.1 and 5.2).
f. When unit loading is required (see 5.3).

6.2 Appropriate level of pack. Based on conditions known or expected to be encountered during shipment, handling, and storage of the specific item being procured, the procuring activity should select the appropriate level of pack in accordance with the criteria established in AR 700-15/NAVSUPINST 4030.28/AFR 71-6/MCO 4030.33A/DLAR 4145.7.

6.3 Bid sample evaluation. Bid samples shall be evaluated by U.S. Army Natick Research, Development, and Engineering Center. The bid sample will be rated by a consumer-type panel on a 9-point hedonic scale graduated in successive degrees of "like extremely" to "dislike extremely". For further details on the evaluation procedure, see "Hedonic Scale Method of Measuring Food Preference" from Food Technology, 1957, Vol. XI, No. 9. Copies may be obtained from the U.S. Army Natick Research, Development, and Engineering Center (ATTN: STRNC-WTP), Natick, MA 01760-5018.

6.4 Subject term (key word) listing.

Canned food
Operational rations

6.5 Changes from previous issue. Marginal notations are not used in this revision to identify changes with respect to the previous issue due to the extensiveness of the changes.

Source: https://assist.dla.mil -- Downloaded: 202640-21T23:03Z
Check the source to verify that this is the currentversion before use.

Custodians:

Army - GL
Navy - SA
Air Force - 50

Review activities:

Army - MD, QM
Navy - MC
DP - SS

Preparing activity:

Army - GL

(Project 8935-0088)

Source: https://assist.dla.mil -- Downloaded: 202610-21T23:03Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

INSTRUCTIONS

1. The preparing activity must complete blocks 1, 2, 3, and 8. In block 1, both the document number and revision letter should be given.
2. The submitter of this form must complete blocks 4, 5, 6, and 7.
3. The preparing activity must provide a reply within 30 days from receipt of the form.

NOTE: This form may not be used to request copies of documents, nor to request waivers, or clarification of requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

I RECOMMEND A CHANGE:	1. DOCUMENT NUMBER	2. DOCUMENT DATE (YYMMDD)
	MIL-S-43931A	1991 November 25

3. DOCUMENT TITLE
SOUP, DEHYDRATED, BEEF FLAVORED, WITH NOODLES AND VEGETABLES

4. NATURE OF CHANGE (Identify paragraph number and include proposed rewrite, if possible. Attach extra sheets as needed.)

5. REASON FOR RECOMMENDATION

6. SUBMITTER

a. NAME (Last, First, Middle Initial)	b. ORGANIZATION	
c. ADDRESS (Include Zip Code)	d. TELEPHONE (Include Area Code) (1) Commercial (2) AUTOVON (If applicable)	7. DATE SUBMITTED (YYMMDD)

8. PREPARING ACTIVITY

a. NAME	b. TELEPHONE (Include Area Code) (1) Commercial	(2) AUTOVON/DSN
U.S. Army Natick RD&E Center	508-651-4501	256-4501
c. ADDRESS (Include Zip Code) Commander, U.S. Army Natick RD&E Center ATTN: STRNC-WTP Natick, MA 01760-5018	IF YOU DO NOT RECEIVE A REPLY WITHIN 45 DAYS, CONTACT: Defense Quality and Standardization Office 5203 Leesburg Pike, Suite 1403, Falls Church, VA 22041-3466 Telephone (703) 756-2340 AUTOVON 289-2340	

Source: https://assist.dla.mil -- Downloaded: 2026-03-27 15:43:52
Check the source to verify that this is the current version before use.