
MILITARY SPECIFICATION SHEET

ATTENUATORS, FIXED, TO-5 CONFIGURATION,

CLASS IV, LOW POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the attenuators described herein shall consist of this specification and the latest issue of MIL-A-3933.



INCHES	MM	INCHES	MM	INCHES	MM
.0015	.038	.031	.79	.200	5.08
.003	.08	.0345	.876	.250	6.35
.0055	.140	.058	1.47	.325	8.26
.010	.25	.067	1.70	.360	9.14
.0175	.444	.100	2.54	.50	12.7

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.010 (.25 mm).

FIGURE 1. Dimensions and configuration.

FSC 5985
Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

ENGINEERING DATA:

Class IV.

Operating frequency range: DC to 1 GHz.

Test frequencies for VSWR and attenuation measurements: DC, 0.25, 0.5, 0.75, and 1.0 GHz.

Basic test frequency: 0.5 GHz.

Operating temperature range: -55°C to +71°C.

Material: Shall be corrosion resistant.

Maximum weight: 0.05 ounces.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Nominal impedance: 50 ohms.

VSWR: 1.35:1 maximum.

Power: See table I.

Attenuation: See table I for attenuation values and tolerances.

Average power input: 100 mW maximum.

Part number: M3933/23- (and dash number from table I).

TABLE I. Attenuation values.

Dash number	Attenuation ±0.1 dB/dB or 2 dB, whichever is less	Dash number	Attenuation ±0.1 dB/dB or 2 dB, whichever is less
01 N S	3	10 N S	4
02 N S	6	11 N S	5
03 N S	10	12 N S	7
04 N S	13	13 N S	8
05 N S	15	14 N S	9
06 N S	20	15 N S	11
07 N S	30	16 N S	12
08 N S	1	17 N S	14
09 N S	2	18 N S	16

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

TABLE I. Attenuation values Continued.

Dash number	Attenuation ±0.1 dB/dB or 2 dB, whichever is less	Dash number	Attenuation ±0.1 dB/dB or 2 dB, whichever is less
19 N S	17	31 N S	31
20 N S	18	32 N S	32
21 N S	19	33 N S	33
22 N S	21	34 N S	34
23 N S	22	35 N S	35
24 N S	23	36 N S	36
25 N S	24	37 N S	37
26 N S	25	38 N S	38
27 N S	26	39 N S	39
28 N S	27	40 N S	40
29 N S	28	41 N S	100
30 N S	29		

NOTE: Attenuators covered by this specification sheet are substitutable for the manufacturer's part numbers specified in table II. This information in no way implies that the manufacturer's part number is suitable as a substitute for the military part number.

TABLE II. Substitution data.

Military part number M3933/23-	Manufacturer's code	Manufacturer's part number	NSN
01	05869	717754-3	---
01	80063	SM-C-801026-3	---
01	52634	70352	---
02	05869	717754-6	---
02	80063	SM-C-801026-6	---
02	52634	70355	---

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

TABLE II. Substitution data Continued.

Military part number M3933/23-	Manufacturer's code	Manufacturer's part number	NSN
03	05869	717754-10	---
03	80063	SM-C-801026-10	---
03	52634	70359	---
04	05869	717754-13	---
04	80063	SM-C-801026-13	---
04	52634	70362	---
05	05869	717754-15	---
05	80063	SM-C-801026-15	---
05	52634	70364	---
06	05869	717754-20	---
06	52634	70369	---
06	80063	SM-C-801026-20	---
07	05869	717754-30	---
07	52634	70398	---
08	05869	717754-1	---
08	52634	70350	---
09	05869	717754-2	---
09	52634	70351	---
10	05869	717754-4	---
10	52634	70353	---
11	05869	717754-5	---
11	52634	70354	---
12	05869	717754-7	---
12	52634	70356	---
13	05869	717754-8	---
13	52634	70357	---
14	05869	717754-9	---
14	52634	70358	---
15	05869	717754-11	---
15	52634	70360	---
16	05869	717754-12	---
16	52634	70361	---
17	05869	717754-14	---
17	52634	70363	---
18	05869	717754-16	---
18	52634	70365	---
19	05869	717754-17	---
19	52634	70366	---
20	05869	717754-18	---
20	52634	70367	---

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

TABLE II. Substitution data Continued.

Military part number M3933/23-	Manufacturer's code	Manufacturer's part number	NSN
21	05869	717754-19	---
21	52634	70368	---
22	05869	717754-21	---
22	52634	70389	---
23	05869	717754-22	---
23	52634	70390	---
24	05869	717754-23	---
24	52634	70391	---
25	05869	717754-24	---
25	52634	70392	---
26	05869	717754-25	---
26	52634	70393	---
27	05869	717754-26	---
27	52634	70394	---
28	05869	717754-27	---
28	52634	70395	---
29	05869	717754-28	---
29	52634	70396	---
30	05869	717754-29	---
30	52634	70397	---
31	05869	717754-31	---
31	52634	70399	---
32	05869	717754-32	---
32	52634	70400	---
33	05869	717754-33	---
33	52634	70401	---
34	05869	717754-34	---
34	52634	70402	---
35	05869	717754-35	---
35	52634	70403	---
36	05869	717754-36	---
36	52634	70404	---
37	05869	717754-37	---
37	52634	70405	---
38	05869	717754-38	---
38	52634	70406	---
39	05869	717754-39	---
39	52634	70407	---
40	05869	717754-40	---
40	52634	70408	---
41	05869	717754-100	---
41	52634	70409	---

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

CONCLUDING MATERIAL

Custodians:
Army - ER
Navy - EC
Air Force – 85

Preparing Activity:
Navy - EC

(Project 5985-0983-15)

Review Activities:
Army – MI
Air Force – 11, 99
DLA - ES

User Activities:
Navy – AS, MC, SH

Agent:
DLA - ES

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-A-3933/23B	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*:
b. ADDRESS *(Street, City, State, ZIP Code)*	

5. PROBLEM AREAS

a. Paragraph Number and Wording:

b. Recommended Wording:

c. Reason/Rationale for Recommendation:

6. REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:32Z
Check the source to verify that this is the current version before use.