
MILITARY SPECIFICATION SHEET

ATTENUATOR, FIXED, COAXIAL LINE, (SMA CONNECTORS), BULKHEAD, CLASS IV, LOW POWER

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The complete requirements for acquiring the attenuators described herein shall consist of this specification and the latest issue of MIL-A-3933.



INCHES	MM	INCHES	MM	INCHES	MM
.010	.25	.102	2.59	.340	8.64
.02	.5	.20	5.1	.46	11.7
.03	.8	.250	6.35	.500	12.70
.04	1.0	.28	7.1	1.03	26.2
.062	1.57	.30	7.6		

NOTES:
1. Dimensions are in inches.
2. Metric equivalents are given for general information only.
3. Unless otherwise specified, tolerance is ±.005 (.13 mm).

FIGURE 1. Dimensions and configuration.

FSC 5985
Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:33Z
Check the source to verify that this is the current version before use.

ENGINEERING DATA:

Class: IV.

Operating frequency range: 2 to 12.4 GHz.

Test frequencies for VSWR and attenuation measurements: 2, 4, 8, and 12.4 GHz.

Basic test frequency: 8 GHz.

Operating temperature range: -55°C to +125°C. Power input is derated linearly from +25°C to 0.2 watt at +125°C.

Maximum weight: 0.45 oz.

REQUIREMENTS:

Dimensions and configuration: See figure 1.

Nominal impedance: 50 ohms.

Attenuation: See table I for attenuation values and tolerances.

VSWR: (1.07 +.015f):1 (Where f is the frequency in GHz).

Power input:

Average: 2 watts at 25°C.

Peak: 100 watts (Duty cycle of 5 percent and a maximum pulse width of 10 microseconds).

Part number: M3933/24- (and dash number from table I).

TABLE I. Attenuation values.

Dash number	Attenuation (dB)	
01 N S	10	±0.3
02 N S	15	±0.5
03 N S	20	±0.5

Note: Attenuators covered by this specification sheet are substitutable for the manufacturer's part numbers specified in table II. This information in no way implies that manufacturer's part number is suitable as a substitute for the military part number.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:33Z
Check the source to verify that this is the current version before use.

TABLE II. Substitution information.

Military part number M3933/24-	Manufacturer's code	Manufacturer's part number	NSN
01	97942	583R575H10	1270-01-083-3368
02	97942	583R575H15	---
03	97942	583R575H20	---

Custodians.
Army - ER
Navy - EC
Air Force - 85

Review activities:
Army - MI
Air Force - 11, 99
DLA - ES

User activities:
Navy - AS, MC, SH

Agent:
DLA - ES

Preparing activity:
Navy - EC

(Project 5985-0993-16)

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:33Z
Check the source to verify that this is the current version before use.

INSTRUCTIONS. In a continuing effort to make our standardization documents better, the DoD provides this form for use in submitting comments and suggestions for improvements. All users of military standardization documents are invited to provide suggestions. This form may be detached, folded along the lines indicated, taped along the loose edge *(DO NOT STAPLE)*, and mailed. In block 5, be as specific as possible about particular problem areas such as wording which required interpretation, was too rigid, restrictive, loose, ambiguous, or was incompatible, and give proposed wording changes which would alleviate the problems. Enter in block 6 any remarks not related to a specific paragraph of the document. If block 7 is filled out, an acknowledgement will be mailed to you within 30 days to let you know that your comments were received and are being considered.

NOTE This form may not be used to request copies of documents, nor to request waivers, deviations, or clarification of specification requirements on current contracts. Comments submitted on this form do not constitute or imply authorization to waive any portion of the referenced document(s) or to amend contractual requirements.

(Fold along this line)

(Fold along this line)

DEPARTMENT OF THE NAVY

Naval Electronic Systems Command
Washington, DC 20363

NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE $300

BUSINESS REPLY MAIL
FIRST CLASS PERMIT NO 12503 WASHINGTON D C

POSTAGE WILL BE PAID BY THE DEPARTMENT OF THE NAVY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
DEFENSE STANDARDIZATION PROGRAM BRANCH
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20363
ATTN: ELEX 8111

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:33Z
Check the source to verify that this is the current version before use.

STANDARDIZATION DOCUMENT IMPROVEMENT PROPOSAL

(See Instructions – Reverse Side)

1. DOCUMENT NUMBER	2. DOCUMENT TITLE
MIL-A-3933/24A	

3a. NAME OF SUBMITTING ORGANIZATION	4. TYPE OF ORGANIZATION *(Mark one)*
	☐ VENDOR ☐ USER ☐ MANUFACTURER ☐ OTHER *(Specify)*:
b. ADDRESS *(Street, City, State, ZIP Code)*	

5 PROBLEM AREAS

a. Paragraph Number and Wording

b. Recommended Wording

c. Reason/Rationale for Recommendation

6 REMARKS

7a. NAME OF SUBMITTER *(Last, First, MI)* – Optional	b. WORK TELEPHONE NUMBER *(Include Area Code)* – Optional
c. MAILING ADDRESS *(Street, City, State, ZIP Code)* – Optional	8. DATE OF SUBMISSION *(YYMMDD)*

(TO DETACH THIS FORM, CUT ALONG THIS LINE.)

DD FORM 82 MAR 1426 PREVIOUS EDITION IS OBSOLETE.

Source: https://assist.dla.mil -- Downloaded: 2026-10-16T22:33Z
Check the source to verify that this is the current version before use.